

Message	Schema	Page
Data model		2
Correlation table of message names used		3
Message interchange		4
Messages used in both entry and exit		
IE900	Control	FIControl 5
IE100	Request for additional information	FIEntryExitResponse 6
IE316	Rejection (national name)	FIEntryExitResponse 7
Messages from trader to Customs at entry		
IE007	Arrival notification (for temporary storage)	FISummaryDeclaration 8
IE044	Unloading report	FISummaryDeclaration 10
IE313	Entry Summary Declaration amendment	FISummaryDeclaration 16
IE315	Entry Summary Declaration	FISummaryDeclaration 29
IE323	Diversion request Import	FISummaryDeclaration 42
IE344	Summary declaration for temporary storage	FISummaryDeclaration 44
IE347	Arrival notification and presentation	FISummaryDeclaration 59
IE3470	Arrival notification with Entry Key data	FISummaryDeclaration 61
Customs response messages at entry		
IE304	Entry Summary Declaration Amendment Acceptance	FIEntryExitResponse 63
IE322	Entry release rejection	FIEntryExitResponse 67
IE325	Diversion request Acknowledgement	FIEntryExitResponse 69
IE326	Unloading report acceptance	FIEntryExitResponse 70
IE328	Entry Summary Declaration Acknowledgement	FIEntryExitResponse 71
IE329	Entry details data/Entry permitted with Customs' corrections	FIEntryExitResponse 74
IE330	Entry release	FIEntryExitResponse 83
IE345	Subsequent arrival notification validation	FIEntryExitResponse 85
IE348	Arrival notification validation	FIEntryExitResponse 86
IE351	Preventive/prohibitive measures/control notification	FIEntryExitResponse 87
IE361	Import control decision notification	FIEntryExitResponse 91
IE398	Cancellation	FIEntryExitResponse 93
IE399	Error	FIEntryExitResponse 94
Messages from trader to Customs at exit		
IE547	Exit manifest presentation	FISummaryDeclaration 95
IE590	Exit Notification	FISummaryDeclaration 97
IE613	Exit Summary Declaration Amendment	FISummaryDeclaration 98
IE615	Exit Summary Declaration	FISummaryDeclaration 105
Customs response messages at exit		
IE522	Exit Release Rejection	FIEntryExitResponse 113
IE525	Exit Release Notification	FIEntryExitResponse 114
IE548	Export Manifest Validation	FIEntryExitResponse 115
IE561	Exit Control Decision Notification	FIEntryExitResponse 116
IE593	Exit Notification acceptance	FIEntryExitResponse 117
IE604	Exit Summary Declaration Amendment Acceptance	FIEntryExitResponse 118
IE628	Exit Summary Declaration Acknowledgement	FIEntryExitResponse 119

Message	Name used in national documentation	Name used in international documentation
IE007	Arrival notification (for temporary storage)	Arrival notification (E_ARR_NOT)
IE044	Unloading report	Unloading remarks (E_ULD_REM)
IE100	Request for additional information	Ask for documents (E_ASK_DOC)
IE304	Entry Summary Declaration Amendment Acceptance	Entry Summary Declaration Amendment Acceptance (E_ENS_AAC)
IE313	Entry Summary Declaration amendment	Entry Summary Declaration amendment (E_ENS_AMD)
IE315	Entry Summary Declaration	Entry Summary Declaration (E_ENS_DAT)
IE316	Rejection	Entry Summary Declaration rejected (E_ENS_REJ)
IE322	Entry release rejection	Entry release rejection (E_ENT_REJ)
IE323	Diversion request Import	Diversion request Import (E_DIV_REQ)
IE325	Diversion request Acknowledgement	Diversion request Acknowledgement (E_DIV_ACK)
IE326	Unloading report acceptance	<i>National message</i>
IE328	Entry Summary Declaration Acknowledgement	Entry Summary Declaration Acknowledgement (E_ENS_ACK)
IE329	Entry details data/Entry permitted with Customs' corrections	Entry details data (E_ENT_DET)
IE330	Entry release	Entry release (E_ENT_REL)
IE344	Summary declaration for temporary storage	Subsequent Arrival Notification (E_SAN_ENT)
IE345	Subsequent arrival notification validation	Subsequent manifest validation (E_SMA_VAL)
IE347	Arrival notification and presentation	Arrival notification (E_ARN_ENT)
IE348	Arrival notification validation	Manifest validation (E_MAN_VAL)
IE351	Preventive/prohibitive measures/control notification	Advanced Intervention Notification (E_AIV_NOT)
IE361	Import control decision notification	Import control decision notification (E_IMP_CTR)
IE398	Cancellation	<i>National message</i>
IE399	Error	<i>National message</i>
IE522	Exit Release Rejection	Exit Release Rejection (E_EXT_REJ)
IE525	Exit Release Notification	Exit Release Notification (E_EXT_REL)
IE547	Exit manifest presentation	Manifest presentation (E_MAN_PRE)
IE548	Export Manifest Validation	Export Manifest Validation (E_EXP_MVA)
IE561	Exit Control Decision Notification	Exit Control Decision Notification (E_EXT_CTR)
IE590	Exit Notification	Exit Notification (E_EXT_NOT)
IE593	Exit Notification acceptance	<i>National message</i>
IE604	Exit Summary Declaration Amendment Acceptance	Exit Summary Declaration Amendment Acceptance (E_EXS_AAC)
IE613	Exit Summary Declaration Amendment	Exit Summary Declaration Amendment (E_EXS_AMD)
IE615	Exit summary declaration	Exit Summary Declaration (E_EXS_DAT)
IE628	Exit Summary Declaration Acknowledgement	Exit Summary Declaration Acknowledgement (E_EXS_ACK)
IE900	Control	<i>National message</i>
IE3470	Arrival notification with Entry Key data	Arrival notification (E_ARN_ENT)

Level 0	RDO	Format	Path	(General type) tag	type
MESSAGE 1X	R				
Message sender	R	an..35	Message	sender	lineType
Message sender's EDI-identity as defined by ISO-standard 6523. The ICD of the registry's administrator (0037) is followed by the business ID without the dash. If using direct messaging (WebService), the traders EORI identification , which in Finland consists of a country code and Business ID or VAT number, (e.g FI1234567-8) is used as identification.					
Message recipient	R	an..35	Message	recipient	lineType
Message recipient's EDI-identification as defined by ISO-standard 6523. The ICD of the registry's administrator is followed by the business ID without the dash. In trader to Customs messages the value is 003702454428. If using direct messaging (WebService), the traders EORI identification , which in Finland consists of a country code and Business ID or VAT number, (e.g FI1234567-8) is used as identification. Customs' identification is in this case FI0245442-8.					
Date and time of preparation	R	dateTime	Message	issue	dateTime
Interchange control reference	O	an..14	Message	controlReference	lineType
Used only in Customs' response messages. This is the value of 'Message identification' of the declaration message that the response refers to.					
Test indicator	R	n1	Message	test	code
In case of testing message interchange, enter code 1. ELSE (in production), enter code 0.					
Message identification	R	an..14	Message	reference	lineType
Unique identification of message. A five-character string assigned by Customs is followed by a reference number assigned by the message sender. The data element can contain only alphanumeric characters. In Customs' response messages this is a unique identifier for the interchange defined by Customs. When using direct messaging services (WebService), the freeform identification must always be nine characters, making the total length of the identification exactly 14 characters.					
Message type	R	an..6	Message	function	code
Code list 0096					
TECHNICAL MESSAGE SENDER 1X	D				
IF person lodging the declaration / notification or his representative is using a technical message sender, then this data group = R. ELSE this data group is not used.					
TIN	R	an..17	[Message] TechnicalSender	(Party) identity	identifier
TIN extension	R	an5	[Message] TechnicalSender	(Party) identityExtension	identifierExtension

Level 1	RDO	Format	Path	(General type) tag	type
HEADER 1X	R				
Action	R	an..3	InterchangeLevel	action	code
Code list:					
4 = Interchange is rejected					
8 = Interchange is accepted					
ERROR 999X	O				
Error location	R	an..350	Error [Pointer]	errorLocation	text
Error reason	R	an..350	Error	additionalDescription	text
Error column	O	n..6	Error [Pointer]	documentSection	code
Error line	O	n..6	Error [Pointer]	sequence	numeric
Error source	R	an..140	Error	originalValue	text

Level 1	RDO	Format	Path	(General type) tag	type
HEADER [SUMMARY DECLARATION] 1X	R				
Reference number MRN	D	an18	[Response] Declaration	MRN	mrn
Either MRN or Customs reference number or both are used.					
Customs reference number	D	an17	[Response] Declaration	customsReference	identifier
Either MRN or Customs reference number or both are used.					
Ask for documents text	R	an..350	[Response] AdditionalInformation	statementDescription	text
(CLEARANCE) CUSTOMS OFFICE 1X	R				
Reference number	R	an8	[Response.Control] ContactCustomsOffice	(CustomsOffice.Location) code	identifier
Capital letters must be used.					
GOODS ITEM 999X	D				
IF further information is required on the goods item level, the relevant item number and additional information is entered.					
Item number	R	n..5	[Response.Control] Pointer	sequence	numeric
Ask for documents text	R	an..350	[Response.Control] AdditionalInformation	statementDescription	text

Level 1	RDO	Format	Path	(General type) tag	type
HEADER [MANIFEST / SUMMARY DECLARATION] 1X	R				
LRN (Local reference number)	O	an..22	[Response] Declaration	reference	lineType
R891: The Local Reference Number (LRN)/Diversion LRN/Arrival LRN shall be a number/identifier allocated by the sending TRADER for a specific transaction (ENS, Arrival Notification). It shall be unique per Trader sending the transaction.					
IF IE316 is used to reject IE344, THEN the Manifest reference number (LRN) of the IE344 is stated.					
Reference number MRN	O	an18	[Response] Declaration	MRN	mrn
Customs reference number	O	an17	[Response] Declaration	customsReference	identifier
Declaration rejection date and time	R	dateTime	[Response] Status	effective	dateTime
ERROR 999X	O				
Error code	O	n2	[Response] Error	validation	code
Code list 0123					
Error pointer	R	n..5	[Response.Error] Pointer	sequence	numeric
IF error is related to header level, THEN = 0.					
Error text	R	an..255	[Response] Error	additionalDescription	text
Original attribute value	O	an..140	[Response] Error	originalValue	text
LRN (Local reference number)	O	an..22	[Response] Error	reference	lineType
IF IE316 is used to reject IE344 and the import operation in question on the IE344 does not refer to an MRN, THEN this data = 'R'. ELSE this data is not used.					
Reference number MRN	O	an18	[Response] Error	MRN	mrn
IF IE316 is used to reject IE344 and the import operation in question does refer to an MRN, THEN this data = 'R'. ELSE this data is not used.					

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
HEADER [MANIFEST] 1X		R				
LRN (Local reference number)		R	an..22	[Declaration] Document	reference	lineType
Notification date and time		R	dateTime	Declaration	(Document) issue	dateTime
Dialog language indicator at destination		D	a2	Declaration	language	languageCode
Code list 0036						
The attribute is used as the basic language to be used in any further communication between the trader and the Customs system. If the trader does not use this attribute then the Customs system will use the default language.						
Warehouse reference number		R	an..17	[Declaration] Warehouse	identification	identifier
Warehouse TIN extension		R	an5	[Declaration] Warehouse	identification Ex-tension	identifierEx-tension
Warehouse keeper must have authorization for temporary warehousing.						
(ENTRY) CUSTOMS OFFICE 1X		O				
Reference number		R	an8	Declaration	declarationOffice	identifier
Capital letters must be used.						
CUSTOMS DATA REFERENCE [SUMMARY DECLARATION] 1X		R				
Reference number MRN		R	an..21	[GoodsShipment] Consignment	MRN	mrn
Enter the relevant MRN number from the entry summary declaration or summary declaration.						
GOODS ITEM 999X		R				
Item number		R	n..3	[GoodsShipment.Consignment] ConsignmentItem	sequence	numeric
The requested items of the MRN must have been presented on the same Arrival notification (IE347).						
(REPRESENTATIVE) TRADER 1X		D				
If warehouse keeper is using representative, then this data group = 'R'. Else this data group is not used.						
Name		D	an..35	[Declaration] Agent	(Party) name1	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Name continuation		O	an..35	[Declaration] Agent	(Party) name2	lineType
Street and number		D	an..35	[Declaration] Agent	(Party.Address) line	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Postal code		D	an..9	[Declaration] Agent	(Party.Address) postCode	postalCode
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
City		D	an..35	[Declaration] Agent	(Party.Address) city	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Country		D	a2	[Declaration] Agent	(Party.Address) country	countryCode
Code list 0058						
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Capital letters must be used.						
TIN		R	an..17	[Declaration] Agent	(Party) identity	identifier
R837: The EORI Trader Identification number (TIN) shall be declared.						
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[Declaration] Agent	(Party) identityEx-tension	identifierEx-tension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
(LODGING NOTIFICATION) PERSON 1X		D				
IF (Representative) Trader is used, this data element can not be used. ELSE this data group is = R.						
Name		D	an..35	[Declaration. BorderTransportMeans] Master	(Party) name1	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Name continuation		O	an..35	[Declaration. BorderTransportMeans] Master	(Party) name2	lineType
Street and number		D	an..35	[Declaration. BorderTransportMeans] Master	(Party.Address) line	lineType

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Postal code		O	an..9	[Declaration. BorderTransportMeans] Master	(Party.Address) postalCode	postalCode
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
City		D	an..35	[Declaration. BorderTransportMeans] Master	(Party.Address) city	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Country		D	a2	[Declaration. BorderTransportMeans] Master	(Party.Address) country	countryCode
Code list 0058						
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Capital letters must be used.						
TIN		R	an..17	[Declaration. BorderTransportMeans] Master	(Party) identity	identifier
R837: The EORI Trader Identification number (TIN) shall be declared. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1. If Lodging notification person is used, THEN TIN must be equal to 'Warehouse reference number'.						
TIN extension		D	an5	[Declaration. BorderTransportMeans] Master	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
CONTACT INFORMATION 1X		R				
Contact person name		R	an..35	[Declaration] Representative-Person	(Party.Contact) name	lineType
Contact person telephone		R	an..35	[Declaration] Representative-Person	(Party.Communication) telephone	lineType
Contact person e-mail		O	an..100	[Declaration] Representative-Person	(Party.Communication) email	emailType

Level 1	Level 2	Level 3	RDO	Format	Path	(General type) tag	type
HEADER [MANI - FEST] 1X			R				
LRN (Local reference number)			R	an..22	[Declaration] Document	reference	lineType
<p>R891: The Local Reference Number (LRN)/Diversion LRN/Arrival LRN shall be a number/identifier allocated by the sending TRADER for a specific transaction (ENS, Arrival Notification). It shall be unique per Trader sending the transaction.</p>							
Dialog language indicator at destination			D	a2	Declaration	language	languageCode
<p>Code list 0036</p> <p>The attribute is used as the basic language to be used in any further communication between the Trader and the Customs system. If the trader does not use this attribute then the Customs system will use the default language.</p>							
Identity of means of transport crossing border			D	an..27	[Declaration] BorderTransport Means	(TransportMeans) identity	transportMeansIdentifier
<p>IF 'Transport mode at border' = '1', '3' or '8', THEN this data = 'R', ELSE this data = 'O'.</p> <p>IF 'Transport mode at border' = '1' or '8' THEN the attribute consists either of the International Maritime Organisation (IMO) ship identification number (format n7 - leading '0' allowed) or of the European Vessel Identification Number (ENI) (format n8 - leading '0' allowed)</p> <p>IF 'Transport mode at border' = '3' THEN the attribute consists of the registration plate number and has no format restrictions</p> <p>IF 'Transport mode at border' = '2' THEN the attribute consist of one wagon number and has no format restrictions</p> <p>ELSE no format restrictions</p>							
Total number of items			R	n..5	Declaration	goodsItem	quantity
Total number of packages			R	n..7	[Declaration] DeclarationPackaging	(Packaging) packages	quantity
<p>The total number of packages is the number of all packages that were declared unloaded in this declaration. The total number of packages is equal to the sum of all 'Number of packages' + all 'Number of pieces' + a value of '1' for each declared 'bulk'.</p> <p>If unloading remarks is given for only one container and goods are missing, enter value '0'.</p>							
Conveyance reference number			D	an..35	[Declaration] BorderTransportMeans	journey	lineType
<p>TR0518: IF 'Transport mode at border' = '4' THEN the attribute has format an..8 AND the string must contain the carrier code (an..3), the flight number (n..4) and an optional suffix (a1) without any separator between the two or three trimmed elements.</p> <p>TR0519: IF 'Transport mode at border' = '1' AND 'Conveyance reference number' is used AND the first four digits consist of XFER in uppercase THEN the first four digits shall consist of 'XFER' in uppercase, followed by the lorry registration plate number ELSE 'XFER' cannot be used.</p> <p>IF 'Transport mode at border' = '2', THEN either 'Identity of means of transport crossing border' or 'Conveyance reference number' must be used.</p> <p>R843: The 'Conveyance Reference Number' is the identification of the journey of the means of transport (e.g. flight number, train number, voyage number, trip number).</p>							
Place of unloading			O	an..35	[Declaration] UnloadingLocation	(Location) name	text
<p>R670: The first two digits of the 'Place of loading' and 'Place of unloading' shall consist of the country code followed by the name of a seaport, airport, freight terminal, rail station or other place.</p> <p>The first two digits must be capital letters.</p>							
Unloading date and time			R	dateTime	[Declaration] BorderTransportMeans	unload	dateTime
Warehouse reference number			R	an..17	[Declaration] Warehouse	identification	identifier
Warehouse TIN extension			R	an5	[Declaration] Warehouse	identification Extension	identifierExtension
<p>Warehouse keeper must have authorization for temporary warehousing.</p>							
CUSTOMS DATA REFERENCE [SUMMARY DECLARATION] 9999X			R				

Level 1	Level 2	Level 3	RDO	Format	Path	(General type) tag	type
Reference number MRN			R	an18	[GoodsShipment] Consignment	MRN	mrn
	GOODS ITEM 999X		R				
	Reference number (MRN) item number		R	n..5	[GoodsShip- ment.Consignment] ConsignmentItem	sequence	numeric
	Item condition indicator		R	an..5	[GoodsShipment. Consignment] Con- signmentItem	condition	indicatorCode

If 'GOODS ITEM.Item condition indicator' = '0' or 'false', other details related to goods = 'R'. In this case at least one data element or data group with discrepancies noticed at unloading, related to goods item in question, must be entered together with its true value discovered at time of unloading.
If 'GOODS ITEM.Item condition indicator' = '1' or 'true', details are not entered.

Following codes are used:

'0' or 'false' = Discrepancies are found

'1' or 'true' = No discrepancies are found.

Goods description / Discrepancies	D	an..280	[GoodsShipment. Consignment. ConsignmentItem] Commodity	cargoDescription	text
-----------------------------------	---	---------	--	------------------	------

If 'GOODS ITEM.Item condition indicator' = '0' or 'false', in addition to the goods description, enter also discrepancies discovered at time of unloading.

If 'GOODS ITEM.Item condition indicator' = '1' or 'true', details are not entered.

E.g. if missing goods in a container are detected, enter "[Container number] missing goods". If regarding excess goods, a container can be linked to a certain goods item, enter "[Container number] excess goods" here and the container number in field 'Container number'. If discrepancies related to data group 'Packages' are discovered, enter details regarding discrepancies here and the true packaging details that were discovered during unloading in the data group 'Packages'.

A plain language description that is precise enough for Customs services to be able to identify the goods. General terms (i.e. "consolidated", "general cargo" or "parts") cannot be accepted. A list of such general terms is published by the Commission at web site:

http://ec.europa.eu/taxation_customs/resources/documents/customs/policy_issues/customs_security/acceptable_goods_description_guidelines_en.pdf

Gross mass	D	n..11,3	[GoodsShipment. Consignment. ConsignmentItem] GoodsMeasure	grossMass	measure
------------	---	---------	---	-----------	---------

If 'GOODS ITEM.Item condition indicator' = '0' or 'false' and if this data is relevant, then this data element = 'R'.

If 'GOODS ITEM.Item condition indicator' = '1' or 'true', then this data element is not used.

The gross mass discovered at time of unloading is entered.

UN dangerous goods code	D	n4	[GoodsShipment. Consignment. ConsignmentItem] Commodity	UNDG	dangerousGoods Code
-------------------------	---	----	--	------	---------------------

No code list available

R823: The United Nations Dangerous Goods Identifier (UNDG) is the unique serial number (n4) assigned within the United Nations to dangerous substances and articles. This element shall be provided where it is relevant.

If 'GOODS ITEM.Item condition indicator' = '0' or 'false' and if this data is relevant, then this data element = 'R'.

If 'GOODS ITEM.Item condition indicator' = '1' or 'true', then this data element is not used.

The UN dangerous goods code discovered at time of unloading is entered.

Customs status	D	an..2	[GoodsShipment. Consignment] Con- signmentItem	communityStatus	CommunityStatus- CodeType
----------------	---	-------	--	-----------------	------------------------------

Code list 9995

R815: The attribute may be used to specify the Union status.

If 'GOODS ITEM.Item condition indicator' = '0' or 'false' and if this data is relevant, then this data element = R

If 'GOODS ITEM.Item condition indicator' = '1' or 'true', then this data element is not used.

The customs status discovered at time of unloading is entered.

PRODUCED DOCU- MENTS / CERTIFI- CATES 99X	D
--	----------

If 'GOODS ITEM.Item condition indicator' = '0' or 'false' and this data group is relevant, THEN this data group is= 'R'.

If 'GOODS ITEM.Item condition indicator' = '1' or 'true', THEN this data group is not used.

Document type and document number discovered at time of unloading is entered.

Document type	R	an..4	[GoodsShipment. Consignment. ConsignmentItem] AdditionalDocument	(Document) type	documentTypeCode
---------------	---	-------	---	-----------------	------------------

Code list 0006

R866: If the ENS is lodged by another party than the Carrier, then the transport document of the Carrier should be declared, if available.

Level 1	Level 2	Level 3	RDO	Format	Path	(General type) tag	type
		Document reference	R	an..35	[GoodsShipment. Consignment. ConsignmentItem] AdditionalDocument	(Document) reference	lineType
<p>R866: If the ENS is lodged by another party than the Carrier, then the transport document of the Carrier should be declared, if available.</p>							
		SPECIAL MENTIONS 99X	D				
<p>If 'GOODS ITEM.Item condition indicator' = '0' or 'false' and this data group is relevant, THEN this data group is= 'R'. If 'GOODS ITEM.Item condition indicator' = '1' or 'true', THEN this data group is not used.</p>							
		Additional information id	R	an..5	[GoodsShipment. Consignment. ConsignmentItem] AdditionalInformation	statement	specialMentions Code
Code list 0015							
		(CODE) COMMODITY 1X	D				
<p>If 'GOODS ITEM.Item condition indicator' = '0' or 'false' and this data group is relevant, THEN this data group is= 'R'. If 'GOODS ITEM.Item condition indicator' = '1' or 'true', THEN this data group is not used. If discrepancies are discovered, the commodity code discovered at time of unloading is entered.</p>							
		Combined Nomenclature	R	an..10	[GoodsShipment. Consignment. ConsignmentItem] Commodity	tariffClassification	identifier
<p>R881: If the attribute is used, its minimum length is 4 digits.</p>							
		CONTAINERS 99X	D				
<p>If 'GOODS ITEM.Item condition indicator' = '0' or 'false' and this data group is relevant, THEN this data group is= 'R'. If 'GOODS ITEM.Item condition indicator' = '1' or 'true', THEN this data group is not used. If excess goods are discovered in a container, and container can be linked to a certain goods item, the container numbers are entered.</p>							
		Container number	R	an..17	[GoodsShipment. Consignment. ConsignmentItem. TransportEquipment] EquipmentIdentification	identification	identifier
		PACKAGES 99X	D				
<p>If 'GOODS ITEM.Item condition indicator' = '0' or 'false' and this data group is relevant, THEN this data group is= 'R'. If 'GOODS ITEM.Item condition indicator' = '1' or 'true', THEN this data group is not used. The kind of packages, number of package, number of pieces and marks & numbers of packages related to the goods item are entered.</p>							
		Kind of packages	R	an..3	[GoodsShipment. Consignment. ConsignmentItem] ConsignmentItem-Packaging	(Packaging) type	packageTypeCode
Code list 0075							
Capital letters must be used.							
		Number of packages	D	n..5	[GoodsShipment. Consignment. ConsignmentItem] ConsignmentItem-Packaging	(Packaging) packages	quantity

Level 1	Level 2	Level 3	RDO	Format	Path	(General type) tag	type
		<p>C062: IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY', 'VR', 'VS' or 'VO')</p> <p>THEN "Number of packages" (box 31) can not be used Number of Pieces' (box 31) can not be used 'Marks & numbers of Packages (Box 31)' = 'O'</p> <p>ELSE</p> <p>IF "Kind of packages" (Box 31) indicates 'UNPACKED' (UNECE rec 21 : = 'NE', 'NF' or 'NG')</p> <p>THEN 'Number of packages' can not be used 'Number of Pieces' (box 31) = 'R' 'Marks & numbers of Packages (Box 31)' = 'O'</p> <p>ELSE Number of packages' (box 31) = 'R' Number of Pieces' (box 31) can not be used</p> <p>IF the attribute 'Specific circumstance indicator' is not used THEN the attribute 'Marks & numbers of Packages (Box 31)' = 'R' ELSE the attribute 'Marks & numbers of Packages (Box 31)' = 'O'</p> <p>R021: A zero '0' is to be considered as a valid number in this field.</p>					
		Number of pieces	D	n..5	[GoodsShipment. Consignment. ConsignmentItem] ConsignmentItem- Packaging	(Packaging) pieces	quantity
		<p>C062: IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY', 'VR', 'VS' or 'VO')</p> <p>THEN "Number of packages" (box 31) can not be used Number of Pieces' (box 31) can not be used 'Marks & numbers of Packages (Box 31)' = 'O'</p> <p>ELSE</p> <p>IF "Kind of packages" (Box 31) indicates 'UNPACKED' (UNECE rec 21 : = 'NE', 'NF' or 'NG')</p> <p>THEN 'Number of packages' can not be used 'Number of Pieces' (box 31) = 'R' 'Marks & numbers of Packages (Box 31)' = 'O'</p> <p>ELSE Number of packages' (box 31) = 'R' Number of Pieces' (box 31) can not be used</p> <p>IF the attribute 'Specific circumstance indicator' is not used THEN the attribute 'Marks & numbers of Packages (Box 31)' = 'R' ELSE the attribute 'Marks & numbers of Packages (Box 31)' = 'O'</p>					
		Marks & numbers of packages (long)	D	an..140	[GoodsShipment. Consignment. ConsignmentItem] ConsignmentItem- Packaging	(Packaging) markNumber	packageMarks
		<p>C062: IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY', 'VR', 'VS' or 'VO')</p> <p>THEN "Number of packages" (box 31) can not be used Number of Pieces' (box 31) can not be used 'Marks & numbers of Packages (Box 31)' = 'O'</p> <p>ELSE</p> <p>IF "Kind of packages" (Box 31) indicates 'UNPACKED' (UNECE rec 21 : = 'NE', 'NF' or 'NG')</p> <p>THEN 'Number of packages' can not be used 'Number of Pieces' (box 31) = 'R' 'Marks & numbers of Packages (Box 31)' = 'O'</p> <p>ELSE Number of packages' (box 31) = 'R' Number of Pieces' (box 31) can not be used</p> <p>IF the attribute 'Specific circumstance indicator' is not used THEN the attribute 'Marks & numbers of Packages (Box 31)' = 'R' ELSE the attribute 'Marks & numbers of Packages (Box 31)' = 'O'</p> <p>Free form description of the marks and numbers on transport units or packages. This information shall only be provided for packaged goods where applicable. Where goods are containerised, the container number can replace the shipping marks, which can however be provided by the trader where available. A UCR or the references in the transport document that allows for the unambiguous identification of all packages in the consignment may replace the shipping marks.</p>					
		SEALS ID 9999X	D				
		<p>If 'GOODS ITEM.Item condition indicator' = '0' or 'false' and this data group is relevant, THEN this data group is= 'R'.</p> <p>If 'GOODS ITEM.Item condition indicator' = 1 or 'true', THEN this data group is not used.</p>					
		Seals identity	R	an..20	[GoodsShipment. Consignment. ConsignmentItem] TransportEquipment	seal	sealIdentifier
		<p>If seal condition is not "ok", enter identities of affected seals. If seal is missing enter 'MISSING'.</p>					

Level 1	Level 2	Level 3	RDO	Format	Path	(General type) tag	type
(ENTRY) CUSTOMS OFFICE 1X			R				
Reference number			R	an8	Declaration	declarationOffice	identifier
Capital letters must be used.							
(REPRESENTATIVE) TRADER 1X			D				
If warehouse keeper is using representative, then this data group = 'R'. Else this data group is not used.							
Name			D	an..35	[Declaration] Agent	(Party) name1	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'							
Name continuation			O	an..35	[Declaration] Agent	(Party) name2	lineType
Street and number			D	an..35	[Declaration] Agent	(Party.Address) line	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'							
Postal code			D	an..9	[Declaration] Agent	(Party.Address) postCode	postalCode
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'							
City			D	an..35	[Declaration] Agent	(Party.Address) city	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'							
Country			D	a2	[Declaration] Agent	(Party.Address) country	countryCode
Code list 0058							
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'							
Capital letters must be used.							
TIN			R	an..17	[Declaration] Agent	(Party) identity	identifier
R837: The EORI Trader Identification number (TIN) shall be declared.							
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.							
TIN extension			D	an5	[Declaration] Agent	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.							
(LOADING UNLOADING REPORT) PERSON 1X			D				
IF (Representative) Trader is used, this data element can not be used. ELSE this data group is = 'R'.							
Name			D	an..35	[Declaration.Border-TransportMeans] Master	(Party) name1	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'							
Name continuation			O	an..35	[Declaration.Border-TransportMeans] Master	(Party) name2	lineType
Street and number			D	an..35	[Declaration.Border-TransportMeans] Master	(Party.Address) line	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'							
Postal code			O	an..9	[Declaration.Border-TransportMeans] Master	(Party.Address) postCode	postalCode
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'							

Level 1	Level 2	Level 3	RDO	Format	Path	(General type) tag	type
City			D	an..35	[Declaration. Border-TransportMeans] Master	(Party.Address) city	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>							
Country			D	a2	[Declaration. Border-TransportMeans] Master	(Party.Address) country	countryCode
<p>Code list 0058</p> <p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p> <p>Capital letters must be used.</p>							
TIN			R	an..17	[Declaration. Border-TransportMeans] Master	(Party) identity	identifier
<p>R837: The EORI Trader Identification number (TIN) shall be declared. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1. IF Lodging unloading report person is used, THEN TIN must be equal to 'Warehouse reference number'.</p>							
TIN extension			D	an5	[Declaration. Border-TransportMeans] Master	(Party) identityEx-tension	identifierExtension
<p>IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.</p>							
CONTACT INFORMATION 1X			R				
Contact person name			R	an..35	[Declaration] RepresentativePerson	(Party.Contact) name	lineType
Contact person telephone			R	an..35	[Declaration] RepresentativePerson	(Party. Communication) telephone	lineType
Contact person e-mail			O	an..100	[Declaration] RepresentativePerson	(Party.Communication) email	emailType

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
<p>R115: The IE structure used for the amendment is the same as E_DEC_DAT with some changes: replace LRN by MRN R an18, replace "Declaration date" by "Date of amendment" R n8, replace "Declaration place" by "Amendment place" R an..35 The IE transmits a complete amended declaration data, this means that all data groups and attributes are transmitted and not only those that are amended.</p> <p>R829: The data group 'Customs Office of Lodgement' shall not be present. This following check shall be performed if the AEO-Database in which the AEO certificate numbers are registered is available when performing the check:</p> <ul style="list-style-type: none"> The 'Specific circumstance indicator' with value 'E' (AEO) can be used only if the 'Person Lodging the ENS', all 'Consignees' and 'Representative' declared in the ENS have a valid AEO certificate of type 'AEOF' or 'AEOS'. Representative shall have a valid AEO certificate of type 'AEOF' or 'AEOS' as well. <p>R841: The value in the data group 'Representative' shall be equal to the 'Representative' identified by the 'Person lodging the ENS' in the original(first) version of the ENS.</p> <p>R842: The 'CUSTOMS OFFICE of first Entry. Reference number' shall be an Office which is located in the same Member State as the one identified by the 'Person lodging the ENS' in the original (first) version of the ENS. The 'CUSTOMS OFFICE of (first) Entry' must be located in the same Member State as the Office of first Entry declared in the Entry summary declaration.</p>						
HEADER [SUMMARY DECLARATION] 1X		R				
Reference number MRN		R	an18	Declaraton	MRN	mrn
Dialog language indicator at destination		D	a2	Declaration	language	languageCode
Code list 0036						
The attribute is used as the basic language to be used in any further communication between the Trader and the Customs system. If the trader does not use this attribute then the Customs system will use the default language.						
Transport mode at border		R	n..2	[Declaration] Border-TransportMeans	(TransportMeans) modeAndType	transportModeCode
Code list 0041						
<p>C529: IF first digit of 'Specific circumstance indicator' = 'A' THEN the attribute 'Transport mode at border' (box 25) '7' and '9' can not be used IF first digit of 'Specific circumstance indicator' = 'C' THEN the attribute 'Transport mode at border' (box 25) '1', '2', '4', '7', '8' and '9' can not be used IF first digit of 'Specific circumstance indicator' = 'D' THEN the attribute 'Transport mode at border' (box 25) '1', '3', '4', '7', '8' and '9' can not be used ELSE the attribute 'Transport mode at border' (box 25) = 'R' (any value)</p> <p>R826: For air cargo transported with other modes of transport than air, the other mode of transport shall be declared (e.g. for air cargo transported on road, the mode of transport '3' (road) shall be declared).</p>						
Identity of means of transport crossing border		D	an..27	[Declaration] Border-TransportMeans	(TransportMeans) identity	transportMeansIdentifier
<p>C017: IF 'IMPORT OPERATION.Transport mode at border (box 25)' = '1' or '8' THEN the attribute = 'R' IF 'IMPORT OPERATION.Transport mode at border (box 25)' = '4' THEN the attribute can not be used ELSE the attribute = 'O'</p> <p>C514: IF the attribute is present IF 'Transport mode at border' = '1' or '8' THEN the attribute consists either of the International Maritime Organisation (IMO) ship identification number (format n7 - leading '0' allowed) IF 'Transport mode at border' = '2' THEN the attribute consists of the wagon number and has no format restrictions IF 'Transport mode at border' = '3' THEN the attribute consists of the registration plate number and has no format restrictions ELSE no format restrictions</p>						
Nationality of means of transport crossing border		D	a2	[Declaration] Border-TransportMeans	(TransportMeans) registrationNationality	countryCode
Code list 0058						
<p>C024: IF 'IMPORT OPERATION.Transport mode at border (box 25)' is '3' and if 'IMPORT OPERATION.Identity Crossing Border (box 21)' is present. THEN the attribute = 'R' ELSE the attribute can not be used</p> <p>Capital letters must be used.</p>						
Total number of items		R	n..5	Declaration	goodsItem	quantity
TR0811: The data item 'Total number of items' has to be equal to the total occurrences of the data group 'GOODS ITEM'.						
Total number of packages		D	n..7	[Declaration] DeclarationPackaging	(Packaging) packages	quantity

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
<p>C582: IF the data group 'PACKAGES' is used THEN this attribute is = 'R' ELSE this attribute can not be used</p> <p>R105: The total number of packages is equal to the sum of all 'Number of packages' + all 'Number of pieces' + a value of '1' for each declared 'bulk'.</p>						
Total gross mass		O	n..11,3	Declaration	totalGrossMass	measure
Amendment place		R	an..35	Declaration	(Document) issueLocation	lineType
Specific Circumstance Indicator		O	a1	[GoodsShipment.Consignment] AdditionalInformation	circumstance	circumstanceCode
Code list 0402						
<p>This following check shall be performed if the AEO-Database in which the AEO certificate numbers are registered is available when performing the check:</p> <ul style="list-style-type: none"> The 'Specific circumstance indicator' with value 'E' (AEO) can be used only if the 'Person Lodging the ENS', all 'Consignees' and 'Representative' declared in the ENS have a valid AEO certificate of type 'AEOF' or 'AEOS'. <p>Representative shall have a valid AEO certificate of type 'AEOF' or 'AEOS' as well.</p> <p>Capital letters must be used.</p>						
Transport charges / method of payment		O	a1	[GoodsShipment.Consignment] FreightPayment	method	freightPaymentMethodCode
Code list 0327						
Capital letters must be used.						
Commercial reference number		D	an..70	[GoodsShipment.Consignment] UCR	traderReference	textType
<p>C567: IF the attribute 'Specific Circumstance Indicator' = 'A' THEN the attribute 'Commercial Reference Number (box 7)', 'Commercial Reference Number (ex box 7)' and the datagroup 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O' ELSE IF the attribute 'Commercial Reference Number (box 7)' and 'Commercial Reference Number (ex box 7)' is not used, THEN at least one attribute 'PRODUCED DOCUMENTS/CERTIFICATES.Document type' pointing to a transport document must be present ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'</p>						
Conveyance reference number		D	an..35	[Declaration] Border-TransportMeans	journey	lineType
<p>TR0518: IF 'Transport mode at border' = '4' THEN the attribute has format an..8 AND the string must contain the carrier code (an..3), the flight number (n..4) and an optional suffix (a1) without any separator between the two or three trimmed elements.</p> <p>TR0519: IF 'Transport mode at border' = '1' AND 'Conveyance reference number' is used AND the first four digits consist of XFER in uppercase THEN the first four digits shall consist of 'XFER' in uppercase, followed by the lorry registration plate number ELSE 'XFER' cannot be used.</p> <p>R843: The 'Conveyance Reference Number' is the identification of the journey of the means of transport (e.g. flight number, train number, voyage number, trip number).</p> <p>Sea transport (mode of transport at border 1): In cases of combined transport where a truck/articulated vehicle is loaded onboard a seagoing vessel the truck/articulated vehicle registration number is to entered as the conveyance reference number. Registration number is to be preceded by code XFER (with capital letters and without a space). For example: XFERABC-123.</p>						
Place of loading		D	an..35	[GoodsShipment.Consignment] LoadingLocation	(Location) name	text
<p>C574: IF the attribute 'Specific circumstance indicator' = 'A' THEN the attribute 'IMPORT OPERATION.Loading place' is = 'O' the attribute 'GOODS ITEM.Loading place' can not be used ELSE IF the attribute 'IMPORT OPERATION.Loading place' is used THEN the attribute 'GOODS ITEM.Loading place' can not be used ELSE the attribute 'GOODS ITEM.Loading place' = 'R'</p> <p>R670: The first two digits of the 'Place of loading' and 'Place of unloading' shall consist of the country code followed by the name of a seaport, airport, freight terminal, rail station or other place. The first two digits must be capital letters.</p>						
Place of unloading		O	an..35	[GoodsShipment.Consignment] UnloadingLocation	(Location) name	text
<p>R670: The first two digits of the 'Place of loading' and 'Place of unloading' shall consist of the country code followed by the name of a seaport, airport, freight terminal, rail station or other place. The first two digits must be capital letters.</p>						
Date and time of amendment		R	dateTime	Declaration	(Document) issue	dateTime
(CONSIGNOR) TRADER 1X		D				

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
C511: IF only one Trader Consignor is declared for all goods items THEN the data group 'Trader Consignor (box 2)' on IMPORT OPERATION level is used ELSE the data group 'Trader Consignor (ex box 2)' on GOODS ITEM level is used						
Name		D	an..35	[GoodsShipment.Consignment] Consignor	(Party) name1	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Name continuation		O	an..35	[GoodsShipment.Consignment] Consignor	(Party) name2	lineType
Street and number		D	an..35	[GoodsShipment.Consignment] Consignor	(Party.Address) line	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Postal code		D	an..9	[GoodsShipment.Consignment] Consignor	(Party.Address) post-Code	postalCode
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
City		D	an..35	[GoodsShipment.Consignment] Consignor	(Party.Address) city	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Country		D	a2	[GoodsShipment.Consignment] Consignor	(Party.Address) country	countryCode
Code list 0058						
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Capital letters must be used.						
TIN		O	an..17	[GoodsShipment.Consignment] Consignor	(Party) identity	identifier
R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[GoodsShipment.Consignment] Consignor	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
(CONSIGNEE) TRADER 1X						
C583: IF the attribute 'Additional information id' = '10600' is used for all GOODS ITEM data groups THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify Party' = 'O' ELSE IF the attribute 'Additional information id' = '10600' is used for at least one GOODS ITEM THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify Party' cannot be used ELSE the data group 'TRADER Notify Party' cannot be used and the data group 'TRADER Consignee' = 'O'						
Name		D	an..35	[GoodsShipment.Consignment] Consignee	(Party) name1	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Name continuation		O	an..35	[GoodsShipment.Consignment] Consignee	(Party) name2	lineType
Street and number		D	an..35	[GoodsShipment.Consignment] Consignee	(Party.Address) line	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Postal code		D	an..9	[GoodsShipment.Consignment] Consignee	(Party.Address) post-Code	postalCode
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
City		D	an..35	[GoodsShipment.Consignment] Consignee	(Party.Address) city	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Country		D	a2	[GoodsShipment.Consignment] Consignee	(Party.Address) country	countryCode
Code list 0058						
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Capital letters must be used.						

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
TIN		R	an..17	[GoodsShipment.Consignment] Consignee	(Party) identity	identifier
<p>C562: IF 'Specific circumstance indicator is 'E' THEN the attribute = 'R' ELSE the attribute = 'O'</p> <p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.</p> <p>The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.</p>						
TIN extension		D	an5	[GoodsShipment.Consignment] Consignee	(Party) identityExtension	identifierExtension
<p>IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.</p>						
NOTIFY PARTY 1X		D				
<p>C583: IF the attribute 'Additional information id' = '10600' is used for all GOODS ITEM data groups THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify Party' = 'O' ELSE IF the attribute 'Additional information id' = '10600' is used for at least one GOODS ITEM THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify Party' cannot be used ELSE the data group 'TRADER Notify Party' cannot be used and the data group 'TRADER Consignee' = 'O'</p>						
Name		D	an..35	[GoodsShipment.Consignment] NotifyParty	(Party) name1	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
Name continuation		O	an..35	[GoodsShipment.Consignment] NotifyParty	(Party) name2	lineType
Street and number		D	an..35	[GoodsShipment.Consignment] NotifyParty	(Party.Address) line	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
Postal code		D	an..9	[GoodsShipment.Consignment] NotifyParty	(Party.Address) post-Code	postalCode
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
City		D	an..35	[GoodsShipment.Consignment] NotifyParty	(Party.Address) city	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
Country		D	a2	[GoodsShipment.Consignment] NotifyParty	(Party.Address) country	countryCode
<p>Code list 0058</p> <p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p> <p>Capital letters must be used.</p>						
TIN		O	an..17	[GoodsShipment.Consignment] NotifyParty	(Party) identity	identifier
<p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.</p> <p>The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.</p>						
TIN extension		D	an5	[GoodsShipment.Consignment] NotifyParty	(Party) identityExtension	identifierExtension
<p>IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.</p>						
GOODS ITEM 999X		R				
Item number		R	n..5	[GoodsShipment.Consignment] ConsignmentItem	sequence	numeric
<p>R005: "Item no" (box 32) is always used even if "Items" (box 5) = "1", "Item no" (box 32) is also "1"</p> <p>R007: Each "Item no" (box 32) is unique throughout the declaration. The items shall be numbered in a sequential fashion, starting from '1' for the first item and incrementing the numbering by '1' for each following item.</p>						
Customs status		D	an..2	[GoodsShipment.Consignment] ConsignmentItem	communityStatus	CommunityStatusCodeType
<p>Code list 9995</p> <p>R815: The attribute may be used to specify the Union status.</p> <p>IF 'PRODUCED DOCUMENTS / CERTIFICATES.Document type' = '2YMM' THEN this attribute is = 'R' ELSE this attribute can not be used</p>						
Goods description		O	an..280	[GoodsShipment.Consignment.ConsignmentItem] Commodity	cargoDescription	text

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
<p>A plain language description that is precise enough for Customs services to be able to identify the goods. General terms (i.e. "consolidated", "general cargo" or "parts") cannot be accepted. A list of such general terms is published by the Commission at web site: http://ec.europa.eu/taxation_customs/resources/documents/customs/policy_issues/customs_security/acceptable_goods_description_guidelines_en.pdf</p> <p>If the means of transport entering the customs territory is empty, enter 'EMPTY' as description of goods.</p>						
Gross mass		D	n..11,3	[GoodsShipment.Consignment.ConsignmentItem] GoodsMeasure	grossMass	measure
<p>C592: IF the attribute 'Specific circumstance indicator' = 'E' THEN this attribute is = 'O' ELSE IF 'IMPORT OPERATION.Total gross mass is used' THEN this attribute is = 'O' ELSE this attribute is = 'R'</p>						
<p>If the means of transport entering the customs territory is empty, enter the dead weight (dead mass) of the means of transport.</p>						
Transport charges / method of payment		D	a1	[GoodsShipment.Consignment.ConsignmentItem] FreightPayment	method	freightPaymentMethod-Code
<p>Code list 0327</p> <p>C576: IF the attribute EXPORT OPERATION / IMPORT OPERATION / TRANSIT OPERATION.Transport charges – Method of payment' is used THEN this attribute can not be used ELSE this attribute = 'O'</p> <p>Capital letters must be used.</p>						
Commercial reference number		D	an..70	[GoodsShipment.Consignment.ConsignmentItem] UCR	traderReference	textType
<p>C567: IF the attribute 'Specific Circumstance Indicator = 'A' THEN the attribute 'Commercial Reference Number (box 7)', 'Commercial Reference Number (ex box 7)' and the datagroup 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O' ELSE IF the attribute 'Commercial Reference Number (box 7)' and 'Commercial Reference Number (ex box 7)' is not used, THEN at least one attribute 'PRODUCED DOCUMENTS/CERTIFICATES.Document type' pointing to a transport document must be present ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'</p>						
UN dangerous goods code		O	n4	[GoodsShipment.Consignment.ConsignmentItem] Commodity	UNDG	dangerousGoods Code
<p>No code list available</p> <p>R823: The United Nations Dangerous Goods Identifier (UNDG) is the unique serial number (n4) assigned within the United Nations to dangerous substances and articles. This element shall be provided where it is relevant.</p>						
Place of loading		D	an..35	[GoodsShipment.Consignment.ConsignmentItem] LoadingLocation	(Location) name	text
<p>C574: IF the attribute 'Specific circumstance indicator' = 'A' THEN the attribute 'IMPORT OPERATION.Loading place' is = 'O' the attribute 'GOODS ITEM.Loading place' can not be used ELSE IF the attribute 'IMPORT OPERATION.Loading place' is used THEN the attribute 'GOODS ITEM.Loading place' can not be used ELSE the attribute 'GOODS ITEM.Loading place' = 'R'</p> <p>R670: The first two digits of the 'Place of loading' and 'Place of unloading' shall consist of the country code followed by the name of a seaport, airport, freight terminal, rail station or other place.</p> <p>Capital letters must be used.</p>						
Place of unloading		D	an..35	[GoodsShipment.Consignment.ConsignmentItem] UnloadingLocation	(Location) name	text
<p>C579: IF the attribute 'Specific circumstance indicator' = 'E' THEN IF the attribute 'IMPORT OPERATION.Unloading place' is used THEN the attribute 'GOODS ITEM.Unloading place' can not be used, ELSE the attribute 'GOODS ITEM.Unloading place' = 'O' ELSE IF the attribute 'IMPORT OPERATION.Unloading place' is used THEN the attribute 'GOODS ITEM.Unloading place' can not be used, ELSE the attribute 'GOODS ITEM.Unloading place' = R</p> <p>R670: The first two digits of the 'Place of loading' and 'Place of unloading' shall consist of the country code followed by the name of a seaport, airport, freight terminal, rail station or other place.</p> <p>Capital letters must be used.</p>						

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	PRODUCED DOCUMENTS / CERTIFICATES 99X	D				
	<p>C567: IF the attribute 'Specific Circumstance Indicator = 'A' THEN the attribute 'Commercial Reference Number (box 7)', 'Commercial Reference Number (ex box 7)' and the datagroup 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O' ELSE IF the attribute 'Commercial Reference Number (box 7)' and 'Commercial Reference Number (ex box 7)' is not used, THEN at least one attribute 'PRODUCED DOCUMENTS/CERTIFICATES.Document type' pointing to a transport document must be present ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'</p> <p>R866: If the ENS is lodged by another party than the Carrier, then the transport document of the Carrier should be declared, if available.</p> <p>The used transport documents are: N235, N271, N703, N704, N705, N710, N714, N720, N722, N730, N740, N741, N750, N760, N785, N787, N952, N955.</p> <p>A shipping company, which as an authorised issuer has the permission to provide the customs status of union goods using a customs goods manifest (ie. a ship's manifest), may on the same declaration indicate both Union and non-Union goods. Besides the transport document each goods item must reference also to document code 2YMM. The number of the permit issued by Customs is entered as the document reference.</p> <p>In other cases it is possible to declare Union goods on a separate entry summary declaration (IE315) or summary declaration for temporary storage (IE344). Besides the transport document, the goods item must contain a reference to a document proving the Union status of goods according to code list 0006. The document identification and the date in the format of ddmmyyy are entered as document reference. In addition document code 2YMM is entered. "TA art. 199" is entered as its document reference.</p> <p>If declaration is used as a low value declaration for courier companies, the permit for declarer of low value goods (code 7VTI) must be specified for all goods items.</p>					
	Document type	R	an..4	[GoodsShipment.Consignment.ConsignmentItem] AdditionalDocument	(Document) type	documentTypeCode
	Code list 0006					
	<p>R866: If the ENS is lodged by another party than the Carrier, then the transport document of the Carrier should be declared, if available.</p> <p>In maritime traffic enter code for Port@Net number if the Port@Net number is known.</p>					
	Document reference	R	an..35	[GoodsShipment.Consignment.ConsignmentItem] AdditionalDocument	(Document) reference	lineType
	<p>R866: If the ENS is lodged by another party than the Carrier, then the transport document of the Carrier should be declared, if available.</p> <p>In maritime traffic enter Port@Net number if it is known.</p>					
	SPECIAL MENTIONS 99X	O				
	<p>R080: Only the SPECIAL MENTIONS that are marked as 'Common' in the reference data shall be included in the common domain messages.</p>					
	Additional information id	R	an..5	[GoodsShipment.Consignment.ConsignmentItem] AdditionalInformation	statement	specialMentionsCode
	Code list 0015					
	If declaration is used as a low value declaration for courier companies, aka document code 7VTI has been specified for goods items, code FIXEY from code list 0015 (value of low value goods) is to be specified for goods items.					
	Text	D	an..350	[GoodsShipment.Consignment.ConsignmentItem] AdditionalInformation	statementDescription	text
	If declaration is used as a low value declaration for courier companies, enter value of goods in EUR using two decimals and without the currency code. ELSE data element is not used.					
	(CONSIGNOR) TRADER 1X	D				
	<p>C511: IF only one Trader Consignor is declared for all goods items THEN the data group 'Trader Consignor (box 2)' on IMPORT OPERATION level is used ELSE the data group 'Trader Consignor (ex box 2)' on GOODS ITEM level is used</p>					
	Name	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party) name1	lineType
	<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>					
	Name continuation	O	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party) name2	lineType

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	Street and number	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party.Address) line	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
	Postal code	D	an..9	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party.Address) post-Code	postalCode
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
	City	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party.Address) city	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
	Country	D	a2	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party.Address) country	countryCode
Code list 0058						
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Capital letters must be used.						
	TIN	O	an..17	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party) identity	identifier
R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g F11234567-1.						
	TIN extension	D	an5	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
	(CODE) COMMODITY 1X	D				
C585: IF the attribute 'GOODS ITEM.Textual description' is used THEN this data group is = 'O' ELSE this data group is = 'R'						
	Combined Nomenclature	R	an..10	[GoodsShipment.Consignment.ConsignmentItem] Commodity	tariffClassification	identifier
R881: If the attribute is used, its minimum length is 4 digits.						
	(CONSIGNEE) TRADER 1X	D				
C584: IF the attribute 'Additional information_id' = '10600' is used in this GOODS ITEM THEN IF the data group 'TRADER Notify Party' is used THEN the data groups 'GOODS ITEM.TRADER.Notify Party' and 'GOODS ITEM.TRADER.Consignee' cannot be used ELSE the data group 'GOODS ITEM.TRADER.Notify Party' = 'R' and the data group 'GOODS ITEM.TRADER.Consignee' cannot be used ELSE IF the data group 'TRADER.Consignee' is used THEN the data groups 'GOODS ITEM.TRADER.Consignee' and 'GOODS ITEM.TRADER.Notify Party' cannot be used ELSE the data group 'GOODS ITEM.TRADER.Consignee' = 'R' and 'GOODS ITEM.TRADER.Notify Party' cannot be used						
	Name	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party) name1	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
	Name continuation	O	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party) name2	lineType

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	Street and number	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party.Address) line	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
	Postal code	D	an..9	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party.Address) post-Code	postalCode
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
	City	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party.Address) city	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
	Country	D	a2	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party.Address) country	countryCode
<p>Code list 0058</p> <p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p> <p>Capital letters must be used.</p>						
	TIN	O	an..17	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party) identity	identifier
<p>C562: IF 'Specific circumstance indicator is 'E' THEN the attribute = 'R' ELSE the attribute = 'O'</p> <p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.</p>						
	TIN extension	D	an5	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party) identityExtension	identifierExtension
<p>IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.</p>						
CONTAINERS 99X		O				
<p>If goods arrive in containers, the container numbers must be entered.</p>						
	Container number	R	an..17	[GoodsShipment.Consignment.ConsignmentItem.TransportEquipment] EquipmentIdentification	identification	identifier
(MEANS OF TRANSPORT AT BORDER) IDENTITY 999X		D				
<p>C019: IF 'IMPORT OPERATION.Identity Crossing Border (box 21)' is present or if 'IMPORT OPERATION .Transport mode at border (box 25)'='4' THEN the data group can not be used ELSE IF 'IMPORT OPERATION.Specific circumstance indicator' is = 'A' THEN the data group = 'O' ELSE the data group = 'R'</p>						
	Nationality of means of transport crossing border	D	a2	[GoodsShipment.Consignment.ConsignmentItem] BorderTransportMeans	(TransportMeans) registrationNationality	countryCode
<p>Code list 0058</p> <p>C020: IF first digit of 'Transport mode at border (box25)' = '2', '5', '7' or '9' THEN 'Nationality Crossing Border (ex. box 21)' = 'O' ELSE 'Nationality Crossing Border (ex. box 21)' = 'R'</p> <p>Capital letters must be used.</p>						
	Identity of means of transport crossing border	R	an..27	[GoodsShipment.Consignment.ConsignmentItem] BorderTransportMeans	(TransportMeans) identity	transportMeansIdentifier

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	<p>C514: IF the attribute is present IF 'Transport mode at border' = '1' or '8' THEN the attribute consists either of the International Maritime Organisation (IMO) ship identification number (format n7 - leading '0' allowed) IF 'Transport mode at border' = '2' THEN the attribute consists of the wagon number and has no format restrictions IF 'Transport mode at border' = '3' THEN the attribute consists of the registration plate number and has no format restrictions ELSE no format restrictions</p>					
	PACKAGES 99X	D				
	<p>C577: IF the attribute 'Specific circumstance indicator' = 'A' THEN this data group = 'O' ELSE this data group = 'R'</p>					
	Kind of packages	R	an..3	[GoodsShipment.Consignment.ConsignmentItem] ConsignmentItemPackaging	(Packaging) type	packageTypeCode
	Code list 0075 Capital letters must be used.					
	Number of packages	D	n..5	[GoodsShipment.Consignment.ConsignmentItem] ConsignmentItemPackaging	(Packaging) packages	quantity
	<p>C062: IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY','VR', 'VS' or 'VO') THEN "Number of packages" (box 31) can not be used Number of Pieces' (box 31) can not be used 'Marks & numbers of Packages (Box 31)' = 'O' ELSE IF "Kind of packages" (Box 31) indicates 'UNPACKED' (UNECE rec 21 : = 'NE', 'NF' or 'NG') THEN 'Number of packages' can not be used 'Number of Pieces" (box 31) = 'R' 'Marks & numbers of Packages (Box 31)' = 'O' ELSE Number of packages' (box 31) = 'R' Number of Pieces' (box 31) can not be used IF the attribute 'Specific circumstance indicator' is not used THEN the attribute 'Marks & numbers of Packages (Box 31)' = 'R' ELSE the attribute 'Marks & numbers of Packages (Box 31)' = 'O'</p>					
	R021: A zero '0' is to be considered as a valid number in this field.					
	TR0022: In case the value of a MESSAGE.GOODS ITEM.PACKAGES.Number of Packages is '0' then there should exist at least one GOODS ITEM with the same 'Marks and Numbers of Packages', and 'Number of Packages' with value greater than '0'.					
	Number of pieces	D	n..5	[GoodsShipment.Consignment.ConsignmentItem] ConsignmentItemPackaging	(Packaging) pieces	quantity
	<p>C062: IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY','VR', 'VS' or 'VO') THEN "Number of packages" (box 31) can not be used Number of Pieces' (box 31) can not be used 'Marks & numbers of Packages (Box 31)' = 'O' ELSE IF "Kind of packages" (Box 31) indicates 'UNPACKED' (UNECE rec 21 : = 'NE', 'NF' or 'NG') THEN 'Number of packages' can not be used 'Number of Pieces" (box 31) = 'R' 'Marks & numbers of Packages (Box 31)' = 'O' ELSE Number of packages' (box 31) = 'R' Number of Pieces' (box 31) can not be used IF the attribute 'Specific circumstance indicator' is not used THEN the attribute 'Marks & numbers of Packages (Box 31)' = 'R' ELSE the attribute 'Marks & numbers of Packages (Box 31)' = 'O'</p>					
	Marks & numbers of packages (long)	D	an..140	[GoodsShipment.Consignment.ConsignmentItem] ConsignmentItemPackaging	(Packaging) markNumber	packageMarks
	<p>C062: IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY','VR', 'VS' or 'VO') THEN "Number of packages" (box 31) can not be used Number of Pieces' (box 31) can not be used 'Marks & numbers of Packages (Box 31)' = 'O' ELSE IF "Kind of packages" (Box 31) indicates 'UNPACKED' (UNECE rec 21 : = 'NE', 'NF' or 'NG') THEN 'Number of packages' can not be used 'Number of Pieces" (box 31) = 'R' 'Marks & numbers of Packages (Box 31)' = 'O' ELSE Number of packages' (box 31) = 'R' Number of Pieces' (box 31) can not be used IF the attribute 'Specific circumstance indicator' is not used THEN the attribute 'Marks & numbers of Packages (Box 31)' = 'R' ELSE the attribute 'Marks & numbers of Packages (Box 31)' = 'O'</p>					

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	NOTIFY PARTY 1X	D				
	<p>C584: IF the attribute 'Additional information_id' = '10600' is used in this GOODS ITEM THEN IF the data group 'TRADER Notify Party' is used THEN the data groups 'GOODS ITEM.TRADER.Notify Party' and 'GOODS ITEM.TRADER.Consignee' cannot be used ELSE the data group 'GOODS ITEM.TRADER.Notify Party' = 'R' and the data group 'GOODS ITEM.TRADER.Consignee' cannot be used ELSE IF the data group 'TRADER.Consignee' is used THEN the data groups 'GOODS ITEM.TRADER.Consignee' and 'GOODS ITEM.TRADER.Notify Party' cannot be used ELSE the data group 'GOODS ITEM.TRADER.Consignee' = 'R' and 'GOODS ITEM.TRADER.Notify Party' cannot be used</p>					
	Name	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] NotifyParty	(Party) name1	lineType
	<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>					
	Name continuation	O	an..35	[GoodsShipment.Consignment.ConsignmentItem] NotifyParty	(Party) name2	lineType
	Street and number	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] NotifyParty	(Party.Address) line	lineType
	<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>					
	City	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] NotifyParty	(Party.Address) city	lineType
	<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>					
	Postal code	D	an..9	[GoodsShipment.Consignment.ConsignmentItem] NotifyParty	(Party.Address) post-Code	postalCode
	<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>					
	Country	D	a2	[GoodsShipment.Consignment.ConsignmentItem] NotifyParty	(Party.Address) country	countryCode
	<p>Code list 0058 C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R' Capital letters must be used.</p>					
	TIN	O	an..17	[GoodsShipment.Consignment.ConsignmentItem] NotifyParty	(Party) identity	identifier
	<p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g F11234567-1.</p>					
	TIN extension	D	an5	[GoodsShipment.Consignment.ConsignmentItem] NotifyParty	(Party) identityExtension	identifierExtension
	<p>IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.</p>					
ITINERARY 99X		D				
	<p>C570: IF the attribute 'Specific circumstance indicator' = 'A' THEN the attribute must occur at least once (min. 1 value) ELSE this attribute must occur at least twice (min. 2 values)</p>					
	<p>R879: Exit: The country of final destination must be entered in any case. If the special circumstance indicator is not equal to 'A', then at least the country of original departure must be entered additionally. the country of original departure must be entered additionally. Entry: The country of original departure must be entered in any case. If the special circumstance indicator is not equal to 'A', then at least the country of final destination must be entered additionally.</p>					
	<p>An entry summary declaration may only contain goods among which the countries of dispatch and destination are the same. If the countries of dispatch and destination for the various goods differ from each other, separate entry summary declarations must be made.</p>					

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
Country of routing code		R	a2	[GoodsShipment] Con-signment	routingCountry	countryCode
Code list 0058						
Identification in a chronological order of the countries through which goods are routed between the country of original departure and final destination. This comprises the countries of original departure and of final destination of the goods.						
This information is to be provided to the extent known.						
Capital letters must be used.						
(REPRESENTATIVE) TRADER 1X		O				
The data group 'TRADER Representative' can be used by the 'PERSON Lodging the entry summary declaration' to authorise a Representative to submit an Entry summary declaration on his behalf at the Office of first Entry concerned. If preventive/prohibitive measures are to be taken(IE351) or if controls at Entry are to be communicated to the trader prior to the arrival at Entry (IE351), the trader identified here, will be receiving the 'Advanced intervention notification' – IE351.						
Name		D	an..35	[Declaration] Agent	(Party) name1	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Name continuation		O	an..35	[Declaration] Agent	(Party) name2	lineType
Street and number		D	an..35	[Declaration] Agent	(Party.Address) line	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Postal code		D	an..9	[Declaration] Agent	(Party.Address) post-Code	postalCode
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
City		D	an..35	[Declaration] Agent	(Party.Address) city	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Country		D	a2	[Declaration] Agent	(Party.Address) country	countryCode
Code list 0058						
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Capital letters must be used.						
TIN		R	an..17	[Declaration] Agent	(Party) identity	identifier
R837: The EORI Trader Identification number (TIN) shall be declared.						
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[Declaration] Agent	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
(LODGING SUMMARY DECLARATION) PERSON 1X		R				
Name		D	an..35	[Declaration. BorderTransportMeans] Master	(Party) name1	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Name continuation		O	an..35	[Declaration. BorderTransportMeans] Master	(Party) name2	lineType
Street and number		D	an..35	[Declaration. BorderTransportMeans] Master	(Party.Address) line	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Postal code		O	an..9	[Declaration. BorderTransportMeans] Master	(Party.Address) post-Code	postalCode
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
City		D	an..35	[Declaration. BorderTransportMeans] Master	(Party.Address) city	lineType

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Country		D	a2	[Declaration. BorderTransportMeans] Master	(Party.Address) country	countryCode
Code list 0058						
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Capital letters must be used.						
TIN		R	an..17	[Declaration. BorderTransportMeans] Master	(Party) identity	identifier
R837: The EORI Trader Identification number (TIN) shall be declared. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[Declaration] Agent	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
SEALS ID 9999X		O				
The identification numbers of the seals affixed to the transport equipment must be entered if seals are used.						
Seals identity		R	an..20	[GoodsShipment.Consignment] TransportEquipment	seal	sealIdentifier
(FIRST ENTRY) CUSTOMS OFFICE 1X		R				
Reference number		R	an8	[GoodsShipment] EntryCustomsOffice	(CustomsOffice. Location) code	identifier
Capital letters must be used.						
Expected date and time of arrival		R	dateTime	[Declaration] BorderTransport Means	arrival	dateTime
R666: The scheduled date/date and time of arrival of the means of transport at the declared first Office of Entry shall be provided. It shall be the local time of the first place of arrival.						
(SUBSEQUENT ENTRY) CUSTOMS OFFICE 99X		D				
R808: If some of the goods are destined to be transported to subsequent Offices of Entry, then this data group is required.						
Reference number		R	an8	[GoodsShipment] SubsequentEntryCustomsOffice	(CustomsOffice. Location) code	identifier
Capital letters must be used.						
(ENTRY CARRIER) TRADER 1X		D				
R806: The data group is required if different from the data group 'PERSON Lodging the summary declaration'.						
Name		D	an..35	[Declaration] Carrier	(Party) name1	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Name continuation		O	an..35	[Declaration] Carrier	(Party) name2	lineType
Street and number		D	an..35	[Declaration] Carrier	(Party.Address) line	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Postal code		D	an.9	[Declaration] Carrier	(Party.Address) postCode	postalCode
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
City		D	an..35	[Declaration] Carrier	(Party.Address) city	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Country		D	a2	[Declaration] Carrier	(Party.Address) country	countryCode
Code list 0058						
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Capital letters must be used.						
TIN		D	an..17	[Declaration] Carrier	(Party) identity	identifier

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
<p>C502: IF 'Transport mode at border' = '1', '4' or '8' THEN the attribute = 'R' ELSE the attribute = 'O'</p> <p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.</p> <p>The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.</p>						
TIN extension		D	an5	[Declaration] Carrier	(Party) identityExtension	identifierExtension
<p>IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.</p>						
CONTACT INFORMATION 1X		R				
Contact person name		R	an..35	[Declaration] RepresentativePerson	(Party.Contact) name	lineType
Contact person telephone		R	an..35	[Declaration] RepresentativePerson	(Party.Communication) telephone	lineType
Contact person e-mail		O	an..100	[Declaration] RepresentativePerson	(Party.Communication) email	emailType

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
HEADER [SUMMARY DECLARATION] 1X		R				
LRN (Local reference number)		R	an..22	[Declaration] Document	reference	lineType
R891: The Local Reference Number (LRN)/Diversion LRN/Arrival LRN shall be a number/identifier allocated by the sending TRADER for a specific transaction (ENS, Arrival Notification). It shall be unique per Trader sending the transaction.						
Dialog language indicator at destination		D	a2	Declaration	language	languageCode
Code list 0036						
The attribute is used as the basic language to be used in any further communication between the Trader and the Customs system. If the trader does not use this attribute then the Customs system will use the default language.						
Transport mode at border		R	n..2	[Declaration] Border-Transport Means	(TransportMeans) modeAndType	transportMode Code
Code list 0041						
C529: IF first digit of 'Specific circumstance indicator' = 'A' THEN the attribute 'Transport mode at border' (box 25) '7' and '9' can not be used IF first digit of 'Specific circumstance indicator' = 'C' THEN the attribute 'Transport mode at border' (box 25) '1', '2', '4', '7', '8' and '9' can not be used IF first digit of 'Specific circumstance indicator' = 'D' THEN the attribute 'Transport mode at border' (box 25) '1', '3', '4', '7', '8' and '9' can not be used ELSE the attribute 'Transport mode at border' (box 25) = 'R' (any value)						
R826: For air cargo transported with other modes of transported than air, the other mode of transport shall be declared (e.g. for air cargo transported on road, the mode of transport '3' (road) shall be declared).						
Mode of transport corresponding to the active means of transport in which the goods are expected to enter the Customs territory of the Community. In the case of combined transport or where several means of transport are used, the active means of transport is the one which propels the whole combination. For example, in the case of a lorry on a sea-going vessel, the active means of transport is the ship. In road transports in the case of a tractor and trailer, the active means of transport is the tractor. Where air cargo is transported on modes of transport other than air, the other mode of transport shall be declared.						
Identity of means of transport crossing border		D	an..27	[Declaration] Border-Transport Means	(TransportMeans) identity	transportMeans Identifier
C017: IF 'IMPORT OPERATION.Transport mode at border (box 25)' = '1' or '8' THEN the attribute = 'R' IF 'IMPORT OPERATION.Transport mode at border (box 25)' = '4' THEN the attribute can not be used ELSE the attribute = 'O'						
C514: IF the attribute is present IF 'Transport mode at border' = '1' or '8' THEN the attribute consists either of the International Maritime Organisation (IMO) ship identification number (format n7 - leading '0' allowed) IF 'Transport mode at border' = '2' THEN the attribute consists of the wagon number and has no format restrictions IF 'Transport mode at border' = '3' THEN the attribute consists of the registration plate number and has no format restrictions ELSE no format restrictions						
Nationality of means of transport crossing border		D	a2	[Declaration] Border-Transport Means	(TransportMeans) registrationNationality	countryCode
Code list 0058						
C024: IF 'IMPORT OPERATION.Transport mode at border (box 25)' is '3' and if 'IMPORT OPERATION.Identity Crossing Border (box 21)' is present THEN the attribute = 'R' ELSE the attribute can not be used						
Capital letters must be used.						
Total number of items		R	n..5	Declaration	goodsItem	quantity
TRO811: The data item 'Total number of items' has to be equal to the total occurrences of the data group 'GOODS ITEM'.						
Total number of packages		D	n..7	[Declaration] Declaration-Packaging	(Packaging) packages	quantity
C582: IF the data group 'PACKAGES' is used THEN this attribute is = 'R' ELSE this attribute can not be used						
R105: The total number of packages is equal to the sum of all 'Number of packages' + all 'Number of pieces' + a value of '1' for each declared 'bulk'.						
Total gross mass		O	n..11,3	Declaration	totalGrossMass	measure
Declaration place		R	an..35	Declaration	(Document) issueLocation	lineType
Specific Circumstance Indicator		O	a1	[GoodsShipment.Consignment] AdditionalInformation	circumstance	circumstanceCode

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
Code list 0402						
This element needs to be provided only where the benefit of a special circumstance is requested by the person lodging the summary declaration.						
This following check shall be performed if the AEO-Database in which the AEO certificate numbers are registered is available when performing the check:						
<ul style="list-style-type: none"> The 'Specific circumstance indicator' with value 'E' (AEO) can be used only if the 'Person Lodging the ENS', all 'Consignees' and 'Representative' declared in the ENS have a valid AEO certificate of type 'AEOF' or 'AEOS'. 						
Capital letters must be used.						
Transport charges / method of payment		O	a1	[GoodsShipment.Consignment] FreightPayment	method	freightPaymentMethod-Code
Code list 0327						
This information is to be provided only where available.						
Capital letters must be used.						
Commercial reference number		D	an..70	[GoodsShipment.Consignment] UCR	traderReference	textType
<p>C567: IF the attribute 'Specific Circumstance Indicator = 'A' THEN the attribute 'Commercial Reference Number (box 7)', 'Commercial Reference Number (ex box 7)' and the datagroup 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O' ELSE IF the attribute 'Commercial Reference Number (box 7)' and 'Commercial Reference Number (ex box 7)' is not used, THEN at least one attribute 'PRODUCED DOCUMENTS/CERTIFICATES.Document type' pointing to a transport document must be present ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'</p>						
Unique number assigned to goods, for entry, import, exit and export. World Customs Organization / ISO15459 codes or equivalent shall be used.						
Conveyance reference number		D	an..35	[Declaration] Border-TransportMeans	journey	lineType
<p>TR0518: IF 'Transport mode at border' = '4' THEN the attribute has format an..8 AND the string must contain the carrier code (an..3), the flight number (n..4) and an optional suffix (a1) without any separator between the two or three trimmed elements.</p> <p>TR0519: IF 'Transport mode at border' = '1' AND 'Conveyance reference number' is used AND the first four digits consist of XFER in uppercase THEN the first four digits shall consist of 'XFER' in uppercase, followed by the lorry registration plate number ELSE 'XFER' cannot be used.</p> <p>R843: The 'Conveyance Reference Number' is the identification of the journey of the means of transport (e.g. flight number, train number, voyage number, trip number).</p>						
Information to be produced where appropriate. For rail mode of transport, the train number shall be provided. This data element shall be provided in case of multimodal transport, where applicable.						
Sea transport (mode of transport at border 1): In cases of combined transport where a truck/articulated vehicle is loaded onboard a seagoing vessel the truck/articulated vehicle registration number is to entered as the conveyance reference number. Registration number is to be preceded by code XFER (with capital letters and without a space). For example: XFERABC-123.						
Place of loading		D	an..35	[GoodsShipment.Consignment] LoadingLocation	(Location) name	text
<p>C574: IF the attribute 'Specific circumstance indicator' = 'A' THEN the attribute 'IMPORT OPERATION.Loading place' is = 'O' the attribute 'GOODS ITEM.Loading place' can not be used ELSE IF the attribute 'IMPORT OPERATION.Loading place' is used THEN the attribute 'GOODS ITEM.Loading place' can not be used ELSE the attribute 'GOODS ITEM.Loading place' = 'R'</p>						
R670: The first two digits of the 'Place of loading' and 'Place of unloading' shall consist of the country code followed by the name of a seaport, airport, freight terminal, rail station or other place.						
Name of a seaport, airport, freight terminal, rail station or other place at which goods are loaded onto the means of transport being used for their carriage.						
Express consignments summary declarations — postal consignments: this element does not need to be provided where it can be deduced automatically and unambiguously from other data elements provided by the trader. Road and rail modes of transport: this can be the place where goods were taken over according to the transport contract or the TIR customs office of departure.						
The first two digits must be capital letters.						
Place of unloading		O	an..35	[GoodsShipment.Consignment] UnloadingLocation	(Location) name	text
R670: The first two digits of the 'Place of loading' and 'Place of unloading' shall consist of the country code followed by the name of a seaport, airport, freight terminal, rail station or other place.						
Name of the seaport, airport, freight terminal, rail station or other place at which goods are unloaded from the means of transport being used for their carriage.						
Road and rail modes of transport: where the code is not available, the name of the place shall be provided, with the maximum level of precision available. If however the road transport in question arrives via a temporary frontier crossing point, the controlling customs office is entered as the first entry customs office (code list 0129) and the temporary frontier crossing point is entered at the place of unloading.						
The first two digits must be capital letters.						
Declaration date and time		R	dateTime	Declaration	(Document) issue	dateTime
(CONSIGNOR) TRADER 1X		D				

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
C511: IF only one Trader Consignor is declared for all goods items THEN the data group 'Trader Consignor (box 2)' on IMPORT OPERATION level is used ELSE the data group 'Trader Consignor (ex box 2)' on GOODS ITEM level is used Party consigning goods as stipulated in the transport contract by the party ordering transport.						
Name		D	an..35	[GoodsShipment.Consignment] Consignor	(Party) name1	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Name continuation		O	an..35	[GoodsShipment.Consignment] Consignor	(Party) name2	lineType
Street and number		D	an..35	[GoodsShipment.Consignment] Consignor	(Party.Address) line	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Postal code		D	an..9	[GoodsShipment.Consignment] Consignor	(Party.Address) post-Code	postalCode
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
City		D	an..35	[GoodsShipment.Consignment] Consignor	(Party.Address) city	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Country		D	a2	[GoodsShipment.Consignment] Consignor	(Party.Address) country	countryCode
Code list 0058						
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Capital letters must be used.						
TIN		O	an..17	[GoodsShipment.Consignment] Consignor	(Party) identity	identifier
R840: IF the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[GoodsShipment.Consignment] Consignor	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
(CONSIGNEE) TRADER 1X		D				
C583: IF the attribute 'Additional information id' = '10600' is used for all GOODS ITEM data groups THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify Party' = 'O' ELSE IF the attribute 'Additional information id' = '10600' is used for at least one GOODS ITEM THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify Party' cannot be used ELSE the data group 'TRADER Notify Party' cannot be used and the data group 'TRADER Consignee' = 'O' Party to whom goods are actually consigned.						
Name		D	an..35	[GoodsShipment.Consignment] Consignee	(Party) name1	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Name continuation		O	an..35	[GoodsShipment.Consignment] Consignee	(Party) name2	lineType
Street and number		D	an..35	[GoodsShipment.Consignment] Consignee	(Party.Address) line	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Postal code		D	an..9	[GoodsShipment.Consignment] Consignee	(Party.Address) post-Code	postalCode
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
City		D	an..35	[GoodsShipment.Consignment] Consignee	(Party.Address) city	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Country		D	a2	[GoodsShipment.Consignment] Consignee	(Party.Address) country	countryCode

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
Code list 0058						
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Capital letters must be used.						
TIN		O	an..17	[GoodsShipment.Consignment] Consignee	(Party) identity	identifier
C562: IF 'Specific circumstance indicator' is 'E' THEN the attribute = 'R' ELSE the attribute = 'O'						
R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.						
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[GoodsShipment.Consignment] Consignee	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
NOTIFY PARTY 1X		D				
C583: IF the attribute 'Additional information id' = '10600' is used for all GOODS ITEM data groups THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify Party' = 'O' ELSE IF the attribute 'Additional information id' = '10600' is used for at least one GOODS ITEM THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify Party' cannot be used ELSE the data group 'TRADER Notify Party' cannot be used and the data group 'TRADER Consignee' = 'O'						
Where the goods are carried under a negotiable bill of lading that is "to order blank endorsed", in which case the consignee is not mentioned and code '10600' is entered, the notify party shall always be provided. Party to be notified at entry of the arrival of the goods.						
Name		D	an..35	[GoodsShipment.Consignment] NotifyParty	(Party) name1	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Name continuation		O	an..35	[GoodsShipment.Consignment] NotifyParty	(Party) name2	lineType
Street and number		D	an..35	[GoodsShipment.Consignment] NotifyParty	(Party.Address) line	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Postal code		D	an..9	[GoodsShipment.Consignment] NotifyParty	(Party.Address) postCode	postalCode
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
City		D	an..35	[GoodsShipment.Consignment] NotifyParty	(Party.Address) city	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Country		D	a2	[GoodsShipment.Consignment] NotifyParty	(Party.Address) country	countryCode
Code list 0058						
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Capital letters must be used.						
TIN		O	an..17	[GoodsShipment.Consignment] NotifyParty	(Party) identity	identifier
R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.						
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[GoodsShipment.Consignment] NotifyParty	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
GOODS ITEM 999X		R				
Item number		R	n..5	[GoodsShipment.Consignment] ConsignmentItem	sequence	numeric
RO05: "Item no" (box 32) is always used even if "Items" (box 5) = "1", "Item no" (box 32) is also "1"						
RO07: Each "Item no" (box 32) is unique throughout the declaration. The items shall be numbered in a sequential fashion, starting from '1' for the first item and incrementing the numbering by '1' for each following item.						
Customs status		D	an..2	[GoodsShipment.Consignment] ConsignmentItem	communityStatus	CommunityStatusCodeType

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
Code list 9995						
<p>R815: The attribute may be used to specify the Union status. IF 'PRODUCED DOCUMENTS / CERTIFICATES.Document type' = '2YMM' THEN this attribute is = 'R' ELSE this attribute can not be used</p>						
Goods description		O	an..280	[GoodsShipment.Consignment.ConsignmentItem] Commodity	cargoDescription	text
<p>A plain language description that is precise enough for Customs services to be able to identify the goods. General terms (i.e. "consolidated", "general cargo" or "parts") cannot be accepted. A list of such general terms is published by the Commission at web site: http://ec.europa.eu/taxation_customs/resources/documents/customs/policy_issues/customs_security/acceptable_goods_description_guidelines_en.pdf If the means of transport entering the customs territory is empty, enter 'EMPTY' as description of goods.</p>						
Gross mass		D	n..11,3	[GoodsShipment.Consignment.ConsignmentItem] Goods-Measure	grossMass	measure
<p>C592: IF the attribute 'Specific circumstance indicator' = 'E' THEN this attribute is = 'O' ELSE IF 'IMPORT OPERATION.Total gross mass is used' THEN this attribute is = 'O' ELSE this attribute is = 'R'</p>						
<p>Weight (mass) of goods including packaging but excluding the carrier's equipment for the declaration. If the means of transport entering the customs territory is empty, enter the dead weight (dead mass) of the means of transport.</p>						
Transport charges / method of payment		D	a1	[GoodsShipment.Consignment.ConsignmentItem] FreightPayment	method	freightPaymentMethod-Code
Code list 0327						
<p>C576: IF the attribute EXPORT OPERATION / IMPORT OPERATION / TRANSIT OPERATION.Transport charges – Method of payment' is used THEN this attribute can not be used ELSE this attribute = 'O'</p>						
Capital letters must be used.						
Commercial reference number		D	an..70	[GoodsShipment.Consignment.ConsignmentItem] UCR	traderReference	textType
<p>C567: IF the attribute 'Specific Circumstance Indicator = 'A' THEN the attribute 'Commercial Reference Number (box 7)', 'Commercial Reference Number (ex box 7)' and the datagroup 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O' ELSE IF the attribute 'Commercial Reference Number (box 7)' and 'Commercial Reference Number (ex box 7)' is not used, THEN at least one attribute 'PRODUCED DOCUMENTS/CERTIFICATES.Document type' pointing to a transport document must be present ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'</p>						
<p>Unique number assigned to goods, for entry, import, exit and export. World Customs Organization / ISO15459 codes or equivalent shall be used.</p>						
UN dangerous goods code		O	n4	[GoodsShipment.Consignment.ConsignmentItem] Commodity	UNDG	dangerousGoodsCode
No code list available						
<p>R823: The United Nations Dangerous Goods Identifier (UNDG) is the unique serial number (n4) assigned within the United Nations to dangerous substances and articles. This element shall be provided where it is relevant.</p>						
Place of loading		D	an..35	[GoodsShipment.Consignment.ConsignmentItem] LoadingLocation	(Location) name	text
<p>C574: IF the attribute 'Specific circumstance indicator' = 'A' THEN the attribute 'IMPORT OPERATION.Loading place' is = 'O' the attribute 'GOODS ITEM.Loading place' can not be used ELSE IF the attribute 'IMPORT OPERATION.Loading place' is used THEN the attribute 'GOODS ITEM.Loading place' can not be used ELSE the attribute 'GOODS ITEM.Loading place' = 'R'</p>						
<p>R670: The first two digits of the 'Place of loading' and 'Place of unloading' shall consist of the country code followed by the name of a seaport, airport, freight terminal, rail station or other place. The first two digits must be capital letters.</p>						
Place of unloading		D	an..35	[GoodsShipment.Consignment.ConsignmentItem] UnloadingLocation	(Location) name	text

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
<p>C579: IF the attribute 'Specific circumstance indicator' = 'E' THEN IF the attribute 'IMPORT OPERATION.Unloading place' is used THEN the attribute 'GOODS ITEM.Unloading place' can not be used, ELSE the attribute 'GOODS ITEM.Unloading place' = 'O' ELSE IF the attribute 'IMPORT OPERATION.Unloading place' is used THEN the attribute 'GOODS ITEM.Unloading place' can not be used, ELSE the attribute 'GOODS ITEM.Unloading place' = 'R'</p> <p>R670: The first two digits of the 'Place of loading' and 'Place of unloading' shall consist of the country code followed by the name of a seaport, airport, freight terminal, rail station or other place. The first two digits must be capital letters.</p>						

PRODUCED DOCUMENTS / CERTIFICATES 99X	D
--	----------

C567: IF the attribute 'Specific Circumstance Indicator' = 'A'
 THEN the attribute 'Commercial Reference Number (box 7)', 'Commercial Reference Number (ex box 7)' and the datagroup 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'
 ELSE
 IF the attribute 'Commercial Reference Number (box 7)' and 'Commercial Reference Number (ex box 7)' is not used,
 THEN at least one attribute 'PRODUCED DOCUMENTS/CERTIFICATES.Document type' pointing to a transport document must be present
 ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'

R866: If the ENS is lodged by another party than the Carrier, then the transport document of the Carrier should be declared, if available.
 Reference of the transport document that covers the transport of goods into or out of the customs territory. Where the person lodging the entry summary declaration is different from the carrier, the transport document number of the carrier shall also be provided. Transport document is an alternative to the unique consignment reference number [UCR] when the latter is not available.
 Road mode of transport: this information shall be provided to the extent available and may include both references to TIR carnet and to CMR.
 The used transport documents are: N235, N271, N703, N704, N705, N710, N714, N720, N722, N730, N740, N741, N750, N760, N785, N787, N952, N955.
 A shipping company, which as an authorised issuer has the permission to provide the customs status of union goods using a customs goods manifest (ie. a ship's manifest), may on the same declaration indicate both Union and non-Union goods. Besides the transport document each goods item must reference also to document code 2YMM. The number of the permit issued by Customs is entered as the document reference.
 In other cases it is possible to declare Union goods on a separate entry summary declaration (IE315) or summary declaration for temporary storage (IE344). Besides the transport document, the goods item must contain a reference to a document proving the Union status of goods according to code list 0006. The document identification and the date in the format of ddmmyyyy are entered as document reference. In addition document code 2YMM is entered. "TA art. 199" is entered as its document reference.
 If declaration is used as a low value declaration for courier companies, the permit for declarer of low value goods (code 7VTI) must be specified for all goods items.

Document type	R	an..4	[GoodsShipment.Consignment.ConsignmentItem] AdditionalDocument	(Document) type	documentTypeCode
---------------	---	-------	--	-----------------	------------------

Code list 0006

R866: If the ENS is lodged by another party than the Carrier, then the transport document of the Carrier should be declared, if available.

In maritime traffic enter code for Port@Net number if the Port@Net number is known.

Document reference	R	an..35	[GoodsShipment.Consignment.ConsignmentItem] AdditionalDocument	(Document) reference	lineType
--------------------	---	--------	--	----------------------	----------

R866: If the ENS is lodged by another party than the Carrier, then the transport document of the Carrier should be declared, if available.

In maritime traffic enter Port@Net number if it is known.

SPECIAL MENTIONS 99X	O
-----------------------------	----------

R080: Only the SPECIAL MENTIONS that are marked as 'Common' in the reference data shall be included in the common domain messages.

Additional information id	R	an..5	[GoodsShipment.Consignment.ConsignmentItem] AdditionalInformation	statement	specialMentionsCode
---------------------------	---	-------	---	-----------	---------------------

Code list 0015

If declaration is used as a low value declaration for courier companies, aka document code 7VTI has been specified for goods items, code FIXEY from code list 0015 (value of low value goods) is to be specified for goods items.

Text	D	an..350	[GoodsShipment.Consignment.ConsignmentItem] AdditionalInformation	statementDescription	text
------	---	---------	---	----------------------	------

If declaration is used as a low value declaration for courier companies, enter value of goods in EUR using two decimals and without the currency code. ELSE data element is not used.

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	(CONSIGNOR) TRADER 1X	D				
	<p>C511: IF only one Trader Consignor is declared for all goods items THEN the data group 'Trader Consignor (box 2)' on IMPORT OPERATION level is used ELSE the data group 'Trader Consignor (ex box 2)' on GOODS ITEM level is used</p> <p>Party consigning goods as stipulated in the transport contract by the party ordering transport.</p>					
	Name	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party) name1	lineType
	<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>					
	Name continuation	O	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party) name2	lineType
	Street and number	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party.Address) line	lineType
	<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>					
	Postal code	D	an..9	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party.Address) post-Code	postalCode
	<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>					
	City	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party.Address) city	lineType
	<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>					
	Country	D	a2	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party.Address) country	countryCode
	<p>Code list 0058</p> <p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p> <p>Capital letters must be used.</p>					
	TIN	O	an..17	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party) identity	identifier
	<p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g F11234567-1.</p>					
	TIN extension	D	an5	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party) identityExtension	identifierExtension
	<p>IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.</p>					
	(CODE) COMMODITY 1X	D				
	<p>C585: IF the attribute 'GOODS ITEM.Textual description' is used THEN this data group is = 'O' ELSE this data group is = 'R'</p>					
	Combined Nomenclature	R	an..10	[GoodsShipment.Consignment.ConsignmentItem] Commodity	tariffClassification	identifier
	<p>R881: IF the attribute is used the minimum length is 4 digits.</p>					
	(CONSIGNEE) TRADER 1X	D				

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	<p>C584: IF the attribute 'Additional information_id' = '10600' is used in this GOODS ITEM THEN IF the data group 'TRADER.Notify Party' is used THEN the data groups 'GOODS ITEM.TRADER.Notify Party' and 'GOODS ITEM.TRADER.Consignee' cannot be used ELSE the data group 'GOODS ITEM.TRADER.Notify Party' = 'R' and the data group 'GOODS ITEM.TRADER.Consignee' cannot be used ELSE IF the data group 'TRADER.Consignee' is used THEN the data groups 'GOODS ITEM.TRADER.Consignee' and 'GOODS ITEM.TRADER.Notify Party' cannot be used ELSE the data group 'GOODS ITEM.TRADER.Consignee' = 'R' and 'GOODS ITEM.TRADER.Notify Party' cannot be used</p> <p>Party to whom goods are actually consigned.</p>					
	Name	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party) name1	lineType
	<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>					
	Name continuation	O	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party) name2	lineType
	Street and number	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party.Address) line	lineType
	<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>					
	Postal code	D	an..9	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party.Address) post-Code	postalCode
	<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>					
	City	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party.Address) city	lineType
	<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>					
	Country	D	a2	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party.Address) country	countryCode
	Code list 0058					
	<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p> <p>Capital letters must be used.</p>					
	TIN	O	an..17	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party) identity	identifier
	<p>C562: IF 'Specific circumstance indicator' is 'E' THEN the attribute = 'R' ELSE the attribute = 'O'</p> <p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.</p>					
	TIN extension	D	an5	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party) identityExtension	identifierExtension
	IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.					
	CONTAINERS 99X	O				
	If goods arrive in containers, the container numbers must be entered.					
	Container number	R	an..17	[GoodsShipment.Consignment.ConsignmentItem.TransportEquipment] EquipmentIdentification	identification	identifier

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	(MEANS OF TRANSPORT AT BORDER) IDENTITY 999X	D				
	<p>C019: IF 'IMPORT OPERATION.Identity Crossing Border (box 21)' is present or if 'IMPORT OPERATION.Transport mode at border (box 25)' = '4' THEN the data group can not be used ELSE IF 'IMPORT OPERATION.Specific circumstance indicator' is = 'A' THEN the data group = 'O' ELSE the data group = 'R'</p>					
	Nationality of means of transport crossing border	D	a2	[GoodsShipment.Consignment.ConsignmentItem] Border-TransportMeans	(TransportMeans) registrationNationality	countryCode
	<p>Code list 0058</p> <p>C020: IF first digit of 'Transport mode at border (box25)' = '2', '5', '7' or '9' THEN 'Nationality Crossing Border (ex. box 21)' = 'O' ELSE 'Nationality Crossing Border (ex. box 21)' = 'R'</p> <p>Capital letters must be used.</p>					
	Identity of means of transport crossing border	R	an..27	[GoodsShipment.Consignment.ConsignmentItem] Border-TransportMeans	(TransportMeans) identity	transportMeansIdentifier
	<p>C514: IF the attribute is present IF 'Transport mode at border' = '1' or '8' THEN the attribute consists either of the International Maritime Organisation (IMO) ship identification number (format n7 - leading '0' allowed) IF 'Transport mode at border' = '2' THEN the attribute consists of the wagon number and has no format restrictions IF 'Transport mode at border' = '3' THEN the attribute consists of the registration plate number and has no format restrictions ELSE no format restrictions</p>					
	PACKAGES 99X	D				
	<p>C577: IF the attribute 'Specific circumstance indicator' = 'A' THEN this data group = 'O' ELSE this data group = 'R'</p>					
	Kind of packages	R	an..3	[GoodsShipment.Consignment.ConsignmentItem] ConsignmentItemPackaging	(Packaging) type	packageType Code
	<p>Code list 0075</p> <p>Capital letters must be used.</p>					
	Number of packages	D	n..5	[GoodsShipment.Consignment.ConsignmentItem] ConsignmentItemPackaging	(Packaging) packages	quantity
	<p>C062: IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY','VR', 'VS' or 'VO') THEN "Number of packages" (box 31) can not be used "Number of Pieces" (box 31) can not be used "Marks & numbers of Packages (Box 31)" = 'O' ELSE IF "Kind of packages" (Box 31) indicates 'UNPACKED' (UNECE rec 21 : = 'NE', 'NF' or 'NG') THEN "Number of packages" can not be used "Number of Pieces" (box 31) = 'R' "Marks & numbers of Packages (Box 31)" = 'O' ELSE "Number of packages" (box 31) = 'R' "Number of Pieces" (box 31) can not be used IF the attribute 'Specific circumstance indicator' is not used THEN the attribute 'Marks & numbers of Packages (Box 31)' = 'R' ELSE the attribute 'Marks & numbers of Packages (Box 31)' = 'O'</p> <p>R021: A zero '0' is to be considered as a valid number in this field.</p> <p>TR0022: In case the value of a MESSAGE.GOODS ITEM.PACKAGES.Number of Packages is '0' then there should exist at least one GOODS ITEM with the same 'Marks and Numbers of Packages', and 'Number of Packages' with value greater than '0'. Number of individual items packaged in such a way that they cannot be divided without first undoing the packing, or number of pieces, if unpackaged.</p>					
	Number of pieces	D	n..5	[GoodsShipment.Consignment.ConsignmentItem] ConsignmentItemPackaging	(Packaging) pieces	quantity

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	<p>C062: IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY', 'VR', 'VS' or 'VO') THEN "Number of packages" (box 31) can not be used Number of Pieces' (box 31) can not be used 'Marks & numbers of Packages (Box 31)' = 'O' ELSE IF "Kind of packages" (Box 31) indicates 'UNPACKED' (UNECE rec 21 : = 'NE', 'NF' or 'NG') THEN 'Number of packages' can not be used 'Number of Pieces" (box 31) = 'R' 'Marks & numbers of Packages (Box 31)' = 'O' ELSE Number of packages' (box 31) = 'R' Number of Pieces' (box 31) can not be used IF the attribute 'Specific circumstance indicator' is not used THEN the attribute 'Marks & numbers of Packages (Box 31)' = 'R' ELSE the attribute 'Marks & numbers of Packages (Box 31)' = 'O'</p>					
	Marks & numbers of packages (long)	D	an..140	[GoodsShipment.Consignment.ConsignmentItem] ConsignmentItemPackaging	(Packaging) markNumber	packageMarks
	<p>C062: IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY', 'VR', 'VS' or 'VO') THEN "Number of packages" (box 31) can not be used Number of Pieces' (box 31) can not be used 'Marks & numbers of Packages (Box 31)' = 'O' ELSE IF "Kind of packages" (Box 31) indicates 'UNPACKED' (UNECE rec 21 : = 'NE', 'NF' or 'NG') THEN 'Number of packages' can not be used 'Number of Pieces" (box 31) = 'R' 'Marks & numbers of Packages (Box 31)' = 'O' ELSE Number of packages' (box 31) = 'R' Number of Pieces' (box 31) can not be used IF the attribute 'Specific circumstance indicator' is not used THEN the attribute 'Marks & numbers of Packages (Box 31)' = 'R' ELSE the attribute 'Marks & numbers of Packages (Box 31)' = 'O'</p> <p>Free form description of the marks and numbers on transport units or packages. This information shall only be provided for packaged goods where applicable. Where goods are containerised, the container number can replace the shipping marks, which can however be provided by the trader where available. A UCR or the references in the transport document that allows for the unambiguous identification of all packages in the consignment may replace the shipping marks.</p>					
	NOTIFY PARTY 1X	D				
	<p>C584: IF the attribute 'Additional information_id' = '10600' is used in this GOODS ITEM THEN IF the data group 'TRADER Notify Party' is used THEN the data groups 'GOODS ITEM.TRADER.Notify Party' and 'GOODS ITEM.TRADER.Consignee' cannot be used ELSE the data group 'GOODS ITEM.TRADER.Notify Party' = 'R' and the data group 'GOODS ITEM.TRADER.Consignee' cannot be used ELSE IF the data group 'TRADER.Consignee' is used THEN the data groups 'GOODS ITEM.TRADER.Consignee' and 'GOODS ITEM.TRADER.Notify Party' cannot be used ELSE the data group 'GOODS ITEM.TRADER.Consignee' = 'R' and 'GOODS ITEM.TRADER.Notify Party' cannot be used</p> <p>Where the goods are carried under a negotiable bill of lading that is "to order blank endorsed", in which case the consignee is not mentioned and code '10600' is entered, the notify party shall always be provided. Party to be notified at entry of the arrival of the goods.</p>					
	Name	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] Notify-Party	(Party) name1	lineType
	<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>					
	Name continuation	O	an..35	[GoodsShipment.Consignment.ConsignmentItem] Notify-Party	(Party) name2	lineType
	Street and number	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] Notify-Party	(Party.Address) line	lineType
	<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>					
	Postal code	D	an..9	[GoodsShipment.Consignment.ConsignmentItem] Notify-Party	(Party.Address) post-Code	postalCode
	<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>					

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	City	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] Notify-Party	(Party.Address) city	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
	Country	D	a2	[GoodsShipment.Consignment.ConsignmentItem] Notify-Party	(Party.Address) country	countryCode
<p>Code list 0058</p> <p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p> <p>Capital letters must be used.</p>						
	TIN	O	an..17	[GoodsShipment.Consignment.ConsignmentItem] Notify-Party	(Party) identity	identifier
<p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g F11234567-1.</p>						
	TIN extension	D	an5	[GoodsShipment.Consignment.ConsignmentItem] Notify-Party	(Party) identityExtension	identifierExtension
<p>IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.</p>						
ITINERARY 99X		D				
<p>C570: IF the attribute 'Specific circumstance indicator' = 'A' THEN the attribute must occur at least once (min. 1 value) ELSE this attribute must occur at least twice (min. 2 values)</p> <p>R879: Exit: The country of final destination must be entered in any case. If the special circumstance indicator is not equal to 'A', then at least the country of original departure must be entered additionally. the country of original departure must be entered additionally. Entry: The country of original departure must be entered in any case. If the special circumstance indicator is not equal to 'A', then at least the country of final destination must be entered additionally.</p> <p>An entry summary declaration may only contain goods among which the countries of dispatch and destination are the same. If the countries of dispatch and destination for the various goods differ from each other, separate entry summary declarations must be made.</p>						
Country of routing code		R	a2	[GoodsShipment] Consignment	routingCountry	countryCode
<p>Code list 0058</p> <p>Identification in a chronological order of the countries through which goods are routed between the country of original departure and final destination. This comprises the countries of original departure and of final destination of the goods. This information is to be provided to the extent known. Capital letters must be used.</p>						
(REPRESENTATIVE) TRADER 1X		O				
<p>The data group 'TRADER Representative' can be used by the 'PERSON Lodging the entry summary declaration' to authorise a Representative to submit an Entry summary declaration on his behalf at the Office of first Entry concerned. If preventive/prohibitive measures are to be taken (IE351) or if controls at Entry are to be communicated to the trader prior to the arrival at Entry (IE351), the trader identified here will be receiving the 'Advanced intervention notification' – IE351.</p>						
Name		D	an..35	[Declaration] Agent	(Party) name1	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
Name continuation		O	an..35	[Declaration] Agent	(Party) name2	lineType
Street and number		D	an..35	[Declaration] Agent	(Party.Address) line	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
Postal code		D	an..9	[Declaration] Agent	(Party.Address) post-Code	postalCode
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
City		D	an..35	[Declaration] Agent	(Party.Address) city	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
Country		D	a2	[Declaration] Agent	(Party.Address) country	countryCode

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
Code list 0058						
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Capital letters must be used.						
TIN		R	an..17	[Declaration] Agent	(Party) identity	identifier
R837: The EORI Trader Identification number (TIN) shall be declared.						
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[Declaration] Agent	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
(LODGING SUMMARY DECLARATION) PERSON 1X		R				
The person who brings the goods, or who assumes responsibility for the carriage of the goods into the customs territory of the Community or the person who acts in that person's name or any person who is able to present the goods in question or to have them presented to the competent customs authority or a representative of one of those persons.						
Name		D	an..35	[Declaration. BorderTransportMeans] Master	(Party) name1	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Name continuation		O	an..35	[Declaration. BorderTransportMeans] Master	(Party) name2	lineType
Street and number		D	an..35	[Declaration. BorderTransportMeans] Master	(Party.Address) line	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Postal code		D	an..9	[Declaration. BorderTransportMeans] Master	(Party.Address) post-Code	postalCode
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
City		D	an..35	[Declaration. BorderTransportMeans] Master	(Party.Address) city	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Country		D	a2	[Declaration. BorderTransportMeans] Master	(Party.Address) country	countryCode
Code list 0058						
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Capital letters must be used.						
TIN		R	an..17	[Declaration. BorderTransportMeans] Master	(Party.Address) identity	identifier
R837: The EORI Trader Identification number (TIN) shall be declared.						
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[Declaration. BorderTransportMeans] Master	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
SEALS ID 9999X		O				
The identification numbers of the seals affixed to the transport equipment must be entered if seals are used.						
Seals identity		R	an..20	[GoodsShipment. Consignment] TransportEquipment	seal	sealIdentifier
(FIRST ENTRY) CUSTOMS OFFICE 1X		R				
Reference number		R	an8	[GoodsShipment] EntryCustomsOffice	(CustomsOffice.Location) code	identifier
Identification of the first arrival location in the Customs territory. This would be a port for sea, airport for air and border post for land crossing.						
Capital letters must be used.						

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
Expected date and time of arrival		D	dateTime	[Declaration] Border-TransportMeans	arrival	dateTime
<p>R666: The scheduled date/date and time of arrival of the means of transport at the declared first Office of Entry shall be provided. It shall be the local time of the first place of arrival.</p>						
(SUBSEQUENT ENTRY) CUSTOMS OFFICE 99X		D				
<p>R808: If some of the goods are destined to be transported to subsequent Offices of Entry, then this data group is required.</p>						
Reference number		R	an8	[GoodsShipment] SubsequentEntryCustomsOffice	(CustomsOffice.Location) code	identifier
<p>Capital letters must be used.</p>						
(ENTRY CARRIER) TRADER 1X		D				
<p>R806: The data group is required if different from the data group 'PERSON Lodging the summary declaration'. Person who brings the goods or who assumes responsibility for the carriage of the goods into the customs territory of the Community. In case of combined transportation, where the active means of transport entering the customs territory of the Community is only transporting another active means of transport, 'carrier' means the person who will operate the means of transport which, after having been brought into the customs territory of the Community, will move by itself as an active means of transport. In maritime or air traffic under a vessel sharing or contracting arrangement, 'carrier' means the person who has undertaken a contract and issued a bill of lading or air waybill, for the actual carriage of the goods into the customs territory of the Community.</p>						
Name		D	an..35	[Declaration] Carrier	(Party) name1	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
Name continuation		O	an..35	[Declaration] Carrier	(Party) name2	lineType
Street and number		D	an..35	[Declaration] Carrier	(Party.Address) line	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
Postal code		D	an..9	[Declaration] Carrier	(Party.Address) post-Code	postalCode
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
City		D	an..35	[Declaration] Carrier	(Party.Address) city	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
Country		D	a2	[Declaration] Carrier	(Party.Address) country	countryCode
<p>Code list 0058</p>						
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
<p>Capital letters must be used.</p>						
TIN		D	an..17	[Declaration] Carrier	(Party) identity	identifier
<p>C502: IF 'Transport mode at border' = '1', '4' or '8' THEN the attribute = 'R' ELSE the attribute = 'O'</p>						
<p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. However, in situations the carrier is connected to the customs system and the customs authorities notify of the registration of the summary declaration, the EORI number of the carrier shall be provided. The EORI number of the carrier shall also be provided in containerised maritime traffic, where the customs authorities also notify the person responsible for the carriage of the goods into the customs territory of the results of the risk analysis (reasonable grounds to consider that the introduction of the goods into the customs territory of the Community would pose a serious threat to the safety and security). The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.</p>						
TIN extension		D	an5	[Declaration] Carrier	(Party) identityExtension	identifierExtension
<p>IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.</p>						
CONTACT INFORMATION 1X		R				
Contact person name		R	an..35	[Declaration] RepresentativePerson	(Party.Contact) name	lineType
Contact person telephone		R	an..35	[Declaration] RepresentativePerson	(Party.Communication) telephone	lineType
Contact person e-mail		O	an..100	[Declaration] RepresentativePerson	(Party.Communication) email	emailType

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
HEADER [MANIFEST] 1X		R				
Transport mode at border		R	n..2	[Declaration] Border-TransportMeans	(TransportMeans) modeAndType	transportModeCode
Code list 0041						
R826: For air cargo transported with other modes of transport than air, the other mode of transport shall be declared (e.g. for air cargo transported on road, the mode of transport '3' (road) shall be declared). 'Transport mode at border' can not be '2'.						
Country code of Office of first Entry declared		R	a2	Declaration	(Document) first-EntryOffice	countryCode
Code list 0058						
Capital letters must be used.						
Diversion reference number (LRN)		R	an..22	[Declaration] Document	reference	lineType
R891: The Local Reference Number (LRN)/Diversion LRN/Arrival LRN shall be a number/identifier allocated by the sending TRADER for a specific transaction (ENS, Arrival Notification). It shall be unique per Trader sending the transaction.						
Identity of means of transport crossing border		D	an..35	[Declaration] Border-TransportMeans	(TransportMeans) identity	transportMeansIdentifier
C515: IF 'Transport mode at border' = '1', '4' or '8' THEN the attribute = 'O' ELSE the attribute can not be used						
C516: IF the attribute is present IF 'Transport mode at border' = '1' or '8' THEN the attribute consists either of the International Maritime Organisation (IMO) ship identification number (format n7 - leading '0' allowed) or of the European Vessel Identification Number (ENI) (format n8 - leading '0' allowed) IF 'Transport mode at border' = '4' THEN the attribute consists of the (IATA/ICAO) flight number and has format an..8: - an..3: mandatory prefix identifying the airline/operator - n..4: mandatory number of the flight - a1: optional suffix						
R031: In case of air- sea and inland waterway transportation the IMPORT OPERATION.MRN may be replaced by following other data elements identifying the diverted/arriving means of transport. - the 'Identification of the means of transport' and - the 'Transport mode at border' and - the 'Expected date and time of arrival'. The 'Identification of the means of transport' shall - depending on the declared 'Transport Mode at border (box 25) – correspond to following values: - 1 and 8 (sea and inland waterway transport): - the International Maritime Organisation (IMO) ship identification number or - the European Vessel Identification Number (ENI), (both corresponding to IE315.IMPORT OPERATION.Identity crossing border (box 21) - 4 (air transport): - the (IATA/ICAO) flight number. In code-share situations the flight number of the code-share partners shall be used. (corresponding to IE315.IMPORT OPERATION.Conveyance reference number)						
Expected date and time of arrival		D	dateTime	[Declaration] Border-TransportMeans	arrival	dateTime
IF the attribute 'Identity of means of transport crossing border' (IE323) is used THEN the attribute is = 'R' ELSE the attribute is 'O'						
R666: The scheduled date/date and time of arrival of the means of transport at the declared first Office of Entry shall be provided. It shall be the local time of the first place of arrival.						
Dialog language indicator at destination		D	a2	Declaration	language	languageCode
Code list 0036						
The attribute is used as the basic language to be used in any further communication between the Trader and the Customs system. If the trader does not use this attribute then the Customs system will use the default language.						
(ACTUAL ENTRY) CUSTOMS OFFICE 1X		R				
Reference number		R	an8	[GoodsShipment] ActualEntryCustomsOffice	(CustomsOffice.Location)code	identifier
'Actual entry customs office' can not be in Finland.						
Capital letters must be used.						
(FIRST ENTRY) CUSTOMS OFFICE 1X		R				
Reference number		R	an8	[GoodsShipment] EntryCustomsOffice	(Location) code	identifier
Capital letters must be used.						
(REQUESTING DIVERSION) TRADER 1X		R				
Name		D	an..35	[Declaration] Agent	(Party) name1	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Name continuation		O	an..35	[Declaration] Agent	(Party) name2	lineType
Street and number		D	an..35	[Declaration] Agent	(Party.Address) line	lineType

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
Postal code		D	an..9	[Declaration] Agent	(Party.Address) post-Code	postalCode
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
City		D	an..35	[Declaration] Agent	(Party.Address) city	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
Country		D	a2	[Declaration] Agent	(Party.Address) country	countryCode
Code list 0058						
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
Capital letters must be used.						
TIN		R	an..17	[Declaration] Agent	(Party) identity	identifier
<p>R837: The EORI Trader Identification number (TIN) shall be declared. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.</p>						
TIN extension		D	an5	[Declaration] Agent	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
IMPORT OPERATION [SUMMARY DECLARATION] 9999X		D				
<p>IF the attribute 'DIVERSION REQUEST.Identification of the means of transport' (IE323) is used THEN the data group can not be used ELSE the data group is = 'R'</p>						
When entering several MRNs, the segment Consignment is repeated, the segment GoodsShipment is not repeated.						
Reference number MRN		R	an18	[GoodsShipment] Consignment	MRN	mrn
GOODS ITEM 999X		D				
<p>C521: IF the attribute 'IMPORT OPERATION.MRN' is used THEN the data group is 'O' ELSE the data group can not be used</p>						
Item number		R	n..5	[GoodsShipment.Consignment] ConsignmentItem	sequence	numeric
<p>R897: The attribute shall refer to the item number of the requested Entry summary declaration</p>						
CONTACT INFORMATION 1X		R				
Contact person name		R	an..35	[Declaration] RepresentativePerson	(Party.Contact) name	lineType
Contact person telephone		R	an..35	[Declaration] RepresentativePerson	(Party.Communication) telephone	lineType
Contact person e-mail		O	an..100	[Declaration] RepresentativePerson	(Party.Communication) email	emailType

Level 1	Level 2	Level 3	Level 4	RDO	Format	Path	(General type) tag	type
HEADER [MANIFEST] 1X				R				
Customs reference number				D	an17	Declaration	customsReference	identifier
In case of amendment, enter reference number provided by the Finnish Customs.								
Dialog language indicator at destination				D	a2	Declaration	language	language-Code
Code list 0036								
The attribute is used as the basic language to be used in any further communication between the Trader and the Customs system. If the trader does not use this attribute then the Customs system will use the default language.								
Transport mode at border				R	n..2	[Declaration] Border-TransportMeans	(TransportMeans) modeAndType	transportMode Code
Code list 0041								
For air cargo transported with other modes of transported than air, the other mode of transport shall be declared (e.g. for air cargo transported on road, the mode of transport '3' (road) shall be declared).								
Mode of transport corresponding to the active means of transport in which the goods are expected to enter the Customs territory of the Community. In the case of combined transport or where several means of transport are used, the active means of transport is the one which propels the whole combination. For example, in the case of a lorry on a sea-going vessel, the active means of transport is the ship. In road transports in the case of a tractor and trailer, the active means of transport is the tractor. Where air cargo is transported on modes of transport other than air, the other mode of transport shall be declared.								
Total gross mass				R	n..17,3	Declaration	totalGrossMass	measure
Total number of manifest items				R	n..5	Declaration	goodsItem	quantity
The total number of manifest items must be the sum of all manifest items declared.								
Manifest reference number (LRN)				R	an..22	[Declaration] Document	reference	lineType
Declaration date and time				R	dateTime	Declaration	(Document) issue	dateTime
Conveyance reference number				D	an..35	[Declaration] Border-TransportMeans	journey	lineType
<p>TR0518: IF 'Transport mode at border' = '4' THEN the attribute has format an..8 AND the string must contain the carrier code (an..3), the flight number (n..4) and an optional suffix (a1) without any separator between the two or three trimmed elements.</p> <p>TR0519: IF 'Transport mode at border' = '1' AND 'Conveyance reference number' is used AND the first four digits consist of XFER in uppercase THEN the first four digits shall consist of 'XFER' in uppercase, followed by the lorry registration plate number ELSE 'XFER' cannot be used.</p> <p>The 'Conveyance Reference Number' is the identification of the journey of the means of transport (e.g. flight number, train number, voyage number, trip number).</p> <p>Information to be produced where appropriate.</p> <p>Sea transport (mode of transport at border 1): In cases of combined transport where a truck/articulated vehicle is loaded onboard a seagoing vessel the truck/articulated vehicle registration number is to be entered as the conveyance reference number. Registration number is to be preceded by code XFER (with capital letters and without a space). For example: XFERABC-123.</p>								
Total number of packages				R	n..10	[Declaration] DeclarationPackaging	(Packaging) packages	quantity
The total number of packages must be the sum of all total number of packages declared on import operation level.								
MANIFEST ITEM 99999X				R				
Manifest item number				R	n..5	GoodsShipment	sequence	numeric
R887: The 'Item number'/'Arrival item number'/'Pre-arrival item number' is the sequential number of the listed items in this message. It must be unique throughout the declaration								
TRANSPORT DOCUMENT DATA 1X				R				
Document type				R	an..4	[GoodsShipment] TransportContractDocument	(Document) type	documentType-Code
R817: Only the Document type values marked with 'Transport documents' shall be used.								
Document reference				R	an..35	[GoodsShipment] TransportContractDocument	(Document) reference	lineType
IMPORT OPERATION [SUMMARY DECLARATION] 999X				R				
LRN (Local reference number)				D	an..22	[GoodsShipment] Consignment	(Document) reference	lineType

Level 1	Level 2	Level 3	Level 4	RDO	Format	Path	(General type) tag	type
		<p>If the attribute 'Reference number MRN' is used THEN this attribute = 'O' ELSE this attribute = 'R'</p>						
		Reference number MRN		D	an18	[GoodsShipment] Consignment	MRN	mrn
		<p>For goods that are destined to be transported to subsequent Offices of Entry from the Office of first Entry using the same transport means, the 'Reference number MRN' shall refer to the MRN assigned to the entry summary declaration at the Office of first Entry (to the Community) and 'GOODS ITEM.Item number' to the corresponding MRN item. Data is entered only, if goods are transported to subsequent offices of entry using the same means of transport. In case of amendment: 'Reference number MRN' shall refer to the MRN assigned by the import control system to those goods on the original declaration to which only an LRN had been assigned on the original declaration (goods loaded on to the vessel in the EU) and 'GOODS ITEM.Item number' to the corresponding MRN item. The MRN corresponds to the new 'Reference number MRN' communicated in IE345.</p>						
		Total number of items		R	n..5	[GoodsShipment] Consignment	goodsItem	quantity
		Commercial reference number		D	an..70	[GoodsShipment.Consignment] UCR	traderReference	textType
		<p>C567: IF the attribute 'Specific Circumstance Indicator = 'A' THEN the attribute 'Commercial Reference Number (box 7)', 'Commercial Reference Number (ex box 7)' and the datagroup 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O' ELSE IF the attribute 'Commercial Reference Number (box 7)' and 'Commercial Reference Number (ex box 7)' is not used, THEN at least one attribute 'PRODUCED DOCUMENTS/CERTIFICATES.Document type' pointing to a transport document must be present ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'</p> <p>If the same 'Commercial reference number' is declared for all goods items, the attribute 'Commercial reference number' on Import Operation level is used. The attribute 'Commercial reference number' on goods item level can not be used.</p>						
		Nationality of means of transport crossing border		O	a2	[GoodsShipment.BorderTransportMeans]	(TransportMeans) registrationNationality	countryCode
		<p>Code list 0058 Capital letters must be used.</p>						
		Identity of means of transport crossing border		D	an..27	[GoodsShipment.BorderTransportMeans]	(TransportMeans) identity	transportMeansIdentifier
		<p>IF 'HEADER.Transport mode at border' is '1' or '8' THEN the attribute = 'R' IF 'HEADER.Transport mode at border' is '4' THEN the attribute can not be used ELSE the attribute = 'O' IF the attribute is present IF 'HEADER.Transport mode at border' = '1' or '8' THEN the attribute consists either of the International Maritime Organisation (IMO) ship identification number (format n7 - leading 'O' allowed) or of the European Vessel Identification Number (ENI) (format n8 - leading 'O' allowed)</p>						
		Conveyance reference number		D	an..35	[GoodsShipment.BorderTransportMeans]	journey	lineType
		<p>Sea transport (mode of transport at border 1): In cases of combined transport where a truck/articulated vehicle is loaded onboard a seagoing vessel the truck/articulated vehicle registration number is to entered as the conveyance reference number. Registration number is to be preceded by code XFER (with capital letters and without a space). For example: XFERABC-123. ELSE the attribute = 'O'</p>						
		Total gross mass		D	n..17,3	Consignment	totalGrossMass	measure
		<p>C581: IF the attribute 'GOODS ITEM.Gross mass' is used THEN this attribute is = 'R' ELSE this attribute is = 'O'</p> <p>If the true total gross mass is not known, a value of 0 is declared.</p>						
		Specific Circumstance Indicator		O	a1	[GoodsShipment.AdditionalInformation]	circumstance	circumstanceCode

Level 1	Level 2	Level 3	Level 4	RDO	Format	Path	(General type) tag	type
		Code list 0402 This following check shall be performed if the AEO-Database in which the AEO certificate numbers are registered is available when performing the check: <ul style="list-style-type: none"> The 'Specific circumstance indicator' with value 'E' (AEO) can be used only if the 'Person Lodging the ENS', all 'Consignees' and 'Representative' declared in the ENS have a valid AEO certificate of type 'AEOF' or 'AEOS'. The only possible values in this data element are 'A' and 'E'. Capital letters must be used.						
		Transport charges / method of payment		O	a1	[GoodsShipment.Consignment] FreightPayment	method	freightPaymentMethodCode
		Code list 0327 Capital letters must be used.						
		Declaration date and time		R	dateTime	[GoodsShipment] Consignment	(Document) issue	dateTime
		If 'IMPORT OPERATION.Reference number MRN' is entered, enter date and time of original IE 315. ELSE enter date and time of declaration.						
		Declaration place		R	an..35	[GoodsShipment] Consignment	(Document) issueLocation	lineType
		Place of loading		D	an..35	[GoodsShipment.Consignment] LoadingLocation	(Location) name	text
		C574: IF the attribute 'Specific circumstance indicator' = 'A' THEN the attribute 'IMPORT OPERATION.Loading place' is = 'O' the attribute 'GOODS ITEM.Loading place' can not be used ELSE IF the attribute 'IMPORT OPERATION.Loading place' is used THEN the attribute 'GOODS ITEM.Loading place' can not be used ELSE the attribute 'GOODS ITEM.Loading place' = 'R' Name of a seaport, airport, freight terminal, rail station or other place at which goods are loaded onto the means of transport being used for their carriage. IF attribute 'IMPORT OPERATION.Reference number MRN' is not entered, a place of loading within the Community, Norway, Switzerland or Liechtenstein is entered.						
		Place of unloading		D	an..35	[GoodsShipment.Consignment] UnloadingLocation	(Location) name	text
		C579: IF the attribute 'Specific circumstance indicator' = 'E' THEN IF the attribute 'IMPORT OPERATION.Unloading place' is used THEN the attribute 'GOODS ITEM.Unloading place' can not be used, ELSE the attribute 'GOODS ITEM.Unloading place' = 'O' ELSE IF the attribute 'IMPORT OPERATION.Unloading place' is used THEN the attribute 'GOODS ITEM.Unloading place' can not be used, ELSE the attribute 'GOODS ITEM.Unloading place' = R						
		Total number of packages		R	n..7	[GoodsShipment.Consignment] ConsignmentPackaging	(Packaging) packages	quantity
		R105: The total number of packages is equal to the sum of all 'Number of packages' + all 'Number of pieces' + a value of '1' for each declared 'bulk'.						
		Expected date and time of arrival		D	dateTime	[GoodsShipment.Consignment] BorderTransportMeans	arrival	dateTime
		R666: The scheduled date/date and time of arrival of the means of transport at the declared first Office of Entry shall be provided. It shall be the local date and time of the first place of arrival. IF 'IMPORT OPERATION.Reference number MRN' refers to an MRN assigned to an entry summary declaration at a non-Finnish Office of first Entry (in the Community), THEN this data is = 'R'. ELSE this data is not used						
		Country code of Office of first Entry declared		D	a2	[GoodsShipment] Consignment	(Document) firstEntryOffice	countryCode
		Code list 0058 IF 'IMPORT OPERATION.Reference number MRN' refers to an MRN assigned to an entry summary declaration at a non-Finnish Office of first Entry (in the Community), THEN this data is = 'R'. ELSE this data is not used Capital letters must be used.						

Level 1	Level 2	Level 3	Level 4	RDO	Format	Path	(General type) tag	type
		(CONSIGNOR) TRADER 1X		D				
		<p>C511: IF only one Trader Consignor is declared for all goods items THEN the data group 'Trader Consignor (box 2)' on IMPORT OPERATION level is used ELSE the data group 'Trader Consignor (ex box 2)' on GOODS ITEM level is used</p>						
		Name		D	an..35	[GoodsShip-ment.Consign-ment] Consignor	(Party) name1	lineType
		<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
		Name continua-tion		O	an..35	[GoodsShip-ment.Consign-ment] Consignor	(Party) name2	lineType
		Street and num-ber		D	an..35	[GoodsShip-ment.Consign-ment] Consignor	(Party.Ad-dress) line	lineType
		<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
		Postal code		D	an..9	[GoodsShip-ment.Consign-ment] Consignor	(Party.Ad-dress) post-Code	postalCode
		<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
		City		D	an..35	[GoodsShip-ment.Consign-ment] Consignor	(Party.Ad-dress) city	lineType
		<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
		Country		D	a2	[GoodsShip-ment.Consign-ment] Consignor	(Party.Ad-dress) country	countryCode
		Code list 0058						
		<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
		Capital letters must be used.						
		TIN		O	an..17	[GoodsShip-ment.Consign-ment] Consignor	(Party) identity	identifier
		<p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.</p>						
		TIN extension		D	an5	[GoodsShip-ment.Consign-ment] Consignor	(Party) identi-tyExtension	identifierEx-tension
		IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
		(CONSIGNEE) TRADER 1X		D				
		<p>C583: IF the attribute 'Additional information id' = '10600' is used for all GOODS ITEM data groups THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify Party' = 'O' ELSE IF the attribute 'Additional information id' = '10600' is used for at least one GOODS ITEM THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify Party' cannot be used ELSE the data group 'TRADER Notify Party' cannot be used and the data group 'TRADER Consignee' = 'O'</p>						
		R807: The data group is required if different from the data group 'TRADER at ENTRY (Carrier)'.						
		Name		D	an..35	[GoodsShip-ment.Consign-ment] Con-signee	(Party) name1	lineType
		<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
		Name continua-tion		O	an..35	[GoodsShip-ment.Consign-ment] Con-signee	(Party) name2	lineType

Level 1	Level 2	Level 3	Level 4	RDO	Format	Path	(General type) tag	type
		Street and number		D	an..35	[GoodsShipment.Consignment] Consignee	(Party.Address) line	lineType
		<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
		Postal code		D	an..9	[GoodsShipment.Consignment] Consignee	(Party.Address) post-Code	postalCode
		<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
		City		D	an..35	[GoodsShipment.Consignment] Consignee	(Party.Address) city	lineType
		<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
		Country		D	a2	[GoodsShipment.Consignment] Consignee	(Party.Address) country	countryCode
		<p>Code list 0058</p> <p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p> <p>Capital letters must be used.</p>						
		TIN		O	an..17	[GoodsShipment.Consignment] Consignee	(Party) identity	identifier
		<p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.</p>						
		TIN extension		D	an5	[GoodsShipment.Consignment] Consignee	(Party) identityExtension	identifierExtension
		<p>IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.</p>						
		NOTIFY PARTY 1X		D				
		<p>C583: IF the attribute 'Additional information id' = '10600' is used for all GOODS ITEM data groups THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify Party' = 'O' ELSE IF the attribute 'Additional information id' = '10600' is used for at least one GOODS ITEM THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify Party' cannot be used ELSE the data group 'TRADER Notify Party' cannot be used and the data group 'TRADER Consignee' = 'O'</p>						
		Name		D	an..35	[GoodsShipment.Consignment] Notify-Party	(Party) name1	lineType
		<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
		Name continuation		O	an..35	[GoodsShipment.Consignment] Notify-Party	(Party) name2	lineType
		Street and number		D	an..35	[GoodsShipment.Consignment] Notify-Party	(Party.Address) line	lineType
		<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						

Level 1	Level 2	Level 3	Level 4	RDO	Format	Path	(General type) tag	type
		Postal code		D	an..9	[GoodsShipment.Consignment] Notify-Party	(Party.Address) post-Code	postalCode
		<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
		City		D	an..35	[GoodsShipment.Consignment] Notify-Party	(Party.Address) city	lineType
		<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
		Country		D	a2	[GoodsShipment.Consignment] Notify-Party	(Party.Address) country	countryCode
		<p>Code list 0058</p> <p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p> <p>Capital letters must be used.</p>						
		TIN		O	an..17	[GoodsShipment.Consignment] Notify-Party	(Party) identity	identifier
		<p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.</p>						
		TIN extension		D	an5	[GoodsShipment.Consignment] Notify-Party	(Party) identityExtension	identifierExtension
		<p>IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.</p>						
		ITINERARY 99X		D				
		<p>C570: IF the attribute 'Specific circumstance indicator' = 'A' THEN the attribute must occur at least once (min. 1 value) ELSE this attribute must occur at least twice (min. 2 values)</p> <p>R879: Exit: The country of final destination must be entered in any case. If the special circumstance indicator is not equal to 'A', then at least the country of original departure must be entered additionally. the country of original departure must be entered additionally. Entry: The country of original departure must be entered in any case. If the special circumstance indicator is not equal to 'A', then at least the country of final destination must be entered additionally.</p>						
		Country of routing code		R	a2	[GoodsShipment] Consignment	routingCountry	countryCode
		<p>Code list 0058</p> <p>Identification in a chronological order of the countries through which goods are routed between the country of original departure and final destination. This comprises the countries of original departure and of final destination of the goods. This information is to be provided to the extent known. Capital letters must be used.</p>						
		GOODS ITEM 999X		R				
		Item number		R	n..5	[GoodsShipment.Consignment] ConsignmentItem	sequence	numeric

Level 1	Level 2	Level 3	Level 4	RDO	Format	Path	(General type) tag	type
		<p>Each "Item no" (box 32) is unique throughout the import operation. If the attribute 'Reference number MRN' is not entered, the items shall be numbered in a sequential fashion, starting from '1' for the first item and incrementing the numbering by '1' for each following item.</p> <p>If, however, MRN is entered, then the MRN assigned at the place of entry and its items to be unloaded shall always be referred to.</p> <p>For goods that are destined to be transported to subsequent Offices of Entry from the Office of first Entry using the same transport means, the 'Reference number MRN' shall refer to the MRN assigned to the entry summary declaration at the Office of first Entry (to the Community) and 'GOODS ITEM.Item number' to the corresponding MRN item.</p> <p>In case of amendment: 'Reference number MRN' shall refer to the MRN assigned by the import control system to those goods on the original declaration to which only an LRN had been assigned on the original declaration (goods loaded on to the vessel in the EU) and 'GOODS ITEM.Item number' to the corresponding MRN item. The MRN corresponds to the new 'Reference number MRN' communicated in IE345.</p>						
		Customs status		D	an..2	[GoodsShipment.Consignment] ConsignmentItem	communityStatus	CommunityStatus-CodeType
		<p>Code list 9995</p> <p>R815: The attribute may be used to specify the Union status.</p> <p>IF 'PRODUCED DOCUMENTS / CERTIFICATES.Document type' = '2YMM', '7MYP' or '7LYP' THEN this attribute is = 'R' ELSE this attribute can not be used</p>						
		Commercial reference number		D	an..70	[GoodsShipment.ConsignmentItem]UCR	traderReference	textType
		<p>C567: IF the attribute 'Specific Circumstance Indicator' = 'A' THEN the attribute 'Commercial Reference Number (box 7)', 'Commercial Reference Number (ex box 7)' and the datagroup 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O' ELSE IF the attribute 'Commercial Reference Number (box 7)' and 'Commercial Reference Number (ex box 7)' is not used, THEN at least one attribute 'PRODUCED DOCUMENTS/CERTIFICATES.Document type' pointing to a transport document must be present ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'</p> <p>If the same 'Commercial reference number' is declared for all goods items, the attribute 'Commercial reference number' on Import Operation level is used. The attribute 'Commercial reference number' on goods item level can not be used.</p>						
		Goods description		O	an..280	[GoodsShipment.ConsignmentItem] Commodity	cargoDescription	text
		<p>A plain language description that is precise enough for Customs services to be able to identify the goods. General terms (i.e. "consolidated", "general cargo" or "parts") cannot be accepted. A list of such general terms is published by the Commission at web site: http://ec.europa.eu/taxation_customs/resources/documents/customs/policy_issues/customs_security/acceptable_goods_description_guidelines_en.pdf</p>						
		Gross mass		D	n..11,3	[GoodsShipment.ConsignmentItem] GoodsMeasure	grossMass	measure
		<p>C580: IF the attribute 'Specific circumstance indicator' = 'E' THEN this attribute is = 'O' ELSE this attribute is = 'R'</p> <p>If the true gross mass is not known, a value of 0 is declared.</p> <p>Weight (mass) of goods including packaging but excluding the carrier's equipment for the declaration.</p>						
		UN dangerous goods code		O	n4	[GoodsShipment.ConsignmentItem] Commodity	UNDG	dangerous-GoodsCode
		<p>No code list available</p>						
		Transport charges / method of payment		D	a1	[GoodsShipment.ConsignmentItem] FreightPayment	method	freightPayment-MethodCode

Level 1	Level 2	Level 3	Level 4	RDO	Format	Path	(General type) tag	type
			Street and number	D	an..35	[GoodsShipment.ConsignmentItem] Consignor	(Party.Address) line	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>								
			Postal code	D	an..9	[GoodsShipment.ConsignmentItem] Consignor	(Party.Address) post-Code	postalCode
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>								
			City	D	an..35	[GoodsShipment.ConsignmentItem] Consignor	(Party.Address) city	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>								
			Country	D	a2	[GoodsShipment.ConsignmentItem] Consignor	(Party.Address) country	countryCode
<p>Code list 0058</p> <p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p> <p>Capital letters must be used.</p>								
			TIN	O	an..17	[GoodsShipment.ConsignmentItem] Consignor	(Party) identity	identifier
<p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.</p> <p>The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.</p>								
			TIN extension	D	an5	[GoodsShipment.ConsignmentItem] Consignor	(Party) identityExtension	identifierExtension
<p>IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.</p>								
			(CONSIGNEE) TRADER 1X	D				
<p>C584: IF the attribute 'Additional information_id' = '10600' is used in this GOODS ITEM</p> <p>THEN IF the data group 'TRADER Notify Party' is used</p> <p>THEN the data groups 'GOODS ITEM.TRADER.Notify Party' and 'GOODS ITEM.TRADER.Consignee' cannot be used</p> <p>ELSE the data group 'GOODS ITEM.TRADER.Notify Party' = 'R' and the data group 'GOODS ITEM.TRADER.Consignee' cannot be used</p> <p>ELSE IF the data group 'TRADER.Consignee' is used</p> <p>THEN the data groups 'GOODS ITEM.TRADER.Consignee' and 'GOODS ITEM.TRADER.Notify Party' cannot be used</p> <p>ELSE the data group 'GOODS ITEM.TRADER.Consignee' = 'R' and 'GOODS ITEM.TRADER.Notify Party' cannot be used</p>								
			Name	D	an..35	[GoodsShipment.ConsignmentItem] Consignee	(Party) name1	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>								

Level 1	Level 2	Level 3	Level 4	RDO	Format	Path	(General type) tag	type
			Name continuation	O	an..35	[GoodsShipment.ConsignmentItem] Consignee	(Party) name2	lineType
			Street and number	D	an..35	[GoodsShipment.ConsignmentItem] Consignee	(Party.Address) line	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>								
			Postal code	D	an..9	[GoodsShipment.ConsignmentItem] Consignee	(Party.Address) post-Code	postalCode
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>								
			City	D	an..35	[GoodsShipment.ConsignmentItem] Consignee	(Party.Address) city	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>								
			Country	D	a2	[GoodsShipment.ConsignmentItem] Consignee	(Party.Address) country	countryCode
<p>Code list 0058</p> <p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p> <p>Capital letters must be used.</p>								
			TIN	O	an..17	[GoodsShipment.ConsignmentItem] Consignee	(Party) identity	identifier
<p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.</p>								
			TIN extension	D	an5	[GoodsShipment.ConsignmentItem] Consignee	(Party) identityExtension	identifierExtension
<p>IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.</p>								
			NOTIFY PARTY 1X	D				
<p>C584: IF the attribute 'Additional information_id' = '10600' is used in this GOODS ITEM THEN IF the data group 'TRADER Notify Party' is used THEN the data groups 'GOODS ITEM.TRADER.Notify Party' and 'GOODS ITEM.TRADER.Consignee' cannot be used ELSE the data group 'GOODS ITEM.TRADER.Notify Party' = 'R' and the data group 'GOODS ITEM.TRADER.Consignee' cannot be used ELSE IF the data group 'TRADER.Consignee' is used THEN the data groups 'GOODS ITEM.TRADER.Consignee' and 'GOODS ITEM.TRADER.Notify Party' cannot be used ELSE the data group 'GOODS ITEM.TRADER.Consignee' = 'R' and 'GOODS ITEM.TRADER.Notify Party' cannot be used</p>								
			Name	D	an..35	[GoodsShipment.ConsignmentItem] NotifyParty	(Party) name1	lineType

Level 1	Level 2	Level 3	Level 4	RDO	Format	Path	(General type) tag	type
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>								
			Name continuation	O	an..35	[GoodsShipment.ConsignmentItem] NotifyParty	(Party) name2	lineType
			Street and number	D	an..35	[GoodsShipment.ConsignmentItem] NotifyParty	(Party.Address) line	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>								
			Postal code	D	an..9	[GoodsShipment.ConsignmentItem] NotifyParty	(Party.Address) post-Code	postalCode
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>								
			City	D	an..35	[GoodsShipment.ConsignmentItem] NotifyParty	(Party.Address) city	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>								
			Country	D	a2	[GoodsShipment.ConsignmentItem] NotifyParty	(Party.Address) country	countryCode
<p>Code list 0058</p> <p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p> <p>Capital letters must be used.</p>								
			TIN	O	an..17	[GoodsShipment.ConsignmentItem] NotifyParty	(Party) identity	identifier
<p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.</p>								
			TIN extension	D	an5	[GoodsShipment.ConsignmentItem] NotifyParty	(Party) identityExtension	identifierExtension
<p>If the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.</p>								
CONTAINERS 99X				O				
<p>If goods arrive in containers, the container numbers must be entered.</p>								
			Container number	R	an..17	[GoodsShipment.ConsignmentItem.TransportEquipment] EquipmentIdentification	identification	identifier
PACKAGES 99X				R				

Level 1	Level 2	Level 3	Level 4	RDO	Format	Path	(General type) tag	type
			Marks & numbers of packages (long)	D	an..140	[GoodsShipment.ConsignmentItem] ConsignmentItem-Packaging	(Packaging) markNumber	package-Marks
<p>C062: IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY','VR', 'VS' or 'VO')</p> <p>THEN "Number of packages" (box 31) can not be used Number of Pieces' (box 31) can not be used 'Marks & numbers of Packages (Box 31)' = 'O'</p> <p>ELSE</p> <p>IF "Kind of packages" (Box 31) indicates 'UNPACKED' (UNECE rec 21 : = 'NE', 'NF' or 'NG')</p> <p>THEN 'Number of packages' can not be used 'Number of Pieces" (box 31) = 'R' 'Marks & numbers of Packages (Box 31)' = 'O'</p> <p>ELSE 'Number of packages' (box 31) = 'R' Number of Pieces' (box 31) can not be used</p> <p>IF the attribute 'Specific circumstance indicator' is not used</p> <p>THEN the attribute 'Marks & numbers of Packages (Box 31)' = 'R'</p> <p>ELSE the attribute 'Marks & numbers of Packages (Box 31)' = 'O'</p>								
			Kind of packages	R	an..3	[GoodsShipment.ConsignmentItem] ConsignmentItem-Packaging	(Packaging) type	pack-ageTypeCode
<p>Code list 0075</p> <p>Capital letters must be used.</p>								
			Number of packages	D	n..5	[GoodsShipment.ConsignmentItem] ConsignmentItem-Packaging	(Packaging) packages	quantity
<p>C062: IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY','VR', 'VS' or 'VO')</p> <p>THEN "Number of packages" (box 31) can not be used Number of Pieces' (box 31) can not be used 'Marks & numbers of Packages (Box 31)' = 'O'</p> <p>ELSE</p> <p>IF "Kind of packages" (Box 31) indicates 'UNPACKED' (UNECE rec 21 : = 'NE', 'NF' or 'NG')</p> <p>THEN 'Number of packages' can not be used 'Number of Pieces" (box 31) = 'R' 'Marks & numbers of Packages (Box 31)' = 'O'</p> <p>ELSE 'Number of packages' (box 31) = 'R' Number of Pieces' (box 31) can not be used</p> <p>IF the attribute 'Specific circumstance indicator' is not used</p> <p>THEN the attribute 'Marks & numbers of Packages (Box 31)' = 'R'</p> <p>ELSE the attribute 'Marks & numbers of Packages (Box 31)' = 'O'</p>								
<p>R020: A zero '0' is to be considered as a valid number in this field.</p>								
			Number of pieces	D	n..5	[GoodsShipment.ConsignmentItem] ConsignmentItem-Packaging	(Packaging) pieces	quantity
<p>C062: IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY','VR', 'VS' or 'VO')</p> <p>THEN "Number of packages" (box 31) can not be used Number of Pieces' (box 31) can not be used 'Marks & numbers of Packages (Box 31)' = 'O'</p> <p>ELSE</p> <p>IF "Kind of packages" (Box 31) indicates 'UNPACKED' (UNECE rec 21 : = 'NE', 'NF' or 'NG')</p> <p>THEN 'Number of packages' can not be used 'Number of Pieces" (box 31) = 'R' 'Marks & numbers of Packages (Box 31)' = 'O'</p> <p>ELSE 'Number of packages' (box 31) = 'R' Number of Pieces' (box 31) can not be used</p> <p>IF the attribute 'Specific circumstance indicator' is not used</p> <p>THEN the attribute 'Marks & numbers of Packages (Box 31)' = 'R'</p> <p>ELSE the attribute 'Marks & numbers of Packages (Box 31)' = 'O'</p>								

Level 1	Level 2	Level 3	Level 4	RDO	Format	Path	(General type) tag	type
			(CODE) COM-MODIFY 1X	D				
			Combined Nomenclature	R	an..10	[GoodsShipment.Consignment.ConsignmentItem] Commodity	tariffClassification	identifier
<p>C585: IF the attribute 'GOODS ITEM.Textual description' is used THEN this attribute is = 'O' ELSE this attribute is = 'R'</p> <p>R881: If the attribute is used, its minimum length is 4 digits.</p>								
			PRODUCED DOCUMENTS / CERTIFICATES 99X	D				
<p>C567: IF the attribute 'Specific Circumstance Indicator' = 'A' THEN the attribute 'Commercial Reference Number (box 7)', 'Commercial Reference Number (ex box 7)' and the datagroup 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O' ELSE IF the attribute 'Commercial Reference Number (box 7)' and 'Commercial Reference Number (ex box 7)' is not used, THEN at least one attribute 'PRODUCED DOCUMENTS/CERTIFICATES.Document type' pointing to a transport document must be present ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'</p> <p>R866: If the ENS is lodged by another party than the Carrier, then the transport document of the Carrier should be declared, if available.</p> <p>The used transport documents are: N235, N271, N703, N704, N705, N710, N714, N720, N722, N730, N740, N741, N750, N760, N785, N787, N952, N955.</p> <p>A shipping company, which as an authorised issuer has the permission to provide the customs status of union goods using a customs goods manifest (ie. a ship's manifest), may on the same declaration indicate both Union and non-Union goods. Besides the transport document each goods item must reference also to document code 2YMM. The number of the permit issued by Customs is entered as the document reference.</p> <p>In other cases it is possible to declare Union goods on a separate entry summary declaration (IE315) or summary declaration for temporary storage (IE344). Besides the transport document, the goods item must contain a reference to a document proving the Union status of goods according to code list 0006. The document identification and the date in the format of ddmmyyyy are entered as document reference. In addition document code 2YMM is entered. "TA art. 199" is entered as its document reference.</p> <p>If declaration is used as a low value declaration for courier companies, the permit for declarer of low value goods (code 7VTI) must be specified for all goods items.</p> <p>If the declaration is used as a simplified transit declaration for flight traffic (art. 445), the permit for simplified transit declaration for flight traffic (7LYP) must be specified for all goods items.</p> <p>If the declaration is used as a simplified transit declaration for sea traffic (art. 448), the permit for simplified transit declaration for sea traffic (7MYP) must be specified for all goods items.</p>								
			Document type	R	an..4	[GoodsShipment.Consignment.ConsignmentItem] AdditionalDocument	(Document) type	documentType-Code
<p>Code list 0006</p> <p>In maritime traffic enter code for Port@Net number if the Port@Net number is known.</p>								
			Document reference	R	an..35	[GoodsShipment.Consignment.ConsignmentItem] AdditionalDocument	(Document) reference	lineType
<p>In maritime traffic enter Port@Net number if it is known.</p>								
			SPECIAL MENTIONS 99X	O				
			Additional information id	R	an..5	[GoodsShipment.Consignment.ConsignmentItem] AdditionalInformation	statement	specialMentionsCode

Level 1	Level 2	Level 3	Level 4	RDO	Format	Path	(General type) tag	type
			Code list 0015					
			R080: Only the SPECIAL MENTIONS that are marked as 'Common' in the reference data shall be included in the common domain messages.					
			If declaration is used as a low value declaration for courier companies, aka document code 7VTI has been specified for goods items, code FIXEY from code list 0015 (value of low value goods) is to be specified for goods items.					
			Text	D	an..350	[GoodsShipment.Consignment.ConsignmentItem] AdditionalInformation	state-mentDescrip-tion	text
			If declaration is used as a low value declaration for courier companies, enter value of goods in EUR using two decimals and without the currency code. ELSE data element is not used.					
			SEALS ID 9999X	O				
			The identification numbers of the seals affixed to the transport equipment must be entered if seals are used.					
			Seals identity	R	an..20	[GoodsShipment.Consignment.ConsignmentItem] TransportEquipment	seal	sealIdentifier
				R				
				R	an8	[GoodsShipment] ActualEntryCustomsOffice	(CustomsOffice.Location) code	identifier
				R	dateTime	[Declaration] BorderTransport Means	arrival	dateTime
				R				
				D	an..35	[Declaration] Carrier	(Party) name1	lineType
				O	an..35	[Declaration] Carrier	(Party) name2	lineType
				D	an..35	[Declaration] Carrier	(Party.Address) line	lineType
				D	an..9	[Declaration] Carrier	(Party.Address) post-Code	postalCode
				D	an..35	[Declaration] Carrier	(Party.Address) city	lineType
				D	a2	[Declaration] Carrier	(Party.Address) country	countryCode
			Code list 0058					
			C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'					
			Capital letters must be used.					
			TIN	O	an..17	[Declaration] Carrier	(Party) identity	identifier
			R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.					
			The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.					

(ACTUAL SUBSEQUENT ENTRY) CUSTOMS OFFICE 1X
Reference number

Capital letters must be used.

Expected date and time of arrival
(ENTRY CARRIER) TRADER 1X
Name

C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'

Name continuation
Street and number

C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'

Postal code

C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'

City

C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'

Country

C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'

Capital letters must be used.

TIN

R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.

The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.

Level 1	Level 2	Level 3	Level 4	RDO	Format	Path	(General type) tag	type
TIN extension				D	an5	[Declaration] Carrier	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.								
(REPRESENTATIVE) TRADER 1X				D				
Name				D	an..35	[Declaration] Agent	(Party) name1	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'								
Name continuation				O	an..35	[Declaration] Agent	(Party) name2	lineType
Street and number				D	an..35	[Declaration] Agent	(Party.Address) line	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'								
Postal code				D	an..9	[Declaration] Agent	(Party.Address) post-Code	postalCode
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'								
City				D	an..35	[Declaration] Agent	(Party.Address) city	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'								
Country				D	a2	[Declaration] Agent	(Party.Address) country	countryCode
Code list 0058								
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'								
Capital letters must be used.								
TIN				R	an..17	[Declaration] Agent	(Party) identity	identifier
R837: The EORI Trader Identification number (TIN) shall be declared.								
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.								
TIN extension				D	an5	[Declaration] Agent	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.								
CONTACT INFORMATION 1X				R				
Contact person name				R	an..35	[Declaration] Representative-Person	(Party.Contact) name	lineType
Contact person telephone				R	an..35	[Declaration] Representative-Person	(Party.Communication) telephone	lineType
Contact person e-mail				O	an..100	[Declaration] Representative-Person	(Party.Communication) email	emailType

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
HEADER [MANIFEST] 1X		R				
Customs reference number		D	an17	Declaration	customsReference	identifier
In case of amendment, enter reference number provided by the Finnish Customs.						
Dialog language indicator at destination		D	a2	Declaration	language	languageCode
Code list 0036						
The attribute is used as the basic language to be used in any further communication between the Trader and the Customs system. If the trader does not use this attribute then the Customs system will use the default language.						
Total number of items		R	n..5	Declaration	goodsItem	quantity
Manifest reference number (LRN)		R	an..22	[Declaration] Document	reference	lineType
Date and time of presentation		R	dateTime	Declaration	(Document) issue	dateTime
Date and time of arrival		D	dateTime	[Declaration] Border-TransportMeans	arrival	dateTime
Enter the actual date and time of arrival, if exceptionally not the same as date of presentation.						
Expected date and time of arrival		O	dateTime	[Declaration] Border-TransportMeans	unload	dateTime
Conveyance reference number		D	an..35	[Declaration] Border-TransportMeans	journey	lineType
IF 'Transport mode at border' = '1' (Sea transport) THEN this data element = 'R' and it shall contain the Port@net number. ELSE IF 'Identity of means of transport crossing border' is not used THEN this data element = 'R'. ELSE this data element = 'O'.						
Transport mode at border		R	n..2	[Declaration] Border-TransportMeans	(TransportMeans) modeAndType	transportModeCode
Identity of means of transport crossing border		D	an..27	[Declaration] Border-TransportMeans	(TransportMeans) identity	transportMeansIdentifier
IF 'Transport mode at border' = '1' (Sea transport) THEN this data element = 'R' and it shall contain the IMO number of the vessel. ELSE IF 'Conveyance reference number' is not used THEN this data element = 'R'. ELSE this data element = 'O'.						
Total number of packages		R	n..5	[Declaration] DeclarationPackaging	(Packaging) packages	quantity
Warehouse reference number		D	an..17	[Declaration] Warehouse	identification	identifier
If the goods are to be unloaded to a warehouse = 'R' If the goods are not to be unloaded to a warehouse, warehouse reference number is not used. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.						
Warehouse TIN extension		D	an5	[Declaration] Warehouse	identification Extension	identifierExtension
If the goods are to be unloaded to a warehouse = 'R', ELSE this data is not used. Warehouse keeper must have authorization for temporary warehousing.						
Unloading indicator		D	an..5	Declaration	unloading	indicatorCode
If the goods are to be unloaded to a warehouse, the unloading indicator is not used. If the goods are to be unloaded at the point of entry, but not in a warehouse, enter '1' or 'true', If the goods are not to be unloaded at the point of entry, the unloading indicator is not used						
Place of unloading		R	an..35	[Declaration] UnloadingLocation	(Location) name	text
CUSTOMS DATA REFERENCE [SUMMARY DECLARATION] 99999X						
When entering several MRNs, the segment Consignment is repeated, the segment GoodsShipment is not repeated.						
Reference number MRN		R	an18	[GoodsShipment] Consignment	MRN	mrn
GOODS ITEM 999X						
Reference number (MRN) item number		R	n..5	[GoodsShipment.Consignment] ConsignmentItem	sequence	numeric
(ENTRY) CUSTOMS OFFICE 1X						
Reference number		R	an8	Declaration	declarationOffice	identifier
Capital letters must be used. The customs office of entry must be the same than the customs office of first entry on the entry summary declaration or the customs office of entry on the summary declaration for temporary storage.						
(ENTRY CARRIER) TRADER 1X						
Name		O	an..35	[Declaration] Carrier	(Party) name1	lineType
Name continuation		O	an..35	[Declaration] Carrier	(Party) name2	lineType
Street and number		O	an..35	[Declaration] Carrier	(Party.Address) line	lineType
Postal code		O	an..9	[Declaration] Carrier	(Party.Address) post-Code	postalCode

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
City		O	an..35	[Declaration] Carrier	(Party.Address) city	lineType
Country		O	a2	[Declaration] Carrier	(Party.Address) country	countryCode
Code list 0058						
Capital letters must be used.						
TIN		R	an..17	[Declaration] Carrier	(Party) identity	identifier
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.						
TIN extension		D	an5	[Declaration] Carrier	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
(REPRESENTATIVE) TRADER 1X		D				
IF the carrier uses a representative, then this data = 'R'. ELSE it is not used.						
Name		D	an..35	[Declaration] Agent	(Party) name1	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Name continuation		O	an..35	[Declaration] Agent	(Party) name2	lineType
Street and number		D	an..35	[Declaration] Agent	(Party.Address) line	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Postal code		D	an..9	[Declaration] Agent	(Party.Address) postalCode	postalCode
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
City		D	an..35	[Declaration] Agent	(Party.Address) city	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Country		D	a2	[Declaration] Agent	(Party.Address) country	countryCode
Code list 0058						
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Capital letters must be used.						
TIN		R	an..17	[Declaration] Agent	(Party) identity	identifier
R837: The EORI Trader Identification number (TIN) shall be declared.						
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.						
TIN extension		D	an5	[Declaration] Agent	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
CONTACT INFORMATION 1X		R				
Contact person name		R	an..35	[Declaration] RepresentativePerson	(Party.Contact) name	lineType
Contact person telephone		R	an..35	[Declaration] RepresentativePerson	(Party.Communication) telephone	lineType
Contact person e-mail		O	an..100	[Declaration] RepresentativePerson	(Party.Communication) email	emailType

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
HEADER [MANIFEST] 1X		R				
Dialog language indicator at destination		D	a2	Declaration	language	languageCode
Code list 0036						
The attribute is used as the basic language to be used in any further communication between the Trader and the Customs system. If the trader does not use this attribute then the Customs system will use the default language.						
Manifest reference number (LRN)		R	an..22	[Declaration] Document	reference	lineType
R891: The Local Reference Number (LRN)/Diversion LRN/Arrival LRN shall be a number/identifier allocated by the sending TRADER for a specific transaction (ENS, Arrival Notification). It shall be unique per Trader sending the transaction.						
Expected date and time of arrival		D	dateTime	[Declaration] Border-TransportMeans	unload	dateTime
R666: The scheduled date/date and time of arrival of the means of transport at the declared first Office of Entry shall be provided. It shall be the local time of the first place of arrival.						
IF 'Identity of means of transport crossing border' is present THEN this attribute = 'R' ELSE the attribute can not be used						
Date and time of arrival		R	dateTime	[Declaration] Border-TransportMeans	arrival	dateTime
Transport mode at border		D	n..2	[Declaration] Border-TransportMeans	(TransportMeans) modeAndType	transportModeCode
IF 'Identity of means of transport crossing border' is present THEN this attribute = 'R' ELSE the attribute can not be used						
Identity of means of transport crossing border		D	an..27	[Declaration] Border-TransportMeans	(TransportMeans) identity	transportMeansIdentifier
R031: In case of air- sea and inland waterway transportation the IMPORT OPERATION.MRN may be replaced by following other data elements identifying the diverted/arriving means of transport. - the 'Identification of the means of transport' and - the 'Transport mode at border' and - the 'Expected date and time of arrival'. The 'Identification of the means of transport' shall - depending on the declared 'Transport Mode at border (box 25) – correspond to following values: - 1 and 8 (sea and inland waterway transport): - the International Maritime Organisation (IMO) ship identification number or - the European Vessel Identification Number (ENI), (both corresponding to IE315.IMPORT OPERATION.Identity crossing border (box 21) - 4 (air transport): - the (IATA/ICAO) flight number. In code-share situations the flight number of the code-share partners shall be used. (corresponding to IE315.IMPORT OPERATION.Conveyance reference number)						
CUSTOMS DATA REFERENCE [SUMMARY DECLARATION] 99999X		D				
IF 'Identity of means of transport crossing border' is present THEN this data group can not be used ELSE this data group = 'R'						
When entering several MRNs, the segment Consignment is repeated, the segment GoodsShipment is not repeated.						
Reference number MRN		R	an18	[GoodsShipment] Consignment	MRN	mrn
	GOODS ITEM 999X	O				
Reference number (MRN) item number		R	n..5	[GoodsShipment.Consignment] ConsignmentItem	sequence	numeric
(ENTRY) CUSTOMS OFFICE 1X		R				
Reference number		R	an8	Declaration	declarationOffice	identifier
Capital letters must be used.						
The customs office of entry must be the same than the customs office of first entry on the entry summary declaration.						
(ENTRY CARRIER) TRADER 1X		R				
Name		O	an..35	[Declaration] Carrier	(Party) name1	lineType
Name continuation		O	an..35	[Declaration] Carrier	(Party) name2	lineType
Street and number		O	an..35	[Declaration] Carrier	(Party.Address) line	lineType
Postal code		O	an..9	[Declaration] Carrier	(Party.Address) post-Code	postalCode
City		O	an..35	[Declaration] Carrier	(Party.Address) city	lineType
Country		O	a2	[Declaration] Carrier	(Party.Address) country	countryCode
Code list 0058						
Capital letters must be used.						
TIN		R	an..17	[Declaration] Carrier	(Party) identity	identifier
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[Declaration] Carrier	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
(REPRESENTATIVE) TRADER 1X		D				
IF the carrier uses a representative, then this data = 'R'. ELSE it is not used.						
Name		D	an..35	[Declaration] Agent	(Party) name1	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Name continuation		O	an..35	[Declaration] Agent	(Party) name2	lineType
Street and number		D	an..35	[Declaration] Agent	(Party.Address) line	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Postal code		D	an..9	[Declaration] Agent	(Party.Address) post-Code	postalCode
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
City		D	an..35	[Declaration] Agent	(Party.Address) city	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Country		D	a2	[Declaration] Agent	(Party.Address) country	countryCode
Code list 0058						
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Capital letters must be used.						
TIN		R	an..17	[Declaration] Agent	(Party) identity	identifier
R837: The EORI Trader Identification number (TIN) shall be declared. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[Declaration] Agent	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
CONTACT INFORMATION 1X		R				
Contact person name		R	an..35	[Declaration] RepresentativePerson	(Party.Contact) name	lineType
Contact person telephone		R	an..35	[Declaration] RepresentativePerson	(Party.Communication) telephone	lineType
Contact person e-mail		O	an..100	[Declaration] RepresentativePerson	(Party.Communication) email	emailType

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
HEADER [SUMMARY DECLARATION] 1X		R				
Reference number MRN		R	an18	[Response] Declaraton	MRN	mrn
Transport mode at border		O	n..2	[Response.Declaration] BorderTransportMeans	(TransportMeans) modeAndType	transportModeCode
Code list 0041						
R134: The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. If the message is sent to the 'Trader at Entry (Carrier)' and if the same data group/attribute is present in the ENS, then it shall be present.						
R826: For air cargo transported with other modes of transport than air, the other mode of transport shall be declared (e.g. for air cargo transported on road, the mode of transport '3' (road) shall be declared).						
Identity of means of transport crossing border		O	an..27	[Response.Declaration] BorderTransportMeans	(TransportMeans) identity	transportMeansIdentifier
C017: IF 'IMPORT OPERATION.Transport mode at border (box 25)' = '1' or '8' THEN the attribute = 'R' IF 'IMPORT OPERATION.Transport mode at border (box 25)' = '4' THEN the attribute can not be used ELSE the attribute = 'O'						
C514: IF the attribute is present IF 'Transport mode at border' = '1' or '8' THEN the attribute consists either of the International Maritime Organisation (IMO) ship identification number (format n7 - leading '0' allowed) IF 'Transport mode at border' = '2' THEN the attribute consists of the wagon number and has no format restrictions IF 'Transport mode at border' = '3' THEN the attribute consists of the registration plate number and has no format restrictions ELSE no format restrictions						
R134: The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. If the message is sent to the 'Trader at Entry (Carrier)' and if the same data group/attribute is present in the ENS, then it shall be present.						
Nationality of means of transport crossing border		D	a2	[Response.Declaration] BorderTransportMeans	(TransportMeans) registrationNationality	countryCode
Code list 0058						
C024: IF 'IMPORT OPERATION.Transport mode at border (box 25)' is '3' and if 'IMPORT OPERATION.Identity Crossing Border (box 21)' is present THEN the attribute = 'R' ELSE the attribute can not be used						
R134: The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. If the message is sent to the 'Trader at Entry (Carrier)' and if the same data group/attribute is present in the ENS, then it shall be present.						
Capital letters must be used.						
Commercial reference number		O	an..70	[Response.Declaration] UCR	traderReference	textType
R134: The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. If the message is sent to the 'Trader at Entry (Carrier)' and if the same data group/attribute is present in the ENS, then it shall be present.						
Conveyance reference number		O	an..35	[Response.Declaration] BorderTransportMeans	journey	lineType
TR0518: IF 'Transport mode at border' = '4' THEN the attribute has format an..8 AND the string must contain the carrier code (an..3), the flight number (n..4) and an optional suffix (a1) without any separator between the two or three trimmed elements.						
TR0519: IF 'Transport mode at border' = '1' AND 'Conveyance reference number' is used AND the first four digits consist of XFER in uppercase THEN the first four digits shall consist of 'XFER' in uppercase, followed by the lorry registration plate number ELSE 'XFER' cannot be used.						
R134: The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. If the message is sent to the 'Trader at Entry (Carrier)' and if the same data group/attribute is present in the ENS, then it shall be present.						
R843: The 'Conveyance Reference Number' is the identification of the journey of the means of transport (e.g. flight number, train number, voyage number, trip number).						
Amendment acceptance date and time		R	dateTime	[Response] Status	effective	dateTime
R662: The 'Amendment acceptance date and time' is the date when the acceptance of an amendment request to an ENS is registered. It corresponds to the 'Amendment acceptance date and time' communicated in IE304.						
Date and time of amendment		R	dateTime	[Response] Declaration	(Document) issue	dateTime
GOODS ITEM 999X		O				
R134: The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. If the message is sent to the 'Trader at Entry (Carrier)' and if the same data group/attribute is present in the ENS, then it shall be present.						
Item number		R	n..5	[Response.GoodsShipment.Consignment] ConsignmentItem	sequence	numeric
RO05: "Item no" (box 32) is always used even if "Items" (box 5) = "1", "Item no" (box 32) is also "1"						
RO07: Each "Item no" (box 32) is unique throughout the declaration						

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
Commercial reference number		O	an..70	[Response.GoodsShipment.Consignment.ConsignmentItem] UCR	traderReference	textType
	PRODUCED DOCUMENTS / CERTIFICATES 99X	O				
<p>R147: The data group shall be used if the ENS to which the message refers to contains one or more 'Document Type (Box 44)' which refers to transport documents. All declared transport documents shall be included in the message.</p>						
Document type		R	an..4	[Response.GoodsShipment.Consignment.ConsignmentItem] AdditionalDocument	(Document) type	documentTypeCode
Code list 0006						
<p>R136: The data group shall contain only the 'Document Type (Box 44)' which refers to transport documents.</p>						
Document reference		R	an..35	[Response.GoodsShipment.Consignment.ConsignmentItem] AdditionalDocument	(Document) reference	lineType
	CONTAINERS 99X	O				
Container number		R	an..17	[Response.GoodsShipment.Consignment.ConsignmentItem.TransportEquipment] EquipmentIdentification	identification	identifier
	(MEANS OF TRANSPORT AT BORDER) IDENTITY 999X	D				
<p>C019: IF 'IMPORT OPERATION.Identity Crossing Border (box 21)' is present or if 'IMPORT OPERATION.Transport mode at border (box 25)' = '4' THEN the data group can not be used ELSE IF 'IMPORT OPERATION.Specific circumstance indicator' is = 'A' THEN the data group = 'O' ELSE the data group = 'R'</p>						
Nationality of means of transport crossing border		D	a2	[Response.GoodsShipment.Consignment.ConsignmentItem] Border-Transport Means	(TransportMeans) registrationNationality	countryCode
Code list 0058						
<p>C020: IF first digit of 'Transport mode at border (box25)' = '2', '5', '7' or '9' THEN 'Nationality Crossing Border (ex. box 21)' = 'O' ELSE 'Nationality Crossing Border (ex. box 21)' = 'R'</p>						
Capital letters must be used.						
Identity of means of transport crossing border		R	an..27	[Response.GoodsShipment.Consignment.ConsignmentItem] Border-Transport Means	(TransportMeans) identity	transportMeansIdentifier
<p>C514: IF the attribute is present IF 'Transport mode at border' = '1' or '8' THEN the attribute consists either of the International Maritime Organisation (IMO) ship identification number (format n7 - leading '0' allowed) IF 'Transport mode at border' = '2' THEN the attribute consists of the wagon number and has no format restrictions IF 'Transport mode at border' = '3' THEN the attribute consists of the registration plate number and has no format restrictions ELSE no format restrictions</p>						
(REPRESENTATIVE) TRADER 1X		D				
<p>IF REPRESENTATIVE TRADER is entered in the original message THEN data group 'Trader Representative' = R ELSE data group 'Trader Representative' is not used</p>						
Name		O	an..35	[Response.Declaration] Agent	(Party) name1	lineType
Name continuation		O	an..35	[Response.Declaration] Agent	(Party) name2	lineType
Street and number		O	an..35	[Response.Declaration] Agent	(Party.Address) line	lineType
Postal code		O	an..9	[Response.Declaration] Agent	(Party.Address) post-Code	postalCode
City		O	an..35	[Response.Declaration] Agent	(Party.Address) city	lineType
Country		O	a2	[Response.Declaration] Agent	(Party.Address) country	countryCode

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
Code list 0058						
Capital letters must be used.						
TIN		R	an..17	[Response.Declaration] Agent	(Party) identity	identifier
R837: The EORI Trader Identification number (TIN) shall be declared.						
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[Response.Declaration] Agent	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
(LODGING SUMMARY DECLARATION) PERSON 1X						
Name		O	an..35	[Response.Declaration.BorderTransportMeans] Master	(Party) name1	lineType
Name continuation		O	an..35	[Response.Declaration.BorderTransportMeans] Master	(Party) name2	lineType
Street and number		O	an..35	[Response.Declaration.BorderTransportMeans] Master	(Party.Address) line	lineType
Postal code		O	an..9	[Response.Declaration.BorderTransportMeans] Master	(Party.Address) post-Code	postalCode
City		O	an..35	[Response.Declaration.BorderTransportMeans] Master	(Party.Address) city	lineType
Country		O	a2	[Response.Declaration.BorderTransportMeans] Master	(Party.Address) country	countryCode
Code list 0058						
Capital letters must be used.						
TIN		R	an..17	[Response.Declaration.BorderTransportMeans] Master	(Party) identity	identifier
R837: The EORI Trader Identification number (TIN) shall be declared.						
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[Response.Declaration.BorderTransportMeans] Master	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
(FIRST ENTRY) CUSTOMS OFFICE 1X						
R814: The Office to which the amendment request had been submitted shall be used. It is the Office to which this message will be sent.						
Reference number		R	an8	[Response] ContactCustoms Office	(CustomsOffice.Location) code	identifier
Capital letters must be used.						
Expected date and time of arrival		O	dateTime	[Response.Declaration] BorderTransportMeans	arrival	dateTime
R134: The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. If the message is sent to the 'Trader at Entry (Carrier)' and if the same data group/attribute is present in the ENS, then it shall be present.						
R666: The scheduled date/date and time of arrival of the means of transport at the declared first Office of Entry shall be provided. It shall be the local time of the first place of arrival.						
(ENTRY CARRIER) TRADER 1X						
R134: The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. If the message is sent to the 'Trader at Entry (Carrier)' and if the same data group/attribute is present in the ENS, then it shall be present.						
Name		O	an..35	[Response.Declaration] Carrier	(Party) name1	lineType
Street and number		O	an..35	[Response.Declaration] Carrier	(Party.Address) line	lineType
Name continuation		O	an..35	[Response.Declaration] Carrier	(Party) name2	lineType
Postal code		O	an..9	[Response.Declaration] Carrier	(Party.Address) post-Code	postalCode
City		O	an..35	[Response.Declaration] Carrier	(Party.Address) city	lineType
Country		O	a2	[Response.Declaration] Carrier	(Party.Address) country	countryCode
Code list 0058						
Capital letters must be used.						
TIN		R	an..17	[Response.Declaration] Carrier	(Party) identity	identifier

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
<p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.</p> <p>The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.</p>						
TIN extension		D	an5	[Response.Declaration] Carrier	(Party) identityExtension	IdentifierExtension
<p>IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.</p>						

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
HEADER [SUMMARY DECLARATION] 1X		R				
Reference number MRN		R	an18	[Response] Declaration	MRN	mrn
Manifest reference number (LRN)		R	an..22	[Response] Declaration	reference	lineType
Commercial reference number		O	an..70	[Response.Declaration] UCR	traderReference	textType
R818: The data group/attribute shall be included in the message, if it had been provided by the Trader in the corresponding received declaration						
Conveyance reference number		O	an..35	[Response.Declaration] Border-TransportMeans	journey	lineType
R818: The data group/attribute shall be included in the message, if it had been provided by the Trader in the corresponding received declaration						
Entry Rejection Motivation code		R	n1	[Response] Error	validation	code
The possible values are: 3 = The item may not continue						
Entry Rejection Motivation		O	an..350	[Response] Error	additionalDescription	text
CONTROL RESULT 1X		R				
Control date and time		R	dateTime	[Response] Status	effective	dateTime
GOODS ITEM 999X		O				
R812: The data group/attribute can be used to reject the release for entry of one or many goods item.						
Item number		R	n..5	[Response.GoodsShipment.Consignment] ConsignmentItem	sequence	numeric
Commercial reference number		O	an..70	[Response.GoodsShipment.Consignment.ConsignmentItem] UCR	traderReference	textType
R818: The data group/attribute shall be included in the message, if it had been provided by the Trader in the corresponding received declaration.						
Entry Rejection Motivation		O	an..350	[Response.GoodsShipment.Consignment.ConsignmentItem] AdditionalInformation	statementDescription	text
Entry Rejection Motivation code		R	n1	[Response.GoodsShipment.Consignment.ConsignmentItem] AdditionalInformation	controlResult	controlResultCode
The possible values are: 3 = The item may not continue						
	PRODUCED DOCUMENTS / CERTIFICATES 99X	O				
R819: The data group/attribute shall be included in the message, if it had been provided by the Trader in the corresponding received declaration and if the received declaration contains transport documents (see code list 'Document type'). If transport documents had been declared, all of them shall be included in the response message, but not the other document types.						
Document type		R	an..4	[Response.GoodsShipment.Consignment.ConsignmentItem] AdditionalDocument	(Document) type	documentTypeCode
Document reference		R	an..35	[Response.GoodsShipment.Consignment.ConsignmentItem] AdditionalDocument	(Document) reference	lineType
	CONTAINERS 99X	O				
R818: The data group/attribute shall be included in the message, if it had been provided by the Trader in the corresponding received declaration						
Container number		R	an..17	[Response.GoodsShipment.Consignment.ConsignmentItem.TransportEquipment] EquipmentIdentification	identification	identifier
(ACTUAL ENTRY) CUSTOMS OFFICE 1X		R				
Reference number		R	an8	[Response] ContactCustomsOffice	(CustomsOffice.Location) code	identifier
Capital letters must be used.						
(ENTRY CARRIER) TRADER 1X		R				
Name		O	an..35	[Response.Declaration] Carrier	(Party) name1	lineType

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
Name continuation		O	an..35	[Response.Declaration] Carrier	(Party) name2	lineType
Street and number		O	an..35	[Response.Declaration] Carrier	(Party.Address) line	lineType
Postal code		O	an..9	[Response.Declaration] Carrier	(Party.Address) post-Code	postalCode
City		O	an..35	[Response.Declaration] Carrier	(Party.Address) city	lineType
Country		O	a2	[Response.Declaration] Carrier	(Party.Address) country	countryCode
Code list 0058						
Capital letters must be used.						
TIN		R	an..17	[Response.Declaration] Carrier	(Party) identity	identifier
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[Response.Declaration] Carrier	(Party) identityExtension	identifierExtension

IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.

Level 1	RDO	Format	Path	(General type) tag	type
HEADER [MANIFEST] 1X	R				
Diversion reference number (LRN)	R	an..22	[Response] Declaration	reference	lineType
R891: The Local Reference Number (LRN)/Diversion LRN/Arrival LRN shall be a number/identifier allocated by the sending TRADER for a specific transaction (ENS, Arrival Notification). It shall be unique per Trader sending the transaction.					
Customs reference number	R	an17	[Response] Declaration	customsReference	identifier
Declaration registration date and time	R	dateTime	[Response] Status	effective	dateTime
R661: The 'Declaration registration date and time' is the date and time when the ENS is registered and the MRN is allocated. It corresponds to the 'Declaration registration date and time' communicated in IE328.					
(FIRST ENTRY) CUSTOMS OFFICE 1X	R				
Reference number	R	an8	[Response] ContactCustomsOffice	(CustomsOffice Location) code	identifier
Capital letters must be used.					
(REQUESTING DIVERSION) TRADER 1X	R				
Name	O	an..35	[Response.Declaration] Agent	(Party) name1	lineType
Name continuation	O	an..35	[Response.Declaration] Agent	(Party) name2	lineType
Street and number	O	an..35	[Response.Declaration] Agent	(Party.Address) line	lineType
City	O	an..35	[Response.Declaration] Agent	(Party.Address) city	lineType
Postal code	O	an..9	[Response.Declaration] Agent	(Party.Address) postCode	postalCode
Country	O	a2	[Response.Declaration] Agent	(Party.Address) country	countryCode
Code list 0058					
Capital letters must be used.					
TIN	R	an..17	[Response.Declaration] Agent	(Party) identity	identifier
R837: The EORI Trader Identification number (TIN) shall be declared.					
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.					
TIN extension	D	an5	[Response.Declaration] Agent	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.					

Level 1	RDO	Format	Path	(General type) tag	type
HEADER [MANIFEST] 1X	R				
LRN (Local reference number)	R	an..22	[Response] Declaration	reference	lineType
R891: The Local Reference Number (LRN)/Diversion LRN/Arrival LRN shall be a number/identifier allocated by the sending TRADER for a specific transaction (ENS, Arrivalnotification). It shall be unique per Trader sending the transaction.					
Customs reference number	R	an17	[Response] Declaration	customsReference	identifier
Declaration registration date and time	R	dateTime	[Response] Status	effective	dateTime
The 'Declaration registration date and time' is the date and time when the IE044 is registered.					
Warehouse reference number	R	an..17	[Response.Declaration] Warehouse	identification	identifier
Warehouse TIN extension	R	an5	[Response.Declaration] Warehouse	identificationExtension	identifierExtension

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
HEADER [SUMMARY DECLARATION] 1X		R				
LRN (Local reference number)		R	an..22	[Response] Declaration	reference	lineType
R891: The Local Reference Number (LRN)/Diversion LRN/Arrival LRN shall be a number/identifier allocated by the sending TRADER for a specific transaction (ENS, Arrivalnotification). It shall be unique per Trader sending the transaction.						
Reference number MRN		R	an18	[Response] Declaration	MRN	mrn
Transport mode at border		O	n..2	[Response.Declaration] BorderTransportMeans	(TransportMeans) modeAndType	transportModeCode
Code list 0041						
R134: The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. If the message is sent to the 'Trader at Entry (Carrier)' and if the same data group/attribute is present in the ENS, then it shall be present.						
R826: For air cargo transported with other modes of transported than air, the other mode of transport shall be declared (e.g. for air cargo transported on road, the mode of transport '3' (road) shall be declared).						
Nationality of means of transport crossing border		D	a2	[Response.Declaration] BorderTransportMeans	(TransportMeans) registrationNationality	countryCode
Code list 0058						
R134: The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. If the message is sent to the 'Trader at Entry (Carrier)' and if the same data group/attribute is present in the ENS, then it shall be present.						
C024: IF 'IMPORT OPERATION.Transport mode at border (box 25)' is '3' and if 'IMPORT OPERATION.Identity Crossing Border (box 21)' is present THEN the attribute = 'R' ELSE the attribute can not be used Capital letters must be used.						
Identity of means of transport crossing border		O	an..27	[Response.Declaration] BorderTransportMeans	(TransportMeans) identifier	transportMeansIdentifier
C017: IF 'IMPORT OPERATION.Transport mode at border (box 25)' = '1' or '8' THEN the attribute = 'R' IF 'IMPORT OPERATION.Transport mode at border (box 25)' = '4' THEN the attribute can not be used ELSE the attribute = 'O'						
C514: IF the attribute is present IF 'Transport mode at border' = '1' or '8' THEN the attribute consists either of the International Maritime Organisation (IMO) ship identification number (format n7 - leading '0' allowed) IF 'Transport mode at border' = '2' THEN the attribute consists of the wagon number and has no format restrictions IF 'Transport mode at border' = '3' THEN the attribute consists of the registration plate number and has no format restrictions ELSE no format restrictions						
R134: The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. If the message is sent to the 'Trader at Entry (Carrier)' and if the same data group/attribute is present in the ENS, then it shall be present.						
Commercial reference number		O	an..70	[Response.Declaration] UCR	traderReference	textType
R134: The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. If the message is sent to the 'Trader at Entry (Carrier)' and if the same data group/attribute is present in the ENS, then it shall be present.						
Conveyance reference number		O	an..35	[Response.Declaration] BorderTransportMeans	journey	lineType
TR0518: IF 'Transport mode at border' = '4' THEN the attribute has format an..8 AND the string must contain the carrier code (an..3), the flight number (n..4) and an optional suffix (a1) without any separator between the two or three trimmed elements.						
TR0519: IF 'Transport mode at border' = '1' AND 'Conveyance reference number' is used AND the first four digits consist of XFER in uppercase THEN the first four digits shall consist of 'XFER' in uppercase, followed by the lorry registration plate number ELSE 'XFER' cannot be used.						
R134: The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. If the message is sent to the 'Trader at Entry (Carrier)' and if the same data group/attribute is present in the ENS, then it shall be present.						
R843: The 'Conveyance Reference Number' is the identification of the journey of the means of transport (e.g. flight number, train number, voyage number, trip number).						
Declaration registration date and time		R	dateTime	[Response] Status	effective	dateTime
R661: The 'Declaration registration date and time' is the date and time when the ENS is registered and the MRN is allocated. It corresponds to the 'Declaration registration date and time' communicated in IE328.						
GOODS ITEM 999X		O				
R134: The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. If the message is sent to the 'Trader at Entry (Carrier)' and if the same data group/attribute is present in the ENS, then it shall be present.						
Item number		R	n..5	[Response.GoodsShipment. Consignment] ConsignmentItem	sequence	numeric

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
R005: "Item no" (box 32) is always used even if "Items" (box 5) = "1", "Item no" (box 32) is also "1"						
R007: Each "Item no" (box 32) is unique throughout the declaration						
Commercial reference number		O	an..70	[Response. Declaration] UCR	traderReference	textType
PRODUCED DOCUMENTS / CERTIFICATES 99X		O				
R147: The data group shall be used if the ENS to which the message refers to contains one or more 'Document Type (Box 44)' which refers to transport documents. All declared transport documents shall be included in the message.						
Document type		R	an..4	[Response.GoodsShipment. Consignment. ConsignmentItem] AdditionalDocument	(Document) type	documentTypeCode
Code list 0006						
R136: The data group shall contain only the 'Document Type (Box 44)' which refers to transport documents.						
Document reference		R	an..35	[Response.GoodsShipment. Consignment. ConsignmentItem] AdditionalDocument	(Document) reference	lineType
CONTAINERS 99X		O				
Container number		R	an..17	[Response.GoodsShipment. Consignment. ConsignmentItem. TransportEquipment] EquipmentIdentification	identification	identifier
(MEANS OF TRANSPORT AT BORDER) IDENTITY 999X		D				
C019: IF 'IMPORT OPERATION.Identity Crossing Border (box 21)' is present or if 'IMPORT OPERATION.Transport mode at border (box 25)' = '4' THEN the data group can not be used ELSE IF 'IMPORT OPERATION.Specific circumstance indicator' is = 'A' THEN the data group = 'O' ELSE the data group = 'R'						
Nationality of means of transport crossing border		D	a2	[Response.GoodsShipment. Consignment. ConsignmentItem] BorderTransport Means	(TransportMeans) registrationNationality	countryCode
Code list 0058						
C020: IF first digit of 'Transport mode at border (box25)' = '2', '5', '7' or '9' THEN 'Nationality Crossing Border (ex. box 21)' = 'O' ELSE 'Nationality Crossing Border (ex. box 21)' = 'R'						
Capital letters must be used.						
Identity of means of transport crossing border		R	an..27	[Response.GoodsShipment. Consignment. ConsignmentItem] BorderTransport Means	(TransportMeans) identity	transportMeansIdentifier
C514: IF the attribute is present IF 'Transport mode at border' = '1' or '8' THEN the attribute consists either of the International Maritime Organisation (IMO) ship identification number (format n7 - leading '0' allowed) IF 'Transport mode at border' = '2' THEN the attribute consists of the wagon number and has no format restrictions IF 'Transport mode at border' = '3' THEN the attribute consists of the registration plate number and has no format restrictions ELSE no format restrictions						
(LODGING SUMMARY DECLARATION) PERSON 1X		R				
Name		O	an..35	[Response.Declaration. BorderTransportMeans] Master	(Party) name1	lineType
Name continuation		O	an..35	[Response.Declaration. BorderTransportMeans] Master	(Party) name2	lineType
Street and number		O	an..35	[Response.Declaration. BorderTransportMeans] Master	(Party.Address) line	lineType
Postal code		O	an..9	[Response.Declaration. BorderTransportMeans] Master	(Party.Address) post-Code	postalCode

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
City		O	an..35	[Response.Declaration.BorderTransportMeans] Master	(Party.Address) city	lineType
Country		O	a2	[Response.Declaration.BorderTransportMeans] Master	(Party.Address) country	countryCode
Code list 0058 Capital letters must be used.						
TIN		R	an..17	[Response.Declaration.BorderTransportMeans] Master	(Party) identity	identifier
R837: The EORI Trader Identification number (TIN) shall be declared. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[Response.Declaration.BorderTransportMeans] Master	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
(FIRST ENTRY) CUSTOMS OFFICE 1X		R				
Reference number		R	an8	[Response.GoodsShipment] EntryCustomsOffice	(CustomsOffice.Location) code	identifier
Capital letters must be used.						
Expected date and time of arrival		O	dateTime	[Response.Declaration] BorderTransportMeans	arrival	dateTime
R134: The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. If the message is sent to the 'Trader at Entry (Carrier)' and if the same data group/attribute is present in the ENS, then it shall be present.						
R666: The scheduled date/date and time of arrival of the means of transport at the declared first Office of Entry shall be provided. It shall be the local time of the first place of arrival.						
(ENTRY CARRIER) TRADER 1X		O				
R134: The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. If the message is sent to the 'Trader at Entry (Carrier)' and if the same data group/attribute is present in the ENS, then it shall be present.						
Name		O	an..35	[Response.Declaration] Carrier	(Party) name1	lineType
Name continuation		O	an..35	[Response.Declaration] Carrier	(Party) name2	lineType
Street and number		O	an..35	[Response.Declaration] Carrier	(Party.Address) line	lineType
Postal code		O	an..9	[Response.Declaration] Carrier	(Party.Address) postCode	postalCode
City		O	an..35	[Response.Declaration] Carrier	(Party.Address) city	lineType
Country		O	a2	[Response.Declaration] Carrier	(Party.Address) country	countryCode
Code list 0058 Capital letters must be used.						
TIN		R	an..17	[Response.Declaration] Carrier	(Party) identity	identifier
R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.						
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[Response.Declaration] Carrier	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
HEADER [SUMMARY DECLARATION] 1X		R				
LRN (Local reference number)		D	an..22	[Response] Declaration	reference	lineType
IF IE329 is used as response to IE007, THEN this data element is not used. ELSE this data element is = O.						
Reference number MRN		R	an18	[Response] Declaration	MRN	mrn
Customs reference number		D	an17	[Response] Declaration	customsReference	identifier
IF IE329 is used as response to IE007, THEN this data element is = R. ELSE this data element is not used.						
Identity of means of transport crossing border		O	an..27	[Response.Declaration] BorderTransportMeans	(TransportMeans) identity	transportMeansIdentifier
Nationality of means of transport crossing border		O	a2	[Response.Declaration] BorderTransportMeans	(TransportMeans) registrationNationality	countryCode
Code list 0058 Capital letters must be used.						
Total number of packages		D	n..7	[Response. Declaration] DeclarationPackaging	(Packaging) packages	quantity
R105: The total number of packages is equal to the sum of all 'Number of packages' + all 'Number of pieces' + a value of '1' for each declared 'bulk'.						
IF IE329 is used as response to IE007, THEN this data element lists the total number of packages in MRN items requested. ELSE this data element = 'O'.						
Total gross mass		D	n..11,3	[Response] Declaration	totalGrossMass	measure
IF IE329 is used as response to IE007, THEN this data element states the total gross mass of the MRN items requested. ELSE this data element= 'O'.						
Declaration date and time		D	dateTime	[Response] Declaration	(Document) issue	dateTime
IF IE329 is used as response to IE007, THEN this data element is not used. ELSE this data element is = 'R'.						
Declaration place		D	an..35	[Response] Declaration	(Document) issueLocation	lineType
IF IE329 is used as response to IE007, THEN this data element is not used. ELSE this data element is = 'R'.						
Specific Circumstance Indicator		D	a1	[Response] AdditionalInformation	circumstance	circumstanceCode
Code list 0402 IF IE329 is used as response to IE007, THEN this data element is not used. ELSE this data element is = 'O'.						
Capital letters must be used.						
Transport charges / method of payment		D	a1	[Response.GoodsShipment. Consignment] FreightPayment	method	freightPaymentMethodCode
Code list 0327 IF IE329 is used as response to IE007, THEN this data element is not used. ELSE this data element is = 'O'.						
Capital letters must be used.						
Commercial reference number		D	an..70	[Response. Declaration] UCR	traderReference	textType
IF IE329 is used as response to IE007, THEN this data element is = 'O'. ELSE the following rule/condition shall be processed. C567: IF the attribute 'Specific Circumstance Indicator = 'A' THEN the attribute 'Commercial Reference Number (box 7)', 'Commercial Reference Number (ex box 7)' and the datagroup 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O' ELSE IF the attribute 'Commercial Reference Number (box 7)' and 'Commercial Reference Number (ex box 7)' is not used, THEN at least one attribute 'PRODUCED DOCUMENTS/CERTIFICATES.Document type' pointing to a transport document must be present ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O' R876: If the same 'Commercial reference number' is declared for all goods items, the attribute 'Commercial reference number' (box 7) on Export Operation level is used. The attribute 'Commercial reference number' (ex box 7) on goods item level can not be used.						
Conveyance reference number		O	an..35	[Response.Declaration] BorderTransportMeans	journey	lineType
Place of loading		O	an..35	[Response.GoodsShipment. Consignment] LoadingLocation	(Location) name	text
Place of unloading		O	an..35	[Response.GoodsShipment. Consignment] UnloadingLocation	(Location) name	text
(CONSIGNOR) TRADER 1X		D				
C511: IF only one Trader Consignor is declared for all goods items THEN the data group 'Trader Consignor (box 2)' on IMPORT OPERATION level is used ELSE the data group 'Trader Consignor (ex box 2)' on GOODS ITEM level is used						

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
Name		R	an..35	[Response.GoodsShipment.Consignment] Consignor	(Party) name1	lineType
Name continuation		O	an..35	[Response.GoodsShipment.Consignment] Consignor	(Party) name2	lineType
Street and number		R	an..35	[Response.GoodsShipment.Consignment] Consignor	(Party.Address) line	lineType
Postal code		R	an..9	[Response.GoodsShipment.Consignment] Consignor	(Party.Address) post-Code	postalCode
City		R	an..35	[Response.GoodsShipment.Consignment] Consignor	(Party.Address) city	lineType
Country		R	a2	[Response.GoodsShipment.Consignment] Consignor	(Party.Address) country	countryCode

Code list 0058

Capital letters must be used.

TIN		O	an..17	[Response.GoodsShipment.Consignment] Consignor	(Party) identity	identifier
-----	--	---	--------	--	------------------	------------

R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.

The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.

TIN extension		D	an5	[Response.GoodsShipment.Consignment] Consignor	(Party) identityExtension	identifierExtension
---------------	--	---	-----	--	---------------------------	---------------------

IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.

(CONSIGNEE) TRADER 1X		D				
----------------------------------	--	---	--	--	--	--

C583: IF the attribute 'Additional information id' = '10600' is used for all GOODS ITEM data groups THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify Party' = 'O' ELSE IF the attribute 'Additional information id' = '10600' is used for at least one GOODS ITEM THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify Party' cannot be used ELSE the data group 'TRADER Notify Party' cannot be used and the data group 'TRADER Consignee' = 'O'

Name		R	an..35	[Response.GoodsShipment.Consignment] Consignee	(Party) name1	lineType
Name continuation		O	an..35	[Response.GoodsShipment.Consignment] Consignee	(Party) name2	lineType
Street and number		R	an..35	[Response.GoodsShipment.Consignment] Consignee	(Party.Address) line	lineType
Postal code		R	an..9	[Response.GoodsShipment.Consignment] Consignee	(Party.Address) post-Code	postalCode
City		R	an..35	[Response.GoodsShipment.Consignment] Consignee	(Party.Address) city	lineType
Country		R	a2	[Response.GoodsShipment.Consignment] Consignee	(Party.Address) country	countryCode

Code list 0058

Capital letters must be used.

TIN		O	an..17	[Response.GoodsShipment.Consignment] Consignee	(Party) identity	identifier
-----	--	---	--------	--	------------------	------------

R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.

The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.

TIN extension		D	an5	[Response.GoodsShipment.Consignment] Consignee	(Party) identityExtension	identifierExtension
---------------	--	---	-----	--	---------------------------	---------------------

IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.

CONTROL RESULT 1X		D				
--------------------------	--	---	--	--	--	--

IF IE329 is used as response to IE007, THEN this data element is not used. ELSE this data element is = O.

Control date and time		R	dateTime	[Response] Status	effective	dateTime
-----------------------	--	---	----------	-------------------	-----------	----------

GOODS ITEM 999X		R				
------------------------	--	---	--	--	--	--

IF IE329 is used as response to IE007, THEN this data element lists the goods items of the MRN requested. ELSE this data element lists the goods items concerned.

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
Item number		R	n..5	[Response.GoodsShipment.Consignment] ConsignmentItem	sequence	numeric

R005: "Item no" (box 32) is always used even if "Items" (box 5) = "1", "Item no" (box 32) is also "1"

R007: Each "Item no" (box 32) is unique throughout the declaration

Customs status		O	an..2	[Response.GoodsShipment.Consignment] ConsignmentItem	communityStatus	CommunityStatusCodeType
----------------	--	---	-------	--	-----------------	-------------------------

Code list 9995

R815: The attribute may be used to specify the Union status.

Goods description		O	an..280	[Response.GoodsShipment.Consignment.ConsignmentItem] Commodity	cargoDescription	text
-------------------	--	---	---------	--	------------------	------

Gross mass		D	n..11,3	[Response.GoodsShipment.Consignment.ConsignmentItem] GoodsMeasure	grossMass	measure
------------	--	---	---------	---	-----------	---------

IF IE329 is used as response to IE007, THEN this data element is = 'O'. ELSE the following rule/condition shall be processed.

C580: IF the attribute 'Specific circumstance indicator' = 'E'
THEN this attribute is = 'O'
ELSE this attribute is = 'R'

Transport charges / method of payment		D	a1	[Response.GoodsShipment.Consignment.ConsignmentItem] FreightPayment	method	freightPaymentMethodCode
---------------------------------------	--	---	----	---	--------	--------------------------

Code list 0327

C576: IF the attribute EXPORT OPERATION / IMPORT OPERATION / TRANSIT OPERATION.'Transport charges – Method of payment' is used
THEN this attribute can not be used
ELSE this attribute = 'O'

IF IE329 is used as response to IE007, THEN this data element is not used. ELSE this data element is = 'O'.

Capital letters must be used.

Commercial reference number		D	an..70	[Response.GoodsShipment.Consignment.ConsignmentItem] UCR	traderReference	textType
-----------------------------	--	---	--------	--	-----------------	----------

R876: If the same 'Commercial reference number' is declared for all goods items, the attribute 'Commercial reference number' (box 7) on Export Operation level is used. The attribute 'Commercial reference number' (ex box 7) on goods item level can not be used.

UN dangerous goods code		O	n4	[Response.GoodsShipment.Consignment.ConsignmentItem] Commodity	UNDG	dangerousGoodsCode
-------------------------	--	---	----	--	------	--------------------

No code list available

Place of loading		D	an..35	[Response.GoodsShipment.Consignment.ConsignmentItem] LoadingLocation	(Location) name	text
------------------	--	---	--------	--	-----------------	------

IF IE329 is used as response to IE007, THEN this data element is = 'O'. ELSE the following rule/condition shall be processed.

C574: IF the attribute 'Specific circumstance indicator' = 'A'
THEN
the attribute 'IMPORT OPERATION.Loading place' is = 'O'
the attribute 'GOODS ITEM.Loading place' can not be used
ELSE
IF the attribute 'IMPORT OPERATION.Loading place' is used
THEN the attribute 'GOODS ITEM.Loading place' can not be used
ELSE the attribute 'GOODS ITEM.Loading place' = 'R'

Place of unloading		D	an..35	[Response.GoodsShipment.Consignment.ConsignmentItem] UnloadingLocation	(Location) name	text
--------------------	--	---	--------	--	-----------------	------

IF IE329 is used as response to IE007, THEN this data element is = 'O'. ELSE the following rule/condition shall be processed.

C579: IF the attribute 'Specific circumstance indicator' = 'E'
THEN
IF the attribute 'IMPORT OPERATION.Unloading place' is used
THEN the attribute 'GOODS ITEM.Unloading place' can not be used,
ELSE the attribute 'GOODS ITEM.Unloading place' = 'O'
ELSE
IF the attribute 'IMPORT OPERATION.Unloading place' is used
THEN the attribute 'GOODS ITEM.Unloading place' can not be used,
ELSE the attribute 'GOODS ITEM.Unloading place' = R

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	PRODUCED DOCUMENTS / CERTIFICATES 99X	D				
<p>IF IE329 is used as response to IE007, THEN this data element is = 'O'. ELSE the following rule/condition shall be processed.</p> <p>C567: IF the attribute 'Specific Circumstance Indicator = 'A' THEN the attribute 'Commercial Reference Number (box 7)', 'Commercial Reference Number (ex box 7)' and the datagroup 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O' ELSE IF the attribute 'Commercial Reference Number (box 7)' and 'Commercial Reference Number (ex box 7)' is not used, THEN at least one attribute 'PRODUCED DOCUMENTS/CERTIFICATES.Document type' pointing to a transport document must be present ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'</p> <p>The used transport documents are: N235, N271, N703, N704, N705, N710, N714, N720, N722, N730, N740, N741, N750, N760, N785, N787, N952, N955.</p>						
	Document type	R	an..4	[Response.GoodsShipment.ConsignmentItem] AdditionalDocument	(Document) type	documentTypeCode
Code list 0006						
	Document reference	R	an..35	[Response.GoodsShipment.ConsignmentItem] AdditionalDocument	(Document) reference	lineType
	SPECIAL MENTIONS 99X	O				
	Additional information id	R	an..5	[Response.GoodsShipment.ConsignmentItem] AdditionalInformation	statement	specialMentionsCode
Code list 0015						
R080: Only the SPECIAL MENTIONS that are marked as 'Common' in the reference data shall be included in the common domain messages.						
	(CONSIGNOR) TRADER 1X	O				
<p>C511: IF only one Trader Consignor is declared for all goods items THEN the data group 'Trader Consignor (box 2)' on IMPORT OPERATION level is used ELSE the data group 'Trader Consignor (ex box 2)' on GOODS ITEM level is used</p>						
	Name	R	an..35	[Response.GoodsShipment.ConsignmentItem] Consignor	(Party) name1	lineType
	Name continuation	O	an..35	[Response.GoodsShipment.ConsignmentItem] Consignor	(Party) name2	lineType
	Street and number	R	an..35	[Response.GoodsShipment.ConsignmentItem] Consignor	(Party.Address) line	lineType
	Postal code	R	an..9	[Response.GoodsShipment.ConsignmentItem] Consignor	(Party.Address) post-Code	postalCode
	City	R	an..35	[Response.GoodsShipment.ConsignmentItem] Consignor	(Party.Address) city	lineType
	Country	R	a2	[Response.GoodsShipment.ConsignmentItem] Consignor	(Party.Address) country	countryCode
Code list 0058						
Capital letters must be used.						
	TIN	O	an..17	[Response.GoodsShipment.ConsignmentItem] Consignor	(Party) identity	identifier
<p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.</p>						

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	TIN extension	D	an5	[Response.GoodsShipment.ConsignmentItem] Consignor	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
	(CODE) COM-MODIFY 1X	D				
C585: IF the attribute 'GOODS ITEM.Textual description' is used THEN this data group is = 'O' ELSE this data group is = 'R'						
	Combined Nomenclature	R	an..10	[Response.GoodsShipment.ConsignmentItem] Commodity	tariffClassification	identifier
R881: If the attribute is used, its minimum length is 4 digits.						
	(CONSIGNEE) TRADER 1X	D				
C584: IF the attribute 'Additional information_id' = '10600' is used in this GOODS ITEM THEN IF the data group 'TRADER Notify Party' is used THEN the data groups 'GOODS ITEM.TRADER.Notify Party' and 'GOODS ITEM.TRADER.Consignee' cannot be used ELSE the data group 'GOODS ITEM.TRADER.Notify Party' = 'R' and the data group 'GOODS ITEM.TRADER.Consignee' cannot be used ELSE IF the data group 'TRADER.Consignee' is used THEN the data groups 'GOODS ITEM.TRADER.Consignee' and 'GOODS ITEM.TRADER.Notify Party' cannot be used ELSE the data group 'GOODS ITEM.TRADER.Consignee' = 'R' and 'GOODS ITEM.TRADER.Notify Party' cannot be used						
	Name	R	an..35	[Response.GoodsShipment.ConsignmentItem] Consignee	(Party) name1	lineType
	Name continuation	O	an..35	[Response.GoodsShipment.ConsignmentItem] Consignee	(Party) name2	lineType
	Street and number	R	an..35	[Response.GoodsShipment.ConsignmentItem] Consignee	(Party.Address) line	lineType
	Postal code	R	an..9	[Response.GoodsShipment.ConsignmentItem] Consignee	(Party.Address) post-Code	postalCode
	City	R	an..35	[Response.GoodsShipment.ConsignmentItem] Consignee	(Party.Address) city	lineType
	Country	R	a2	[Response.GoodsShipment.ConsignmentItem] Consignee	(Party.Address) country	countryCode
Code list 0058						
Capital letters must be used.						
	TIN	O	an..17	[Response.GoodsShipment.ConsignmentItem] Consignee	(Party) identity	identifier
R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
	TIN extension	D	an5	[Response.GoodsShipment.ConsignmentItem] Consignee	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
	CONTAINERS 99X	O				
	Container number	R	an..17	[Response.GoodsShipment.ConsignmentItem.TransportEquipment] EquipmentIdentification	identification	identifier
	SEALS ID 9999X	O				

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	Lists the seals related to MRN in question. If IE329 is generated from an IE344 and the declaration in question contains information on seals, seal data is reported on goods item level, else data is reported on header level (if the declaration that is used for generation contains information on seals).					
	Seals identity	R	an..20	[Response.GoodsShipment. Consignment.ConsignmentItem] TransportEquipment	seal	sealIdentifier
	PACKAGES 99X	D				
	IF IE329 is used as response to IE007, THEN this data element is = 'O'. ELSE the following rule/condition shall be processed. C577: IF the attribute 'Specific circumstance indicator' = 'A' THEN this data group = 'O' ELSE this data group = 'R'					
	Marks & numbers of packages (long)	D	an..140	[Response.GoodsShipment. Consignment] ConsignmentItem	(Packaging) markNumber	packageMarks
	C061: IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY', 'VR', 'VS' or 'VO') THEN 'Number of packages' (box 31) can not be used 'Number of Pieces' (box 31) can not be used ELSE IF 'Kind of packages' (Box 31) indicates 'UNPACKED' (UNECE rec 21: = 'NE', 'NF' or 'NG') THEN 'Number of packages' can not be used 'Number of Pieces' (box 31) = 'R' ELSE 'Number of packages' (box 31) = 'R' 'Number of Pieces' (box 31) can not be used					
	Kind of packages	R	an..3	[Response.GoodsShipment. Consignment] ConsignmentItem	(Packaging) type	packageType Code
	Code list 0075 Capital letters must be used.					
	Number of packages	D	n..5	[Response.GoodsShipment. Consignment] ConsignmentItem	(Packaging) packages	quantity
	C061: IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY', 'VR', 'VS' or 'VO') THEN 'Number of packages' (box 31) can not be used 'Number of Pieces' (box 31) can not be used ELSE IF 'Kind of packages' (Box 31) indicates 'UNPACKED' (UNECE rec 21: = 'NE', 'NF' or 'NG') THEN 'Number of packages' can not be used 'Number of Pieces' (box 31) = 'R' ELSE 'Number of packages' (box 31) = 'R' 'Number of Pieces' (box 31) can not be used					
	RO20: A zero '0' is to be considered as a valid number in this field.					
	Number of pieces	D	n..5	[Response.GoodsShipment. Consignment] ConsignmentItem	(Packaging) pieces	quantity
	C061: IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY', 'VR', 'VS' or 'VO') THEN 'Number of packages' (box 31) can not be used 'Number of Pieces' (box 31) can not be used ELSE IF 'Kind of packages' (Box 31) indicates 'UNPACKED' (UNECE rec 21: = 'NE', 'NF' or 'NG') THEN 'Number of packages' can not be used 'Number of Pieces' (box 31) = 'R' ELSE 'Number of packages' (box 31) = 'R' 'Number of Pieces' (box 31) can not be used					
	NOTIFY PARTY 1X	D				
	C584: IF the attribute 'Additional information_id' = '10600' is used in this GOODS ITEM THEN IF the data group 'TRADER Notify Party' is used THEN the data groups 'GOODS ITEM.TRADER.Notify party' and 'GOODS ITEM.TRADER.Consignee' cannot be used ELSE the data group 'GOODS ITEM.TRADER.Notify party' = 'R' and the data group 'GOODS ITEM.TRADER.Consignee' cannot be used ELSE IF the data group 'TRADER.Consignee' is used THEN the data groups 'GOODS ITEM.TRADER.Consignee' and 'GOODS ITEM.TRADER.Notify Party' cannot be used ELSE the data group 'GOODS ITEM.TRADER.Consignee' = 'R' and 'GOODS ITEM.TRADER.Notify Party' cannot be used					
	Name	R	an..35	[Response.GoodsShipment. Consignment.ConsignmentItem] NotifyParty	(Party) name1	lineType

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	Name continuation	O	an..35	[Response.GoodsShipment.ConsignmentItem] NotifyParty	(Party) name2	lineType
	Street and number	R	an..35	[Response.GoodsShipment.ConsignmentItem] NotifyParty	(Party.Address) line	lineType
	City	R	an..35	[Response.GoodsShipment.ConsignmentItem] NotifyParty	(Party.Address) city	lineType
	Postal code	R	an..9	[Response.GoodsShipment.ConsignmentItem] NotifyParty	(Party.Address) post-Code	postalCode
	Coutry	R	a2	[Response.GoodsShipment.ConsignmentItem] NotifyParty	(Party.Address) country	countryCode

Code list 0058

Capital letters must be used.

TIN	O	an..17	[Response.GoodsShipment.ConsignmentItem] NotifyParty	(Party) identity	identifier
-----	---	--------	--	------------------	------------

R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared.

Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.

The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.

TIN extension	D	an5	[Response.GoodsShipment.ConsignmentItem] NotifyParty	(Party) identityExtension	identifierExtension
---------------	---	-----	--	---------------------------	---------------------

If the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.

ITINERARY 99X

D

IF IE329 is used as response to IE007, THEN this data element is not used. ELSE the following rule/condition shall be processed.

C570: IF the attribute 'Specific circumstance indicator' = 'A'

THEN the attribute must occur at least once (min. 1 value)

ELSE this attribute must occur at least twice (min. 2 values)

IF IE329 is used as response to IE007, THEN this data element is not used. ELSE the following rule/condition shall be processed.

R879: Exit: The country of final destination must be entered in any case. If the special circumstance indicator is not equal to 'A', then at least the country of original departure must be entered additionally. the country of original departure must be entered additionally.

Entry: The country of original departure must be entered in any case. If the special circumstance indicator is not equal to 'A', then at least the country of final destination must be entered additionally.

Country of routing code	R	a2	[Response.GoodsShipment] Consignment	routingCountry	countryCode
-------------------------	---	----	--------------------------------------	----------------	-------------

Code list 0058

Identification in a chronological order of the countries through which goods are routed between the country of original departure and final destination. This comprises the countries of original departure and of final destination of the goods.

This information is to be provided to the extent known.

Capital letters must be used.

(REPRESENTATIVE) TRADER 1X

O

The data group 'TRADER Representative' can be used by the 'PERSON Lodging the entry summary declaration' to authorise a Representative to submit an Entry summary declaration on his behalf at the Office of first Entry concerned. If preventive/prohibitive measures are to be taken (IE351) or if controls at Entry are to be communicated to the trader prior to the arrival at Entry (IE351), the trader identified here, will be receiving the 'Advanced intervention notification' – IE351.

Name	R	an..35	[Response.Declaration] Agent	(Party) name1	lineType
Name continuation	O	an..35	[Response.Declaration] Agent	(Party) name2	lineType
Street and number	R	an..35	[Response.Declaration] Agent	(Party.Address) line	lineType
Postal code	R	an..9	[Response.Declaration] Agent	(Party.Address) post-Code	postalCode
City	R	an..35	[Response.Declaration] Agent	(Party.Address) city	lineType
Country	R	a2	[Response.Declaration] Agent	(Party.Address) country	countryCode

Code list 0058

Capital letters must be used.

TIN	R	an..17	[Response.Declaration] Agent	(Party) identity	identifier
-----	---	--------	------------------------------	------------------	------------

The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
TIN extension		D	an5	[Response.Declaration.Agent	(Party) identityExtension	identifierExtension

IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.

(LODGING SUMMARY DECLARATION) PERSON 1X

O

Name		R	an..35	[Response.Declaration.BorderTransportMeans] Master	(Party) name1	lineType
Name continuation		O	an..35	[Response.Declaration.BorderTransportMeans] Master	(Party) name2	lineType
Street and number		R	an..35	[Response.Declaration.BorderTransportMeans] Master	(Party.Address) line	lineType
Postal code		R	an..9	[Response.Declaration.BorderTransportMeans] Master	(Party.Address) postCode	postalCode
City		R	an..35	[Response.Declaration.BorderTransportMeans] Master	(Party.Address) city	lineType
Country		R	a2	[Response.Declaration.BorderTransportMeans] Master	(Party.Address) country	countryCode

Code list 0058

Capital letters must be used.

TIN		R	an..17	[Response.Declaration.BorderTransportMeans] Master	(Party) identity	identifier
-----	--	---	--------	--	------------------	------------

The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.

TIN extension		D	an5	[Response.Declaration.BorderTransportMeans] Master	(Party) identityExtension	identifierExtension
---------------	--	---	-----	--	---------------------------	---------------------

IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.

SEALS ID 9999X

O

Lists the seals related to MRN in question.

IF IE329 is generated from an IE344 and the declaration in question contains information on seals, seal data is reported on goods item level, else data is reported on header level (if the declaration that is used for generation contains information on seals).

Seals identity		R	an..20	[Response.GoodsShipment.Consignment] TransportEquipment	seal	sealIdentifier
----------------	--	---	--------	---	------	----------------

(ACTUAL ENTRY) CUSTOMS OFFICE 1X

D

IF IE329 is used as response to IE007, THEN this data element is not used. ELSE this data element is = R.

Reference number		R	an8	[Response.GoodsShipment] ActualEntryCustoms Office	(CustomsOffice. Location) code	identifier
------------------	--	---	-----	--	--------------------------------	------------

Capital letters must be used.

NOTIFY PARTY 1X

D

C583: IF the attribute 'Additional information id' = '10600' is used for all GOODS ITEM data groups THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify Party' = 'O' ELSE IF the attribute 'Additional information id' = '10600' is used for at least one GOODS ITEM THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify Party' cannot be used ELSE the data group 'TRADER Notify Party' cannot be used and the data group 'TRADER Consignee' = 'O'

Name		R	an..35	[Response.GoodsShipment.Consignment] NotifyParty	(Party) name1	lineType
Name continuation		O	an..35	[Response.GoodsShipment.Consignment] NotifyParty	(Party) name2	lineType
Street and number		R	an..35	[Response.GoodsShipment.Consignment] NotifyParty	(Party.Address) line	lineType
Postal code		R	an..9	[Response.GoodsShipment.Consignment] NotifyParty	(Party.Address) postCode	postalCode
City		R	an..35	[Response.GoodsShipment.Consignment] NotifyParty	(Party.Address) city	lineType
Country		R	a2	[Response.GoodsShipment.Consignment] NotifyParty	(Party.Address) country	countryCode

Code list 0058

Capital letters must be used.

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
TIN		O	an..17	[Response.GoodsShip-ment. Consignment] NotifyParty	(Party) identity	identifier

R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.

The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.

TIN extension		D	an5	[Response.GoodsShip-ment. Consignment] NotifyParty	(Party) identityExtension	identifierExtension
---------------	--	---	-----	---	---------------------------	---------------------

IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.

(FIRST ENTRY) CUSTOMS OFFICE 1X		D				
--	--	---	--	--	--	--

IF IE329 is used as response to IE007, THEN this data element is not used. ELSE this data element is = O.

Reference number		R	an8	[Response] ContactCustoms Office	(CustomsOffice.Location) code	identifier
------------------	--	---	-----	----------------------------------	-------------------------------	------------

Capital letters must be used.

Date and time of arrival		R	dateTime	[Response.Declaration] BorderTransportMeans	arrival	dateTime
--------------------------	--	---	----------	---	---------	----------

(SUBSEQUENT ENTRY) CUSTOMS OFFICE 99X		D				
--	--	---	--	--	--	--

R808: If some of the goods are destined to be transported to subsequent Offices of Entry, then this data group is required.

IF IE329 is used as response to IE007, THEN this data element is not used. ELSE this data element is = 'O'.

Reference number		R	an8	[Response.GoodsShip-ment] EntryCustomsOffice	(CustomsOffice.Location) code	identifier
------------------	--	---	-----	--	-------------------------------	------------

Capital letters must be used.

(ENTRY CARRIER) TRADER 1X		D				
----------------------------------	--	---	--	--	--	--

R806: The data group is required if different from the data group 'PERSON Lodging the summary declaration'.

Name		R	an..35	[Response.Declaration] Carrier	(Party) name1	lineType
Name continuation		O	an..35	[Response.Declaration] Carrier	(Party) name2	lineType
Street and number		R	an..35	[Response.Declaration] Carrier	(Party.Address) line	lineType
Postal code		R	an..9	[Response.Declaration] Carrier	(Party.Address) post-Code	postalCode
City		R	an..35	[Response.Declaration] Carrier	(Party.Address) city	lineType
Country		R	a2	[Response.Declaration] Carrier	(Party.Address) country	countryCode

Code list 0058

Capital letters must be used.

TIN		R	an..17	[Response.Declaration] Carrier	(Party) identity	identifier
-----	--	---	--------	--------------------------------	------------------	------------

R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.

The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.

TIN extension		D	an5	[Response.Declaration] Carrier	(Party) identityExtension	identifierExtension
---------------	--	---	-----	--------------------------------	---------------------------	---------------------

IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.

Level 1	Level 2	Level 3	RDO	Format	Path	(General type) tag	type
HEADER [MANIFEST] 1X			R				
Manifest reference number (LRN)			R	an..22	[Response] Declaration	(Document) reference	lineType
Date and time of presentation			R	dateTime	[Response] Declaration	(Document) issue	dateTime
IF IE347 'Arrival notification and presentation' has not been lodged, THEN date and time of arrival is stated. ELSE date and time of presentation is stated.							
(ENTRY CARRIER) TRADER 1X			R				
Name			O	an..35	[Response.Declaration] Carrier	(Party) name1	lineType
Name continuation			O	an..35	[Response.Declaration] Carrier	(Party) name2	lineType
Street and number			O	an..35	[Response.Declaration] Carrier	(Party.Address) line	lineType
City			O	an..35	[Response.Declaration] Carrier	(Party.Address) city	lineType
Postal code			O	an..9	[Response.Declaration] Carrier	(Party.Address) postCode	postalCode
Country			O	a2	[Response.Declaration] Carrier	(Party.Address) country	countryCode
Code list 0058 Capital letters must be used.							
TIN			R	an..17	[Response.Declaration] Carrier	(Party) identity	identifier
R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.							
TIN extension			D	an5	[Response.Declaration] Carrier	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.							
(REPRESENTATIVE) TRADER 1X			O				
Name			D	an..35	[Response.Declaration] Agent	(Party) name1	lineType
Name continuation			O	an..35	[Response.Declaration] Agent	(Party) name2	lineType
Street and number			D	an..35	[Response.Declaration] Agent	(Party.Address) line	lineType
City			D	an..35	[Response.Declaration] Agent	(Party.Address) city	lineType
Postal code			D	an..9	[Response.Declaration] Agent	(Party.Address) postCode	postalCode
Country			D	a2	[Response.Declaration] Agent	(Party.Address) country	countryCode
Code list 0058 Capital letters must be used.							
TIN			R	an..17	[Response.Declaration] Agent	(Party) identity	identifier
R837: The EORI Trader Identification number (TIN) shall be declared. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.							
TIN extension			D	an5	[Response.Declaration] Agent	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.							
IMPORT OPERATION [SUMMARY DECLARATION] 9999X			R				
Reference number MRN			R	an18	[Response.GoodsShipment] Consignment	MRN	mrn
Conveyance reference number			O	an..35	[Response.GoodsShipment. Consignment] Border-Transport Means	journey	lineType
R843: The 'Conveyance Reference Number' is the identification of the journey of the means of transport (e.g. flight number, train number, voyage number, trip number).							
Commercial reference number			O	an..70	[Response. GoodsShipment. Consignment] UCR	traderReference	textType
GOODS ITEM 999X			O				
Item Number			R	n..5	[Response.GoodsShipment. Consignment] ConsignmentItem	sequence	numeric
Commercial reference number			O	an..70	[Response.GoodsShipment. Consignment. ConsignmentItem] UCR	traderReference	textType

Level 1	Level 2	Level 3	RDO	Format	Path	(General type) tag	type	
CONTROL RESULT 1X Control date and time (ACTUAL ENTRY) CUSTOMS OFFICE 1X Reference Number		CONTAINERS 99X Container number	O					
		R	an..17	[Response.GoodsShipment.Consignment.ConsignmentItem.TransportEquipment] EquipmentIdentification	identification	identifier		
		SEALS ID 9999X Seals Identity		O				
		R	an..20	[Response.GoodsShipment.Consignment] TransportEquipment	seal	sealIdentifier		
				O				
				R	dateTime	[Response]Status	effective	dateTime
				R				
				R	an8	[Response.GoodsShipment] ActualEntryCustomsOffice	(CustomsOffice.Location) code	identifier

Capital letters must be used.

Level 1	RDO	Format	Path	(General type) tag	type
HEADER [MANIFEST] 1X	R				
Customs reference number	R	an17	[Response] Declaration	customsReference	identifier
Manifest reference number (LRN)	R	an..22	[Response] Declaration	reference	lineType
Manifest registration date and time	R	dateTime	[Response] Declaration	(Document) issue	dateTime
IMPORT OPERATION [SUMMARY DECLARATION] 99999X	D				
IF preceding IE344 does not include 'IMPORT OPERATION.Reference number MRN', THEN this data group = R. ELSE this data group is not used.					
LRN (Local reference number)	R	an..22	[Response.GoodsShipment] Consignment	reference	lineType
Reference number MRN	R	an18	[Response.GoodsShipment] Consignment	MRN	mrn
(ACTUAL SUBSEQUENT ENTRY) CUS- TOMS OFFICE 1X	R				
Reference number	R	an8	[Response] ContactCustomsOf- fice	(CustomsOffice. Loca- tion) code	identifier
Capital letters must be used.					
(ENTRY CARRIER) TRADER 1X	R				
Name	O	an..35	[Response.Declaration] Carrier	(Party) name1	lineType
Name continuation	O	an..35	[Response.Declaration] Carrier	(Party) name2	lineType
Street and number	O	an..35	[Response.Declaration] Carrier	(Party.Address) line	lineType
Postal code	O	an..9	[Response.Declaration] Carrier	(Party.Address) post- Code	postalCode
City	O	an..35	[Response.Declaration] Carrier	(Party.Address) city	lineType
Country	O	a2	[Response.Declaration] Carrier	(Party.Address) country	countryCode
Code list 0058					
Capital letters must be used.					
TIN	R	an..17	[Response.Declaration] Carrier	(Party) identity	identifier
R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.					
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.					
TIN extension	D	an5	[Response.Declaration] Carrier	(Party) identityExten- sion	identifierExten- sion
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.					

Level 1	RDO	Format	Path	(General type) tag	type
HEADER [MANIFEST] 1X	R				
Manifest reference number (LRN)	R	an..22	[Response] Declaration	(Document) reference	lineType
Customs reference number	R	an17	[Response] Declaration	customsReference	identifier
Manifest registration date and time	R	dateTime	[Response] Declaration	(Document) issue	dateTime
(ENTRY) CUSTOMS OFFICE 1X	R				
Reference number	R	an8	[Response] ContactCustomsOffice	(CustomsOffice. Location)code	identifier
Capital letters must be used.					
(ENTRY CARRIER) TRADER 1X	R				
Name	O	an..35	[Response.Declaration] Carrier	(Party) name1	lineType
Name continuation	O	an..35	[Response.Declaration] Carrier	(Party) name2	lineType
Street and number	O	an..35	[Response.Declaration] Carrier	(Party.Address) line	lineType
Postal code	O	an..9	[Response.Declaration] Carrier	(Party.Address) postCode	postalCode
City	O	an..35	[Response.Declaration] Carrier	(Party.Address) city	lineType
Country	O	a2	[Response.Declaration] Carrier	(Party.Address) country	countryCode
Code list 0058					
Capital letters must be used.					
TIN	R	an..17	[Response.Declaration] Carrier	(Party) identity	identifier
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.					
TIN extension	D	an5	[Response. Declaration] Carrier	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.					
(REPRESENTATIVE) TRADER 1X	D				
IF the carrier uses a representative, then this data = R. ELSE it is not used.					
Name	O	an..35	[Response.Declaration] Agent	(Party) name1	lineType
Name continuation	O	an..35	[Response.Declaration] Agent	(Party) name2	lineType
Street and number	O	an..35	[Response.Declaration] Agent	(Party.Address) line	lineType
Country	O	a2	[Response.Declaration] Agent	(Party.Address) country	countryCode
Code list 0058					
Capital letters must be used.					
Postal code	O	an..9	[Response.Declaration] Agent	(Party.Address) postCode	postalCode
City	O	an..35	[Response.Declaration] Agent	(Party.Address) city	lineType
TIN	R	an..17	[Response.Declaration] Agent	(Party) identity	identifier
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.					
TIN extension	D	an5	[Response.Declaration] Agent	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.					

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
HEADER [SUMMARY DECLARATION] 1X		R				
LRN (Local reference number)		R	an..22	[Response.Declaration] Document	reference	lineType
R891: The Local Reference Number (LRN)/Diversion LRN/Arrival LRN shall be a number/identifier allocated by the sending TRADER for a specific transaction (ENS, Arrival notification). It shall be unique per Trader sending the transaction.						
Reference number MRN		R	an18	[Response] Declaration	MRN	mrn
Transport mode at border		D	n..2	[Response.Declaration] BorderTransportMeans	(TransportMeans) modeAndType	transportModeCode
Code list 0041						
R26: For air cargo transported with other modes of transported than air, the other mode of transport shall be declared (e.g. for air cargo transported on road, the mode of transport '3' (road) shall be declared).						
The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. Else the data group/attribute is sent if it is present on the entry summary declaration that this message is a response to.						
Nationality of means of transport crossing border		D	a2	[Response.Declaration] BorderTransportMeans	(TransportMeans) registrationNationality	countryCode
Code list 0058						
C024: IF 'IMPORT OPERATION.Transport mode at border (box 25)' is '3' and if 'IMPORT OPERATION.Identity Crossing Border (box 21)' is present THEN the attribute = 'R' ELSE the attribute can not be used						
The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. Else the data group/attribute is sent if it is present on the entry summary declaration that this message is a response to.						
IF IE351 is used as a response to IE344, this attribute is not used.						
Capital letters must be used.						
Identity of means of transport crossing border		D	an..27	[Response.Declaration] BorderTransportMeans	(TransportMeans) identity	transportMeansIdentifier
C017: IF 'IMPORT OPERATION.Transport mode at border (box 25)' = '1' or '8' THEN the attribute = 'R' IF 'IMPORT OPERATION.Transport mode at border (box 25)' = '4' THEN the attribute can not be used ELSE the attribute = 'O'						
The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. Else the data group/attribute is sent if it is present on the entry summary declaration that this message is a response to.						
IF IE351 is used as a response to IE344, this attribute is not used.						
Total number of items		R	n..5	[Response] Declaration	goodsItem	quantity
R811: The 'Total number of items' is the total number of goods items sent in this message.						
Commercial reference number		D	an..70	[Response.Declaration] UCR	traderReference	textType
The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. Else the data group/attribute is sent if it is present on the entry summary declaration that this message is a response to.						
Conveyance reference number		D	an..35	[Response.Declaration] BorderTransportMeans	journey	lineType
TR0518: IF 'Transport mode at border' = '4' THEN the attribute has format an..8 AND the string must contain the carrier code (an..3), the flight number (n..4) and an optional suffix (a1) without any separator between the two or three trimmed elements.						
TR0519: IF 'Transport mode at border' = '1' AND 'Conveyance reference number' is used AND the first four digits consist of XFER in uppercase THEN the first four digits shall consist of 'XFER' in uppercase, followed by the lorry registration plate number ELSE 'XFER' cannot be used.						
R843: The 'Conveyance Reference Number' is the identification of the journey of the means of transport (e.g. flight number, train number, voyage number, trip number).						
The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. Else the data group/attribute is sent if it is present on the entry summary declaration that this message is a response to.						
Notification date and time		R	dateTime	[Response] Status	effective	dateTime
Declaration registration date and time		R	dateTime	[Response] Status	previous	dateTime
R661: The 'Declaration registration date and time' is the date and time when the ENS is registered and the MRN is allocated. It corresponds to the 'Declaration registration date and time' communicated in IE328.						
Declaration submitted date and time		R	dateTime	[Response] Declaration	(Document) issue	dateTime
GOODS ITEM 999X		D				

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
<p>C571: IF the attribute 'Item Number concerned' for at least one of the occurrences of the data group 'CUSTOMS INTERVENTION' is present THEN the data group is = 'O' ELSE the data group can not be used</p>						
Item Number concerned		R	n..5	[Response.GoodsShipment. Consignment] ConsignmentItem	sequence	numeric
<p>R810: The attribute 'GOODS ITEM.Item number (Box 32) must match with the attribute 'Item Number concerned' of at least one of the occurrences of the data group 'CUSTOMS INTERVENTION'.</p>						
Commercial reference number		D	an..70	[Response.GoodsShipment. Consignment. ConsignmentItem] UCR	traderReference	identifier
<p>The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. Else the data group/attribute is sent if it is present on the entry summary declaration that this message is a response to.</p>						
PRODUCED DOCUMENTS / CERTIFICATES 99X		D				
<p>R147: The data group shall be used if the ENS to which the message refers to contains one or more 'Document Type (Box 44)' which refers to transport documents. All declared transport documents shall be included in the message.</p>						
Document type		R	an..4	[Response.GoodsShipment. Consignment. ConsignmentItem] AdditionalDocument	(Document) type	documentTypeCode
<p>Code list 0006</p>						
<p>R136: The data group shall contain only the 'Document Type (Box 44)' which refers to transport documents.</p>						
<p>R809: If the intervention/control notification is for one or some of the declared containers/identities crossing border (box 21)/transport documents, only those container numbers/ identities crossing border (box 21)/transport documents, shall be included in the message.</p>						
Document reference		R	an..35	[Response.GoodsShipment. Consignment. ConsignmentItem] AdditionalDocument	(Document) reference	lineType
CONTAINERS 99X		D				
<p>R818: The data group/attribute shall be included in the message, if it had been provided by the Trader in the the corresponding received declaration</p>						
Container number		R	an..17	[Response.GoodsShipment. Consignment. ConsignmentItem. TransportEquipment] EquipmentIdentification	identification	identifier
<p>R809: If the intervention/control notification is for one or some of the declared containers/identities crossing border (box 21)/transport documents, only those container numbers/ identities crossing border (box 21)/transport documents, shall be included in the message.</p>						
(MEANS OF TRANSPORT AT BORDER) IDENTITY 999X		D				
<p>R818: The data group/attribute shall be included in the message, if it had been provided by the Trader in the the corresponding received declaration</p>						
Nationality of means of transport crossing border		D	a2	[Response.GoodsShipment. Consignment. ConsignmentItem] BorderTransportMeans	(TransportMeans) registration Nationality	countryCode
<p>Code list 0058</p>						
<p>IF IE351 is used as a response to IE344, this attribute is not used. Capital letters must be used.</p>						
Identity of means of transport crossing border		D	an..27	[Response.GoodsShipment. Consignment. ConsignmentItem] BorderTransportMeans	(TransportMeans) identity	transportMeansIdentifier

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	<p>C514: IF the attribute is present</p> <p>IF 'Transport mode at border' = '1' or '8'</p> <p>THEN the attribute consists either of the International Maritime Organisation (IMO) ship identification number (format n7 - leading '0' allowed)</p> <p>IF 'Transport mode at border' = '2'</p> <p>THEN the attribute consists of the wagon number and has no format restrictions</p> <p>IF 'Transport mode at border' = '3'</p> <p>THEN the attribute consists of the registration plate number and has no format restrictions</p> <p>ELSE no format restrictions</p> <p>R809: If the intervention/control notification is for one or some of the declared containers/identities crossing border (box 21)/transport documents, only those container numbers/ identities crossing border (box 21)/transport documents, shall be included in the message.</p> <p>IF IE351 is used as a response to IE344, this attribute is not used.</p>					

(REPRESENTATIVE) TRADER 1X

O

R895: Only the Trader to whom the Office concerned is sending the advanced intervention notification (IE351) shall be used in the message.

Name	O	an..35	[Response.Declaration] Agent	(Party) name1	lineType
Name continuation	O	an..35	[Response.Declaration] Agent	(Party) name2	lineType
Street and number	O	an..35	[Response.Declaration] Agent	(Party.Address) line	lineType
Postal code	O	an..9	[Response.Declaration] Agent	(Party.Address) post-Code	postalCode
City	O	an..35	[Response.Declaration] Agent	(Party.Address) city	lineType
Country	O	a2	[Response.Declaration] Agent	(Party.Address) country	countryCode

Code list 0058

Capital letters must be used.

TIN	R	an..17	[Response.Declaration] Agent	(Party) identity	identifier
-----	---	--------	------------------------------	------------------	------------

R835: If the Trader owns a valid EORI Trader Identification number (TIN), then the TIN shall be declared. Other than EORI-TIN shall not be used.

The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.

TIN extension	D	an5	[Response.Declaration] Agent	(Party) identityExtension	identifierExtension
---------------	---	-----	------------------------------	---------------------------	---------------------

IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.

(LODGING SUMMARY DECLARATION) PERSON 1X

D

IF IE351 is used as a response to IE315
THEN this data group = 'R'
ELSE data group is not used

Name	O	an..35	[Response.Declaration. BorderTransportMeans] Master	(Party) name1	lineType
Name continuation	O	an..35	[Response.Declaration. BorderTransportMeans] Master	(Party) name2	lineType
Street and number	O	an..35	[Response.Declaration. BorderTransportMeans] Master	(Party.Address) line	lineType
Postal code	O	an..9	[Response.Declaration. BorderTransportMeans] Master	(Party.Address) post-Code	postalCode
City	O	an..35	[Response.Declaration. BorderTransportMeans] Master	(Party.Address) city	lineType
Country	O	a2	[Response.Declaration. BorderTransportMeans] Master	(Party.Address) country	countryCode

Code list 0058

Capital letters must be used.

TIN	R	an..17	[Response.Declaration. BorderTransportMeans] Master	(Party) identity	identifier
-----	---	--------	---	------------------	------------

R837: The EORI Trader Identification number (TIN) shall be declared.

The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.

TIN extension	D	an5	[Response.Declaration. BorderTransportMeans] Master	(Party) identityExtension	identifierExtension
---------------	---	-----	---	---------------------------	---------------------

IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
(FIRST ENTRY) CUSTOMS OFFICE 1X		D				
IF IE351 is used as a response to IE315 THEN this data group = 'R' ELSE data group is not used						
Reference number		R	an8	[Response.GoodsShipment] EntryCustomsOffice	(CustomsOffice.Location) code	identifier
Capital letters must be used.						
Expected date and time of arrival		D	dateTime	[Response.Declaration] BorderTransportMeans	arrival	dateTime
R666: The scheduled date/date and time of arrival of the means of transport at the declared first Office of Entry shall be provided. It shall be the local time of the first place of arrival.						
The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. Else the data group/attribute is sent if it is present on the entry summary declaration that this message is a response to.						
(ENTRY CARRIER) TRADER 1X		D				
R895: Only the Trader to whom the Office concerned is sending the advanced intervention notification (IE351) shall be used in the message.						
IF however IE351 is used as a response to IE344, this data group is 'R'.						
Name		O	an..35	[Response.Declaration] Carrier	(Party) name1	lineType
Name continuation		O	an..35	[Response.Declaration] Carrier	(Party) name2	lineType
Street and number		O	an..35	[Response.Declaration] Carrier	(Party.Address) line	lineType
Postal code		O	an..9	[Response.Declaration] Carrier	(Party.Address) post-Code	postalCode
City		O	an..35	[Response.Declaration] Carrier	(Party.Address) city	lineType
Country		O	a2	[Response.Declaration] Carrier	(Party.Address) country	countryCode
Code list 0058						
Capital letters must be used.						
TIN		R	an..17	[Response.Declaration] Carrier	(Party) identity	identifier
R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.						
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[Response.Declaration] Carrier	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
CUSTOMS INTERVENTION 999X		R				
Item Number concerned		D	n..5	[Response.Control] Pointer	sequence	numeric
IF the notification concerns data on the goods item level, THEN the item number as presented in the accepted (Entry) summary declaration with the same MRN is entered. ELSE data element is not used.						
Customs Intervention code		R	an..4	[Response.Control] AdditionalInformation	statement	specialMentionsCode
Code list 0421						
Customs Intervention text		O	an..350	[Response.Control] AdditionalInformation	statementDescription	text
(CONTROL) CUSTOMS OFFICE 1X		O				
Reference number		R	an8	[Response.Control] ContactCustomsOffice	(CustomsOffice.Location) code	identifier
Contact Customs office identification number.						
Capital letters must be used.						

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
HEADER [SUMMARY DECLARATION] 1X		R				
Reference number MRN		R	an18	[Response] Declaration	MRN	mrn
Manifest reference number (LRN)		R	an..22	[Response] Declaration	reference	lineType
Commercial reference number		O	an..70	[Response.Declaration] UCR	traderReference	textType
R818: The data group/attribute shall be included in the message, if it had been provided by the Trader in the corresponding received declaration						
Conveyance reference number		O	an..35	[Response.Declaration] BorderTransportMeans	journey	lineType
R818: The data group/attribute shall be included in the message, if it had been provided by the Trader in the corresponding received declaration						
Notification date and time		R	dateTime	[Response] Status	effective	dateTime
GOODS ITEM 999X		O				
C571: IF the attribute 'Item Number concerned' for at least one of the occurrences of the data group 'CUSTOMS INTERVENTION' is present THEN the data group is = 'O' ELSE the data group can not be used						
Item Number concerned		R	n..5	[Response.GoodsShipment.ConsignmentItem]	sequence	numeric
Commercial reference number		O	an..70	[Response.GoodsShipment.ConsignmentItem] UCR	traderReference	textType
R818: The data group/attribute shall be included in the message, if it had been provided by the Trader in the corresponding received declaration						
PRODUCED DOCUMENTS / CERTIFICATES 99X		O				
R819: The data group/attribute shall be included in the message, if it had been provided by the Trader in the corresponding received declaration and if the received declaration contains transport documents (see code list 'Document type'). If transport documents had been declared, all of them shall be included in the response message, but not the other document types.						
Document type		R	an..4	[Response.GoodsShipment.ConsignmentItem] AdditionalDocument	(Document) type	documentType-Code
Code list 0006						
Document reference		R	an..35	[Response.GoodsShipment.ConsignmentItem] AdditionalDocument	(Document) reference	lineType
CONTAINERS 99X		O				
R818: The data group/attribute shall be included in the message, if it had been provided by the Trader in the corresponding received declaration						
Container number		R	an..17	[Response.GoodsShipment.ConsignmentItem.TransportEquipment] EquipmentIdentification	identification	identifier
(ENTRY CARRIER) TRADER 1X		R				
Name		O	an..35	[Response.Declaration] Carrier	(Party) name1	lineType
Name continuation		O	an..35	[Response.Declaration] Carrier	(Party) name2	lineType
Street and number		O	an..35	[Response.Declaration] Carrier	(Party.Address) line	lineType
Postal code		O	an..9	[Response.Declaration] Carrier	(Party.Address) post-Code	postalCode
City		O	an..35	[Response.Declaration] Carrier	(Party.Address) city	lineType
Country		O	a2	[Response.Declaration] Carrier	(Party.Address) country	countryCode
Code list 0058						
Capital letters must be used.						
TIN		R	an..17	[Response.Declaration] Carrier	(Party) identity	identifier
R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[Response.Declaration] Carrier	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
(REPRESENTATIVE) TRADER 1X		D				
IF the carrier uses a representative, then this data = R. ELSE it is not used.						
Name		O	an..35	[Response.Declaration] Agent	(Party) name1	lineType
Name continuation		O	an..35	[Response.Declaration] Agent	(Party) name2	lineType
Street and number		O	an..35	[Response.Declaration] Agent	(Party.Address) line	lineType
Postal code		O	an..9	[Response.Declaration] Agent	(Party.Address) post-Code	postalCode
City		O	an..35	[Response.Declaration] Agent	(Party.Address) city	lineType

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
Country		O	a2	[Response.Declaration] Agent	(Party.Address) country	countryCode
Code list 0058 Capital letters must be used.						
TIN		R	an..17	[Response.Declaration] Agent	(Party) identity	identifier
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[Response.Declaration] Agent	(Party) identityEx- tension	identifierExten- sion
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
CUSTOMS INTERVENTION 999X		R				
Item Number concerned		D	n..5	[Response.Control] Pointer	sequence	numeric
IF the notification concerns data on the goods item level, THEN the item number as presented in the accepted (Entry) summary declaration with the same MRN is entered. ELSE data element is not used.						
Customs Intervention code		R	an..4	[Response.Control] Additional- Information	statement	specialMentionsCode
Code list 0421						
Customs Intervention text		O	an..350	[Response.Control] Additional- Information	statementDescription	text
	(CONTROL) CUSTOMS OFFICE 1X	O				
Reference number		R	an8	[Response.Control] Contact CustomsOffice	(CustomsOffice.Loca- tion) code	identifier
Contact Customs office identification number. Capital letters must be used.						

Level 1	RDO	Format	Path	(General type) tag	type
HEADER [SUMMARY DECLARATION] 1X	R				
Customs reference number	D	an17	[Response] Declaration	customsReference	identifier
Either MRN or Customs reference number is used.					
Reference number MRN	D	an18	[Response] Declaration	MRN	mrn
Either MRN or Customs reference number is used.					
LRN (Local reference number)	D	an..22	[Response.Declaration] Document	reference	line-Type
IF LRN is used in the declaration or notification, THEN the LRN = R. ELSE it is not used.					
(CONTROL) CUSTOMS OFFICE 1X	R				
Reference number	R	an8	[Response.Control] ContactCustomsOffice	(CustomsOffice. Location) code	identifier
Capital letters must be used.					
Contact person name	R	an..35	[Response.Control] ContactCustomsOffice	(CustomsOffice. Party.Contact) name	line-Type
Contact person telephone	R	an..35	[Response.Control] ContactCustomsOffice	(CustomsOffice. Party.Communication) telephone	line-Type
CANCELLATION 1X	R				
Cancellation text	R	an..350	[Response] AdditionalInformation	statementDescription	text

Level 1	RDO	For- mat	Path	(General type) tag	type
HEADER [SUMMARY DECLARATION] 1X	R				
Customs reference number	D	an17	[Response] Declaration	customsReference	identifier
Either MRN or Customs reference number is used.					
Reference number MRN	D	an18	[Response] Declaration	MRN	mrn
Either MRN or Customs reference number is used.					
LRN (Local reference number)	D	an..22	[Response] Declaration	reference	line-Type
IF LRN is used in the declaration or notification, THEN the LRN = R. ELSE it is not used.					
(CONTROL) CUSTOMS OFFICE 1X	R				
Reference number	R	an8	[Response.Control] ContactCustomsOffice	(CustomsOffice.Location) code	identifier
Capital letters must be used.					
Contact person name	R	an..35	[Response.Control] ContactCustomsOffice	(CustomsOffice.Party.Contact) name	line-Type
Contact person telephone	R	an..35	[Response.Control] ContactCustomsOffice	(CustomsOffice.Party.Communication) telephone	line-Type
ERROR 999X	R				
Error pointer	D	n..5	[Response.Error] Pointer	sequence	numeric
IF error is related to header level, THEN = 'O'.					
Error code	O	an..3	[Response] Error	validation	code
Code list 0123					
Error text	R	an..350	[Response] Error	additionalDescription	text

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
HEADER [MANIFEST] 1X		R				
Total number of packages		R	n..7	[Declaration] DeclarationPackaging	(Packaging) packages	quantity
The total number of packages shall be the sum of all packages contained in the customs data references (presentation items) declared on this Export manifest presentation. The total number of packages is: "Number of packages" + all "Number of pieces" + a value of "1" for each declared bulk.						
Manifest reference number (LRN)		R	an..22	Declaration	(Document) reference	lineType
Date and time of presentation		R	dateTime	Declaration	(Document) issue	dateTime
Dialog language indicator at destination		D	a2	Declaration	language	languageCode
Code list 0036						
The attribute is used as the basic language to be used in any further communication between the Trader and the Customs system. If the trader does not use this attribute then the Customs system will use the default language.						
Conveyance reference number		D	an..35	[Declaration] BorderTransportMeans	journey	lineType
If 'Transport mode at border' = '1' (Sea transport) THEN this data element = 'R' and it shall contain the Port@net number. ELSE IF 'Identity of means of transport crossing border' is not used THEN this data element = 'R'. ELSE this data element = 'O'.						
Identity of means of transport crossing border		D	an..27	[Declaration] BorderTransportMeans	(TransportMeans) identity	transportMeansIdentifier
If 'Transport mode at border' = '1' (Sea transport) THEN this data element = 'R' and it shall contain the IMO number of the vessel. ELSE IF 'Conveyance reference number' is not used THEN this data element = 'R'. ELSE this data element = 'O'.						
Customs reference number		D	an17	Declaration	customsReference	identifier
In case of amendment, enter reference number provided by the Finnish Customs						
(ACTUAL EXIT) CUSTOMS OFFICE 1X		R				
Reference number		R	an8	[Declaration] ExitCustomsOffice	(CustomsOffice.Location) code	identifier
Code list 0129						
Capital letters must be used.						
(EXIT CARRIER) TRADER 1X		R				
Name		O	an..35	[Declaration] Carrier	(Party) name1	lineType
Name continuation		O	an..35	[Declaration] Carrier	(Party) name2	lineType
Street and number		O	an..35	[Declaration] Carrier	(Party.Address) line	lineType
Postal code		O	an..9	[Declaration] Carrier	(Party.Address) post-Code	postalCode
City		O	an..35	[Declaration] Carrier	(Party.Address) city	lineType
Country		O	a2	[Declaration] Carrier	(Party.Address) country	countryCode
Code list 0058						
Capital letters must be used.						
TIN		R	an..17	[Declaration] Carrier	(Party) identity	identifier
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.						
TIN extension		D	an5	[Declaration] Carrier	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
CUSTOMS DATA REFERENCE [SUMMARY DECLARATION] 99999X		R				
When entering several MRNs, the segment Consignment is repeated, the segment GoodsShipment is not repeated.						
Reference number MRN		D	an18	[GoodsShipment] Consignment	MRN	mrn
MRN found in the Finnish export system (ELEX), MRN of Finnish summary declaration system (AREX), or MRN found in the Finnish transit declaration system (NCTS) or MRN for summary declaration found in the new customs clearance system (UTU) may be specified in this data element. If export reference MRN/other reference produced by the system of another country is specified in 'Other export reference', this data element = 'O'. ELSE this data element = 'R'.						
Transport document reference		O	an..70	[GoodsShipment] Consignment	transportContractDocument	textType
IF an MRN from the new customs clearance system (UTU) has been declared in data element 'CUSTOMS DATA REFERENCE.Reference number MRN', THEN this data element = 'R'. ELSE this data element cannot be used.						
Other Export Reference		O	an..35	[GoodsShipment] Consignment	exportReference	lineType
If the export in question is an export that has been terminated earlier in another EU country based on e.g single transport contract (STC), and the MRN for the export in question is not available in the Finnish export system, export reference MRN/other reference produced by the system of the earlier EU country for the export in question may be declared.						

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
Final or Partial shipment flag		D	an..5	[GoodsShipment] Consignment	partial	indicatorCode
This attribute is used as a flag, its value can be either '1' or 'true' ('final') or '0' or 'false' ('partial'). IF MRN found in the Finnish Export system is entered in the 'CUSTOMS DATA REFERENCE.Reference number MRN', THEN this data element = 'R' ELSE this data element is not used.						
Number of packages		D	n..5	[GoodsShipment. Consignment] ConsignmentPackaging	(Packaging) packages	quantity
IF MRN related to Finnish Export system is entered in the 'CUSTOMS DATA REFERENCE.Reference number MRN', THEN this data element = '0' ELSE this data element is not used.						
Number of pieces		D	n..5	[GoodsShipment. Consignment] ConsignmentPackaging	(Packaging) pieces	quantity
IF MRN related to Finnish Export system is entered in the 'CUSTOMS DATA REFERENCE.Reference number MRN', THEN this data element = '0' ELSE this data element is not used.						
Gross mass		D	n..11,3	[GoodsShipment] Consignment	totalGrossMass	measure
IF MRN related to Finnish Export system is entered in the 'CUSTOMS DATA REFERENCE.Reference number MRN', THEN this data element = '0' ELSE this data element is not used.						
	GOODS ITEM 999X	D				
IF MRN related to Finnish Summary declaration system is entered in the 'CUSTOMS DATA REFERENCE.Reference number MRN', THEN this data element = 'R'. ELSE IF an MRN from the new customs clearance system (UTU) has been declared in data element 'CUSTOMS DATA REFERENCE.Reference number MRN', THEN this data element = '0'. ELSE this data element is not used.						
	Item number	R	n..5	[GoodsShipment. Consignment] ConsignmentItem	sequence	numeric
(REPRESENTATIVE) TRADER 1X		D				
IF the carrier uses a representative, then this data = 'R'. ELSE it is not used.						
Name		O	an..35	[Declaration] Agent	(Party) name1	lineType
Name continuation		O	an..35	[Declaration] Agent	(Party) name2	lineType
Street and number		O	an..35	[Declaration] Agent	(Party.Address) line	lineType
Postal code		O	an..9	[Declaration] Agent	(Party.Address) post-Code	postalCode
City		O	an..35	[Declaration] Agent	(Party.Address) city	lineType
Country		O	a2	[Declaration] Agent	(Party.Address) country	countryCode
Code list 0058 Capital letters must be used.						
TIN		R	an..17	[Declaration] Agent	(Party) identity	identifier
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[Declaration] Agent	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = 'R'. ELSE it is not used.						
CONTACT INFORMATION 1X		R				
Contact person name		R	an..35	[Declaration] RepresentativePerson	(Party.Contact) name	lineType
Contact person telephone		R	an..35	[Declaration] RepresentativePerson	(Party. Communication) telephone	lineType
Contact person e-mail		O	an..100	[Declaration] RepresentativePerson	(Party. Communication) email	emailType

Level 1	RDO	Format	Path	(General type) tag	type
HEADER [MANIFEST] 1X	R				
LRN (Local reference number)	R	an..22	[Declaration] Document	reference	lineType
Customs reference number	R	an17	Declaration	customsReference	identifier
IE 547 Export manifest presentation reference number					
Dialog language indicator at destination	D	a2	Declaration	language	languageCode
Code list 0036					
The attribute is used as the basic language to be used in any further communication between the Trader and the Customs system. If the trader does not use this attribute then the Customs system will use the default language.					
(ACTUAL EXIT) CUSTOMS OFFICE 1X	R				
Reference number	R	an8	[Declaration] ExitCustomsOffice	(CustomsOffice.Location) code	identifier
Capital letters must be used.					
PASSAGE EXIT 1X	R				
Date and time of Exit	R	dateTime	[Declaration] Border-TransportMeans	exit	dateTime
(EXIT CARRIER) TRADER 1X	R				
Name	O	an..35	[Declaration] Carrier	(Party) name1	lineType
Name continuation	O	an..35	[Declaration] Carrier	(Party) name2	lineType
Street and number	O	an..35	[Declaration] Carrier	(Party.Address) line	lineType
Postal code	O	an..9	[Declaration] Carrier	(Party.Address) postCode	postalCode
City	O	an..35	[Declaration] Carrier	(Party.Address) city	lineType
Country	O	a2	[Declaration] Carrier	(Party.Address) country	countryCode
Code list 0058					
Capital letters must be used.					
TIN	R	an..17	[Declaration] Carrier	(Party) identity	identifier
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.					
TIN extension	D	an5	[Declaration] Carrier	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.					
(REPRESENTATIVE) TRADER 1X	D				
IF representative is used, THEN this data group = R. ELSE this data group is not used.					
Name	O	an..35	[Declaration] Agent	(Party) name1	lineType
Name continuation	O	an..35	[Declaration] Agent	(Party) name2	lineType
Street and number	O	an..35	[Declaration] Agent	(Party.Address) line	lineType
Postal code	O	an..9	[Declaration] Agent	(Party.Address) postCode	postalCode
City	O	an..35	[Declaration] Agent	(Party.Address) city	lineType
Country	O	a2	[Declaration] Agent	(Party.Address) country	countryCode
Code list 0058					
Capital letters must be used.					
TIN	R	an..17	[Declaration] Agent	(Party) identity	identifier
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.					
TIN extension	D	an5	[Declaration] Agent	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.					
CONTACT INFORMATION 1X	R				
Contact person name	R	an..35	[Declaration] RepresentativePerson	(Party.Contact) name	lineType
Contact person telephone	R	an..35	[Declaration] RepresentativePerson	(Party. Communication) telephone	lineType
Contact person e-mail	O	an..100	[Declaration] RepresentativePerson	(Party. Communication) email	emailType

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
HEADER [SUMMARY DECLARATION] 1X		R				
Reference number MRN		R	an18	Declaration	MRN	mrn
Dialog language indicator at destination		D	a2	Declaration	language	languageCode
Code list 0036						
The attribute is used as the basic language to be used in any further communication between the Trader and the Customs system. If the trader does not use this attribute then the Customs system will use the default language.						
Total number of items		R	n..5	Declaration	goodsItem	quantity
Total number of packages		O	n..7	[Declaration] Declaration-Packaging	(Packaging) packages	quantity
R105: The total number of packages is equal to the sum of all "Number of packages" + all "Number of pieces" + a value of "1" for each declared bulk. This control is not possible when "Number of loading lists" (box 4) is used.						
Total gross mass		D	n..11,3	Declaration	totalGrossMass	measure
C581: IF the attribute 'GOODS ITEM.Gross mass' is used THEN this attribute is = 'R' ELSE this attribute is = 'O'						
TR0021: The value of this field must be larger than zero (0).						
Location type		R	a1	[Declaration] ExitLocation	(Location) qualifier	locationQualifierCode
Code list 0114						
Customs office (Location of goods)		D	an..17	[Declaration] ExitLocation	(Location) code	identifier
IF Location type is 'Z', enter the customs office code IF Location type = 'L', 'P' or 'O', THEN this data element is not used.						
Location of goods		D	an..17	[Declaration] ExitLocation	(Location) name	text
IF Location type = 'L', 'P' or 'O', THEN enter the name of the location. IF Location type is 'Z', THEN this data element is not used.						
Declaration date and time		R	dateTime	Declaration	(Document) issue	dateTime
Declaration place		R	an..35	Declaration	(Document) issue-Location	lineType
Specific Circumstance Indicator		O	a1	[GoodsShipment.Consignment] AdditionalInformation	circumstance	circumstanceCode
Code list 0402						
The 'Specific circumstance indicator' with value 'E' (AEO) can be used only if the 'Person lodging the exit summary declaration', all 'Consignors' and 'Representative' declared in the exit summary declaration/ 'Declarant' and all 'Exporters' declared in the export declaration have a valid AEO certificate of type 'AEOF' or 'AEOS'.						
Capital letters must be used.						
Transport charges / method of payment		O	a1	[GoodsShipment.Consignment] FreightPayment	method	freightPaymentMethodCode
Code list 0327						
Capital letters must be used.						
Commercial reference number		D	an..70	[GoodsShipment.Consignment] UCR	traderReference	textType
C567: IF the attribute 'Specific Circumstance Indicator = 'A' THEN the attribute 'Commercial Reference Number (box 7)', 'Commercial Reference Number (ex box 7)' and the datagroup 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O' ELSE IF the attribute 'Commercial Reference Number (box 7)' and 'Commercial Reference Number (ex box 7)' is not used, THEN at least one attribute 'PRODUCED DOCUMENTS/CERTIFICATES.Document type' pointing to a transport document must be present ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'						
R876: If the same 'Commercial reference number' is declared for all goods items, the attribute 'Commercial reference number' (box 7) on Export Operation level is used. The attribute 'Commercial reference number' (ex box 7) on goods item level can not be used						
(CONSIGNOR) TRADER 1X		O				
R010: If the same Consignor/Exporter is declared for all goods items, the data group 'TRADER Consignor (box 2)'/ 'TRADER Exporter (box 2)' on TRANSIT OPERATION/EXPORT OPERATION/IMPORT OPERATION level is used. The data group 'TRADER Consignor (ex box 2)'/ 'TRADER Exporter(box 2)' on GOODS ITEM level can not be used						
R804: The data group 'TRADER Consignor' must be used if it is different from the data group 'PERSON Lodging the summary declaration'.						
Name		D	an..35	[GoodsShipment.Consignment] Consignor	(Party) name1	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Name continuation		O	an..35	[GoodsShipment.Consignment] Consignor	(Party) name2	lineType
Street and number		D	an..35	[GoodsShipment.Consignment] Consignor	(Party.Address) line	lineType

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Postal code		D	an..9	[GoodsShipment.Consignment] Consignor	(Party.Address) post-Code	postalCode
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
City		D	an..9	[GoodsShipment.Consignment] Consignor	(Party.Address) city	lineType
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Country		D	an..35	[GoodsShipment.Consignment] Consignor	(Party.Address) country	countryCode
Code list 0058						
C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'						
Capital letters must be used.						
TIN		D	a2	[GoodsShipment.Consignment] Consignor	(Party) identity	identifier
C562: IF 'Specific circumstance indicator' is 'E' THEN the attribute = 'R' ELSE the attribute = 'O'						
R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.						
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.						
TIN extension		D	an5	[GoodsShipment.Consignment] Consignor	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
(CONSIGNEE) TRADER 1X						
R011: If the same Consignee is declared for all goods items, the data group 'TRADER Consignee (box 8)' on TRANSIT OPERATION/EXPORT OPERATION level is used. The data group 'TRADER Consignee (ex box 8)' on GOODS ITEM level can not be used						
Name		R	an..35	[GoodsShipment.Consignment] Consignee	(Party) name1	lineType
Name continuation		O	an..35	[GoodsShipment.Consignment] Consignee	(Party) name2	lineType
Street and number		R	an..35	[GoodsShipment.Consignment] Consignee	(Party.Address) line	lineType
Postal code		D	an..9	[GoodsShipment.Consignment] Consignee	(Party.Address) post-Code	postalCode
City		R	an..35	[GoodsShipment.Consignment] Consignee	(Party.Address) city	lineType
Country		R	a2	[GoodsShipment.Consignment] Consignee	(Party.Address) country	countryCode
Code list 0058						
Capital letters must be used.						
TIN		O	an..17	[GoodsShipment.Consignment] Consignee	(Party) identity	identifier
R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.						
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.						
TIN extension		D	an5	[GoodsShipment.Consignment] Consignee	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
(EXIT) CUSTOMS OFFICE 1X						
R853: The amendment request must be sent to the Member State where the Office of Exit (declared in the initial version of the Exit summary declaration) is located.						
Reference number		R	an8	[Declaration] ExitCustomsOffice	(CustomsOffice. Location) code	identifier
Capital letters must be used.						
GOODS ITEM 999X						
Item number		R	n..5	[GoodsShipment.Consignment] ConsignmentItem	sequence	numeric
R007: Each "Item no" (box 32) is unique throughout the declaration. The items shall be numbered in a sequential fashion, starting from '1' for the first item and incrementing the numbering by '1' for each following item.						
Goods description		O	an..280	[GoodsShipment.Consignment] ConsignmentItem] Commodity	cargoDescription	text

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
<p>A plain language description that is precise enough for Customs services to be able to identify the goods. General terms (i.e. "consolidated", "general cargo" or "parts") cannot be accepted. A list of such general terms is published by the Commission at web site: http://ec.europa.eu/taxation_customs/resources/documents/customs/policy_issues/customs_security/acceptable_goods_description_guidelines_en.pdf</p>						
Gross mass		D	n..11,3	[GoodsShipment.Consignment.ConsignmentItem] Goods-Measure	grossMass	measure
<p>C580: IF the attribute 'Specific circumstance indicator' = 'E' THEN this attribute is = 'O' ELSE this attribute is = 'R'</p>						
Transport charges / method of payment		D	a1	[GoodsShipment.Consignment.ConsignmentItem] FreightPayment	method	freightPayment MethodCode
<p>Code list 0327</p> <p>C576: IF the attribute EXPORT OPERATION / IMPORT OPERATION / TRANSIT OPERATION.Transport charges – Method of payment' is used THEN this attribute can not be used ELSE this attribute = 'O'</p> <p>TR9120: If used, this data item has to be filled in at GOODS ITEM level only if there is more than one value, If there is one value, it has to be filled in at HEADER level Capital letters must be used.</p>						
Commercial reference number		D	an..70	[GoodsShipment.Consignment.ConsignmentItem] UCR	traderReference	textType
<p>C567: IF the attribute 'Specific Circumstance Indicator = 'A' THEN the attribute 'Commercial Reference Number (box 7)', 'Commercial Reference Number (ex box 7)' and the datagroup 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O' ELSE IF the attribute 'Commercial Reference Number (box 7)' and 'Commercial Reference Number (ex box 7)' is not used, THEN at least one attribute 'PRODUCED DOCUMENTS/CERTIFICATES.Document type' pointing to a transport document must be present ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'</p> <p>R876: If the same 'Commercial reference number' is declared for all goods items, the attribute 'Commercial reference number' (box 7) on Export Operation level is used. The attribute 'Commercial reference number' (ex box 7) on goods item level can not be used</p>						
UN dangerous goods code		O	n4	[GoodsShipment.Consignment.ConsignmentItem] Commodity	UNDG	dangerousGoods Code
<p>No code list available</p>						
PRODUCED DOCUMENTS / CERTIFICATES 99X		D				
<p>C567: IF the attribute 'Specific Circumstance Indicator = 'A' THEN the attribute 'Commercial Reference Number (box 7)', 'Commercial Reference Number (ex box 7)' and the datagroup 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O' ELSE IF the attribute 'Commercial Reference Number (box 7)' and 'Commercial Reference Number (ex box 7)' is not used, THEN at least one attribute 'PRODUCED DOCUMENTS/CERTIFICATES.Document type' pointing to a transport document must be present ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'</p> <p>The used transport documents are: N235, N271, N703, N704, N705, N710, N714, N720, N722, N730, N740, N741, N750, N760, N785, N787, N952, N955.</p> <p>If the declaration is used as an exit summary declaration for terminating temporary warehousing, the code '2YVP' specifying this must be specified for all goods items. The value of the code shall be the current date(DD.MM.YYYY).</p>						
Document type		R	an..4	[GoodsShipment.Consignment.ConsignmentItem] AdditionalDocument	(Document) type	documentType Code
<p>Code list 0006</p>						
Document reference		R	an..35	[GoodsShipment.Consignment.ConsignmentItem] AdditionalDocument	(Document) reference	lineType
PREVIOUS ADMINISTRATIVE REFERENCES 99X		R				
<p>Entry summary declaration or summary declaration (AREX) MRN and MRN item, transit declaration (NCTS) MRN, MRN, transport document reference and MRN-item of entry summary declaration in the new customs clearance system (UTU) or other document from code list 0006 must be used.</p>						
Document type		R	an..4	[GoodsShipment.Consignment.ConsignmentItem] PreviousCustomsDocument	(Document) type	documentType- Code

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	Code list 0006					
	If exit summary declaration is preceded by electronic transit declaration (1701), electronic entry summary declaration (1702 or 1703), or electronic summary declaration (1702), to which Customs have assigned an MRN, the corresponding document code (1701, or 1702 or 1703) is always to be presented as previous document code. If exit summary declaration is not preceded by any of the above declarations, another previous document code from code list 0006 is to be declared.					
	Document reference	R	an..35	[GoodsShipment.Consignment.ConsignmentItem] PreviousCustomsDocument	(Document) reference	lineType
	If exit summary declaration is preceded by electronic transit, electronic entry summary declaration or electronic summary declaration, to which Customs have assigned an MRN, enter MRN for corresponding declaration. In other cases enter the number of the previous document in question.					
	Transport document reference	D	an..70	[GoodsShipment.Consignment.ConsignmentItem] PreviousCustoms Document	(Document) transportContractDocument	textType
	If exit summary declaration is preceded entry summary declaration from the new customs clearance system (code 1703), the transport document reference is entered. ELSE data is not entered.					
	Item number	D	n..4	[GoodsShipment.Consignment.ConsignmentItem] PreviousCustoms Document	(Document) sequence	numeric
	If exit summary declaration is preceded by electronic entry summary declaration or summary declaration (code 1702), the item number of the corresponding MRN-item is to be declared. ELSE data is not entered.					
	(CONSIGNOR) TRADER 1X	O				
	R010: If the same Consignor/Exporter is declared for all goods items, the data group 'TRADER Consignor (box 2)'/ 'TRADER Exporter (box 2)' on TRANSIT OPERATION/EXPORT OPERATION/IMPORT OPERATION level is used. The data group 'TRADER Consignor (ex box 2)'/ 'TRADER Exporter (box 2)' on GOODS ITEM level can not be used					
	Name	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party) name1	lineType
	C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'					
	Name continuation	O	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party) name2	lineType
	Street and number	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party.Address) line	lineType
	C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'					
	Postal code	D	an..9	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party.Address) post-Code	postalCode
	C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'					
	City	D	an..9	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party.Address) city	lineType
	C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'					
	Country	D	a2	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party.Address) country	countryCode
	Code list 0058					
	C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'					
	Capital letters must be used.					
	TIN	D	an..17	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party) identity	identifier

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	<p>C562: IF 'Specific circumstance indicator is 'E' THEN the attribute = 'R' ELSE the attribute = 'O'</p> <p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.: IF 'Specific circumstance indicator is 'E'</p>					
	TIN extension	D	an5	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party) identityExtension	identifierExtension
	IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.					
	(CODE) COMMODITY 1X	D				
	Combined Nomenclature	R	an..10	[GoodsShipment.Consignment.ConsignmentItem] Commodity	tariffClassification	identifier
	<p>C585: IF the attribute 'GOODS ITEM.Textual description' is used THEN this data group is = 'O' ELSE this data group is = 'R'</p> <p>R881: If the attribute is used, its minimum length is 4 digits.</p>					
	(CONSIGNEE) TRADER 1X	O				
	<p>RO11: If the same Consignee is declared for all goods items, the data group 'TRADER Consignee (box 8)' on TRANSIT OPERATION/EXPORT OPERATION level is used. The data group 'TRADER Consignee (ex box 8)' on GOODS ITEM level can not be used</p>					
	Name	R	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party) name1	lineType
	Name continuation	O	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party) name2	lineType
	Street and number	R	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party.Address) line	lineType
	Postal code	D	an..9	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party.Address) postCode	postalCode
	City	R	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party.Address) city	lineType
	Country	R	a2	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party.Address) country	countryCode
	Code list 0058 Capital letters must be used.					
	TIN	O	an..17	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party) identity	identifier
	<p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g F11234567-1.</p>					
	TIN extension	D	an5	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party) identityExtension	identifierExtension
	IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.					
	CONTAINERS 99X	D				
	If goods depart in containers, the container numbers must be entered.					
	Container number	R	an..17	[GoodsShipment.Consignment.ConsignmentItem] EquipmentIdentification	identification	identifier
	PACKAGES 99X	D				

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	<p>C577: IF the attribute 'Specific circumstance indicator' = 'A' THEN this data group = 'O' ELSE this data group = 'R'</p>					
	Marks & numbers of packages (long)	D	an..140	[GoodsShipment.Consignment.ConsignmentItem] ConsignmentItemPackaging	(Packaging) markNumber	packageMarks
	Kind of packages	R	an..3	[GoodsShipment.Consignment.ConsignmentItem] ConsignmentItemPackaging	(Packaging) type	packageTypeCode
	Code list 0075 Capital letters must be used.					
	Number of packages	D	n..5	[GoodsShipment.Consignment.ConsignmentItem] ConsignmentItemPackaging	(Packaging) packages	quantity
	<p>C061: IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY', 'VR', 'VS' or 'VO') THEN 'Number of packages' (box 31) can not be used 'Number of Pieces' (box 31) can not be used ELSE IF 'Kind of packages' (Box 31) indicates 'UNPACKED' (UNECE rec 21: = 'NE', 'NF' or 'NG') THEN 'Number of packages' can not be used 'Number of Pieces' (box 31) = 'R' ELSE 'Number of packages' (box 31) = 'R' 'Number of Pieces' (box 31) can not be used</p> <p>R021: A zero '0' is to be considered as a valid number in this field.</p> <p>TRO022: In case the value of a MESSAGE.GOODS ITEM.PACKAGES.Number of Packages is '0' then there should exist at least one GOODS ITEM with the same 'Marks and Numbers of Packages', and 'Number of Packages' with value greater than '0'.</p>					
	Number of pieces	D	n..5	[GoodsShipment.Consignment.ConsignmentItem] ConsignmentItemPackaging	(Packaging) pieces	quantity
	<p>C061: IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY', 'VR', 'VS' or 'VO') THEN 'Number of packages' (box 31) can not be used 'Number of Pieces' (box 31) can not be used ELSE IF 'Kind of packages' (Box 31) indicates 'UNPACKED' (UNECE rec 21: = 'NE', 'NF' or 'NG') THEN 'Number of packages' can not be used 'Number of Pieces' (box 31) = 'R' ELSE 'Number of packages' (box 31) = 'R' 'Number of Pieces' (box 31) can not be used</p>					
ITINERARY 99X		D				
	<p>C570: IF the attribute 'Specific circumstance indicator' = 'A' THEN the attribute must occur at least once (min. 1 value) ELSE this attribute must occur at least twice (min. 2 values)</p> <p>R879: Exit: The country of final destination must be entered in any case. If the special circumstance indicator is not equal to 'A', then at least the country of original departure must be entered additionally. the country of original departure must be entered additionally. Entry: The country of original departure must be entered in any case. If the special circumstance indicator is not equal to 'A', then at least the country of final destination must be entered additionally.</p>					
Country of routing code	R	a2		[GoodsShipment] Consignment	routingCountry	countryCode
Code list 0058 Identification in a chronological order of the countries through which goods are routed between the country of original departure and final destination. This comprises the countries of original departure and of final destination of the goods. This information is to be provided to the extent known. Express consignments — postal consignments: only the country of final destination of the goods shall be provided. Capital letters must be used.						
(REPRESENTATIVE) TRADER 1X		O				
The data group 'TRADER Representative' can be used by the 'PERSON Lodging the entry summary declaration' to authorise a Representative to submit an Entry summary declaration on his behalf at the Office of first Entry concerned. If preventive/prohibitive measures are to be taken (IE351) or if controls at Entry are to be communicated to the trader prior to the arrival at Entry (IE351), the trader identified here will be receiving the 'Advanced intervention notification' – IE351. The data group 'TRADER Representative' can be used by the 'PERSON Lodging the Exit summary declaration' to authorise a Representative lodging or amending an Exit summary declaration on his behalf at the Office of Exit concerned.						
Name	O	an..35		[Declaration] Agent	(Party) name1	lineType
Name continuation	O	an..35		[Declaration] Agent	(Party) name2	lineType
Street and number	O	an..35		[Declaration] Agent	(Party.Address) line	lineType
Postal code	O	an..9		[Declaration] Agent	(Party.Address) post-Code	postalCode
City	O	an..35		[Declaration] Agent	(Party.Address) city	lineType
Country	O	a2		[Declaration] Agent	(Party.Address) country	countryCode
Code list 0058 Capital letters must be used.						

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
TIN		R	an..17	[Declaration] Agent	(Party) identity	identifier
<p>R837: The EORI Trader Identification number (TIN) shall be declared.</p> <p>The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.</p>						
TIN extension		D	an5	[Declaration] Agent	(Party) identityExtension	identifierExtension
<p>IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.</p>						
(LODGING SUMMARY DECLARATION) PERSON 1X		R				
<p>The person who brings the goods, or who assumes responsibility for the carriage of the goods into the customs territory of the Community or the person who acts in that person's name or any person who is able to present the goods in question or to have them presented to the competent customs authority or a representative of one of those persons.</p>						
Name		O	an..35	[Declaration. BorderTransportMeans] Master	(Party) name1	lineType
Name continuation		O	an..35	[Declaration. BorderTransportMeans] Master	(Party) name2	lineType
Street and number		O	an..35	[Declaration. BorderTransportMeans] Master	(Party.Address) line	lineType
Postal code		O	an..9	[Declaration. BorderTransportMeans] Master	(Party.Address) postCode	postalCode
City		O	an..35	[Declaration. BorderTransportMeans] Master	(Party.Address) city	lineType
Country		O	a2	[Declaration. BorderTransportMeans] Master	(Party.Address) country	countryCode
<p>Code list 0058 Capital letters must be used.</p>						
TIN		R	an..17	[Declaration. BorderTransportMeans] Master	(Party.Address) identity	identifier
<p>R837: The EORI Trader Identification number (TIN) shall be declared.</p> <p>The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.</p>						
TIN extension		D	an5	[Declaration. BorderTransportMeans] Master	(Party) identityExtension	identifierExtension
<p>IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.</p>						
SEALS ID 9999X		O				
<p>The identification numbers of the seals affixed to the transport equipment must be entered if seals are used.</p>						
Seals identity		R	an..20	[GoodsShipment.Consignment] TransportEquipment	seal	sealIdentifier
CONTACT INFORMATION 1X		R				
Contact person name		R	an..35	[Declaration] RepresentativePerson	(Party.Contact) name	lineType
Contact person telephone		R	an..35	[Declaration] RepresentativePerson	(Party.Communication) telephone	lineType
Contact person e-mail		O	an..100	[Declaration] RepresentativePerson	(Party.Communication) email	emailType

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
HEADER [SUMMARY DECLARATION] 1X		R				
LRN (Local reference number)		R	an..22	[Declaration] Document	reference	lineType
Dialog language indicator at destination		D	a2	Declaration	language	languageCode
Code list 0036						
The attribute is used as the basic language to be used in any further communication between the Trader and the Customs system. If the trader does not use this attribute then the Customs system will use the default language.						
Total number of items		R	n..5	Declaration	goodsItem	quantity
Total number of packages		O	n..7	[Declaration] DeclarationPackaging	(Packaging) packages	quantity
R105: The total number of packages is equal to the sum of all "Number of packages" + all "Number of pieces" + a value of "1" for each declared bulk. This control is not possible when "Number of loading lists" (box 4) is used.						
Number of individual items packaged in such a way that they cannot be divided without first undoing the packing, or number of pieces, if unpackaged.						
Total gross mass		D	n..11,3	Declaration	totalGrossMass	measure
C581: IF the attribute 'GOODS ITEM.Gross mass' is used THEN this attribute is = 'R' ELSE this attribute is = 'O'						
TR0021: The value of this field must be larger than zero (0).						
Location type		R	a1	[Declaration] ExitLocation	(Location) qualifier	locationQualifierCode
Code list 0114						
Customs office (Location of goods)		D	an..17	[Declaration] ExitLocation	(Location) code	identifier
IF Location type is 'Z', enter the customs office code IF Location type = 'L', 'P' or 'O', THEN this data element is not used.						
Location of goods		D	an..17	[Declaration] ExitLocation	(Location) name	text
IF Location type = 'L', 'P' or 'O', THEN enter the name of the location. IF Location type is 'Z', THEN this data element is not used.						
Declaration date and time		R	dateTime	Declaration	(Document) issue	dateTime
Declaration place		R	an..35	Declaration	(Document) issue-Location	lineType
Specific Circumstance Indicator		O	a1	[GoodsShipment.Consignment] Additional-Information	circumstance	circumstanceCode
Code list 0402						
Indicates the special circumstance the benefit of which is claimed by the trader concerned.						
The 'Specific circumstance indicator' with value 'E' (AEO) can be used only if the 'Person lodging the exit summary declaration', all 'Consignors' and 'Representative' declared in the exit summary declaration/ 'Declarant' and all 'Exporters' declared in the export declaration have a valid AEO certificate of type 'AEOF' or 'AEOS'.						
Capital letters must be used.						
Transport charges / method of payment		O	a1	[GoodsShipment.Consignment] FreightPayment	method	freightPayment-MethodCode
Code list 0327						
Capital letters must be used.						
Commercial reference number		D	an..70	[GoodsShipment. Consignment] UCR	traderReference	textType
C567: IF the attribute 'Specific Circumstance Indicator = 'A' THEN the attribute 'Commercial Reference Number (box 7)', 'Commercial Reference Number (ex box 7)' and the datagroup 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O' ELSE IF the attribute 'Commercial Reference Number (box 7)' and 'Commercial Reference Number (ex box 7)' is not used, THEN at least one attribute 'PRODUCED DOCUMENTS/CERTIFICATES.Document type' pointing to a transport document must be present ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'						
R876: If the same 'Commercial reference number' is declared for all goods items, the attribute 'Commercial reference number' (box 7) on Export Operation level is used. The attribute 'Commercial reference number' (ex box 7) on goods item level can not be used						
Unique number assigned to goods, for entry, import, exit and export. World Customs Organization / ISO15459 codes or equivalent shall be used.						
(CONSIGNOR) TRADER 1X		O				

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
<p>R010: If the same Consignor/Exporter is declared for all goods items, the data group 'TRADER Consignor (box 2)'/ 'TRADER Exporter (box 2)' on TRANSIT OPERATION/EXPORT OPERATION/IMPORT OPERATION level is used. The data group 'TRADER Consignor (ex box 2)'/ 'TRADER Exporter (box 2)' on GOODS ITEM level can not be used</p> <p>R804: The data group 'TRADER Consignor' must be used if it is different from the data group 'PERSON Lodging the summary declaration'.</p> <p>Party consigning goods as stipulated in the transport contract by the party ordering transport.</p>						
Name		D	an..35	[GoodsShipment.Consignment] Consignor	(Party) name1	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
Name continuation		O	an..35	[GoodsShipment.Consignment] Consignor	(Party) name2	lineType
Street and number		D	an..35	[GoodsShipment.Consignment] Consignor	(Party.Address) line	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
Postal code		D	an..9	[GoodsShipment.Consignment] Consignor	(Party.Address) postCode	postalCode
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
City		D	an..35	[GoodsShipment.Consignment] Consignor	(Party.Address) city	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
Country		D	a2	[GoodsShipment.Consignment] Consignor	(Party.Address) country	countryCode
<p>Code list 0058</p> <p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p> <p>Capital letters must be used.</p>						
TIN		D	an..17	[GoodsShipment.Consignment] Consignor	(Party) identity	identifier
<p>C562: IF 'Specific circumstance indicator is 'E' THEN the attribute = 'R' ELSE the attribute = 'O'</p> <p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.</p> <p>The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.</p>						
TIN extension		D	an5	[GoodsShipment.Consignment] Consignor	(Party) identityExtension	identifierExtension
<p>IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.</p>						
(CONSIGNEE) TRADER 1X		O				
<p>R011: If the same Consignee is declared for all goods items, the data group 'TRADER Consignee (box 8)' on TRANSIT OPERATION/EXPORT OPERATION level is used. The data group 'TRADER Consignee (ex box 8)' on GOODS ITEM level can not be used</p> <p>Party to whom goods are actually consigned. In cases involving subcontracting, this information shall be provided where available.</p>						
Name		R	an..35	[GoodsShipment.Consignment] Consignee	(Party) name1	lineType
Name continuation		O	an..35	[GoodsShipment.Consignment] Consignee	(Party) name2	lineType
Street and number		R	an..35	[GoodsShipment.Consignment] Consignee	(Party.Address) line	lineType
Postal code		D	an..9	[GoodsShipment.Consignment] Consignee	(Party.Address) postCode	postalCode
City		R	an..35	[GoodsShipment.Consignment] Consignee	(Party.Address) city	lineType
Country		R	a2	[GoodsShipment.Consignment] Consignee	(Party.Address) country	countryCode
<p>Code list 0058</p> <p>Capital letters must be used.</p>						
TIN		O	an..17	[GoodsShipment.Consignment] Consignee	(Party) identity	identifier
<p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.</p> <p>The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.</p>						
TIN extension		D	an5	[GoodsShipment.Consignment] Consignee	(Party) identityExtension	identifierExtension
<p>IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.</p>						

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
(EXIT) CUS-TOMS OFFICE 1X		R				
Reference number		R	an8	[Declaration] ExitCus-tomsOffice	(CustomsOffice.Location) code	identifier
<p>The customs office of exit shall be the last customs office before the goods leave the customs territory of the Community, unless the goods are taken over under a single transport contract for transport of the goods out of the customs territory of the Community by the railway companies, the postal authorities, the airlines or the shipping companies, the goods are to leave the customs territory of the Community by rail, post, air or sea and the declarant or his representative requests that the formalities be carried out at the customs office competent for the place where the goods are taken over.</p> <p>Capital letters must be used.</p>						
GOODS ITEM 999X		R				
Item number		R	n..5	[GoodsShipment.Consignment] ConsignmentItem	sequence	numeric
<p>R005: "Item no" (box 32) is always used even if "Items" (box 5) = "1", "Item no" (box 32) is also "1"</p> <p>R007: Each "Item no" (box 32) is unique throughout the declaration. The items shall be numbered in a sequential fashion, starting from '1' for the first item and incrementing the numbering by '1' for each following item.</p>						
Goods description		O	an..280	[GoodsShipment.Consignment.ConsignmentItem] Commodity	cargoDescription	text
<p>A plain language description that is precise enough for Customs services to be able to identify the goods. General terms (i.e. "consolidated", "general cargo" or "parts") cannot be accepted. A list of such general terms is published by the Commission at the web site: http://ec.europa.eu/taxation_customs/resources/documents/customs/policy_issues/customs_security/acceptable_goods_description_guidelines_en.pdf</p>						
Gross mass		D	n..11,3	[GoodsShipment.Consignment.ConsignmentItem] GoodsMeasure	grossMass	measure
<p>C580: IF the attribute 'Specific circumstance indicator' = 'E' THEN this attribute is = 'O' ELSE this attribute is = 'R'</p> <p>Weight (mass) of goods including packaging but excluding the carrier's equipment for the declaration.</p>						
Transport charges / method of payment		D	a1	[GoodsShipment.Consignment.ConsignmentItem] FreightPayment	method	freightPayment-MethodCode
<p>Code list 0327</p> <p>C576: IF the attribute EXPORT OPERATION / IMPORT OPERATION / TRANSIT OPERATION.'Transport charges – Method of payment' is used THEN this attribute can not be used ELSE this attribute = 'O'</p> <p>TR9120: If used, this data item has to be filled in at GOODS ITEM level only if there is more than one value, If there is one value, it has to be filled in at HEADER level</p> <p>Capital letters must be used.</p>						
Commercial reference number		D	an..70	[GoodsShipment.Consignment.ConsignmentItem] UCR	traderReference	textType
<p>C567: IF the attribute 'Specific Circumstance Indicator' = 'A' THEN the attribute 'Commercial Reference Number (box 7)', 'Commercial Reference Number (ex box 7)' and the datagroup 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O' ELSE IF the attribute 'Commercial Reference Number (box 7)' and 'Commercial Reference Number (ex box 7)' is not used, THEN at least one attribute 'PRODUCED DOCUMENTS/CERTIFICATES.Document type' pointing to a transport document must be present ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'</p> <p>R876: If the same 'Commercial reference number' is declared for all goods items, the attribute 'Commercial reference number' (box 7) on Export Operation level is used. The attribute 'Commercial reference number' (ex box 7) on goods item level can not be used</p> <p>Unique number assigned to goods, for entry, import, exit and export. World Customs Organization / ISO15459 codes or equivalent shall be used.</p>						
UN dangerous goods code		O	n4	[GoodsShipment.Consignment.ConsignmentItem] Commodity	UNDG	dangerous-GoodsCode
<p>No code list available</p> <p>The United Nations Dangerous Goods Identifier (UNDG) is the unique serial number (n4) assigned within the United Nations to substances and articles contained in a list of the dangerous goods most commonly carried. This element shall only be provided where it is relevant.</p>						
PRODUCED DOCUMENTS / CERTIFICATES 99X		D				

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	<p>C567: IF the attribute 'Specific Circumstance Indicator = 'A' THEN the attribute 'Commercial Reference Number (box 7)', 'Commercial Reference Number (ex box 7)' and the datagroup 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O' ELSE IF the attribute 'Commercial Reference Number (box 7)' and 'Commercial Reference Number (ex box 7)' is not used, THEN at least one attribute 'PRODUCED DOCUMENTS/CERTIFICATES.Document type' pointing to a transport document must be present ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O' The used transport documents are: N235, N271, N703, N704, N705, N710, N714, N720, N722, N730, N740, N741, N750, N760, N785, N787, N952, N955. Reference of the transport document covers the transport of goods into or out of the customs territory. If the declaration is used as an exit summary declaration for terminating temporary warehousing, the code '2YVP' specifying this must be specified for all goods items. The value of the code shall be the current date(DD.MM.YYYY).</p>					
	Document type	R	an..4	[GoodsShipment.Consignment.ConsignmentItem] AdditionalDocument	(Document) type	documentType-Code
	Code list 0006					
	Document reference	R	an..35	[GoodsShipment.Consignment.ConsignmentItem] AdditionalDocument	(Document) reference	lineType
	PREVIOUS ADMINISTRATIVE REFERENCES 99X					
	Entry summary declaration or summary declaration (AREX) MRN and MRN item, transit declaration (NCTS) MRN, MRN, transport document reference and MRN-item of entry summary declaration in the new customs clearance system (UTU) or other document from code list 0006 must be used.					
	Document type	Document type	Document type	Document type	Document type	Document type
	Code list 0006					
	If exit summary declaration is preceded by electronic transit declaration (1701), electronic entry summary declaration (1702 or 1703), or electronic summary declaration (1702), to which Customs have assigned an MRN, the corresponding document code (1701, or 1702 or 1703) is always to be presented as previous document code. If exit summary declaration is not preceded by any of the above declarations, another previous document code from code list 0006 is to be declared.					
	Document reference	Document reference	Document reference	Document reference	Document reference	Document reference
	If exit summary declaration is preceded by electronic transit, electronic entry summary declaration or electronic summary declaration, to which Customs have assigned an MRN, enter MRN for corresponding declaration. In other cases enter the number of the previous document in question.					
	Transport document reference	Transport document reference	Transport document reference	Transport document reference	Transport document reference	Transport document reference
	If exit summary declaration is preceded entry summary declaration from the new customs clearance system (code 1703), the transport document reference is entered. ELSE data is not entered.					
	Item number	D	n..4	[GoodsShipment.Consignment.ConsignmentItem] PreviousCustomsDocument	(Document) sequence	numeric
	If exit summary declaration is preceded by electronic entry summary declaration or summary declaration (code 1702), the item number of the corresponding MRN-item is to be declared. ELSE data is not entered.					
	(CONSIGNOR) TRADER 1X					
	R010: If the same Consignor/Exporter is declared for all goods items, the data group 'TRADER Consignor (box 2)'/ 'TRADER Exporter (box 2)' on TRANSIT OPERATION/EXPORT OPERATION/IMPORT OPERATION level is used. The data group 'TRADER Consignor (ex box 2)'/ 'TRADER Exporter (box 2)' on GOODS ITEM level can not be used.					
	Name	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party) name1	lineType
	C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'					
	Name continuation	O	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party) name2	lineType
	Street and number	D	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party.Address) line	lineType
	C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'					

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	Postal code	D	an..9	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party.Address) postalCode	postalCode
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
	City	D	an..9	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party.Address) city	lineType
<p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p>						
	Country	D	a2	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party.Address) country	countryCode
<p>Code list 0058</p> <p>C501: IF the attribute 'TIN' is present in the data group THEN this attribute cannot be used ELSE this attribute = 'R'</p> <p>Capital letters must be used.</p>						
	TIN	D	an..17	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party) identity	identifier
<p>C562: IF 'Specific circumstance indicator' is 'E' THEN the attribute = 'R' ELSE the attribute = 'O'</p> <p>R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.</p>						
	TIN extension	D	an5	[GoodsShipment.Consignment.ConsignmentItem] Consignor	(Party) identityExtension	identifierExtension
<p>IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.</p>						
	(CODE) COM-MODITY 1X	D				
	Combined Nomenclature	R	an..10	[GoodsShipment.Consignment.ConsignmentItem] Commodity	tariffClassification	identifier
<p>C585: IF the attribute 'GOODS ITEM.Textual description' is used THEN this data group is = 'O' ELSE this data group is = 'R'</p> <p>R881: If the attribute is used, its minimum length is 4 digits.</p>						
	(CONSIGNEE) TRADER 1X	O				
<p>R011: If the same Consignee is declared for all goods items, the data group 'TRADER Consignee (box 8)' on TRANSIT OPERATION/EXPORT OPERATION level is used. The data group 'TRADER Consignee (ex box 8)' on GOODS ITEM level can not be used Party to whom goods are actually consigned. In cases involving sub-contracting, this information shall be provided where available.</p>						
	Name	R	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party) name1	lineType
	Name continuation	O	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party) name2	lineType
	Street and number	R	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party.Address) line	lineType
	Postal code	D	an..9	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party.Address) postalCode	postalCode
	City	R	an..35	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party.Address) city	lineType

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	Country	R	a2	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party.Address) country	countryCode
Code list 0058 Capital letters must be used.						
	TIN	O	an..17	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party) identity	identifier
R840: If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification number (TCUIN) which has been made available to the Union by the third country concerned, then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g FI1234567-1.						
	TIN extension	D	an5	[GoodsShipment.Consignment.ConsignmentItem] Consignee	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
	CONTAINERS 99X	O				
If goods depart in containers, the container numbers must be entered.						
	Container number	R	an..17	[GoodsShipment.Consignment.ConsignmentItem.TransportEquipment] EquipmentIdentification	identification	identifier
Marks which identify the container.						
	PACKAGES 99X	D				
C577: IF the attribute 'Specific circumstance indicator' = 'A' THEN this data group = 'O' ELSE this data group = 'R'						
	Marks & numbers of packages (long)	O	an..140	[GoodsShipment.Consignment.ConsignmentItem] ConsignmentItemPackaging	(Packaging) markNumber	packageMarks
Free form description of the marks and numbers on transport units or packages. This information shall only be provided for packaged goods where applicable. Where goods are containerised, the container number can replace the shipping marks, which can however be provided by the trader where available. A UCR or the references in the transport document that allows for the unambiguous identification of all packages in the consignment may replace the shipping marks.						
	Kind of packages	R	an..3	[GoodsShipment.Consignment.ConsignmentItem] ConsignmentItemPackaging	(Packaging) type	packageType Code
Code list 0075 Capital letters must be used.						
	Number of packages	D	n..5	[GoodsShipment.Consignment.ConsignmentItem] ConsignmentItemPackaging	(Packaging) packages	quantity
C061: IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY', 'VR', 'VS' or 'VO') THEN 'Number of packages' (box 31) can not be used 'Number of Pieces' (box 31) can not be used ELSE IF 'Kind of packages' (Box 31) indicates 'UNPACKED' (UNECE rec 21: = 'NE', 'NF' or 'NG') THEN 'Number of packages' can not be used 'Number of Pieces' (box 31) = 'R' ELSE 'Number of packages' (box 31) = 'R' 'Number of Pieces' (box 31) can not be used						
R021: A zero '0' is to be considered as a valid number in this field.						
TRO022: In case the value of a MESSAGE.GOODS ITEM.PACKAGES.Number of Packages is '0' then there should exist at least one GOODS ITEM with the same 'Marks and Numbers of Packages', and 'Number of Packages' with value greater than '0'.						
	Number of pieces	D	n..5	[GoodsShipment.Consignment.ConsignmentItem] ConsignmentItemPackaging	(Packaging) pieces	quantity

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
	<p>CO61: IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY', 'VR', 'VS' or 'VO') THEN 'Number of packages' (box 31) can not be used 'Number of Pieces' (box 31) can not be used ELSE IF 'Kind of packages' (Box 31) indicates 'UNPACKED' (UNECE rec 21: = 'NE', 'NF' or 'NG') THEN 'Number of packages' can not be used 'Number of Pieces' (box 31) = 'R' ELSE 'Number of packages' (box 31) = 'R' 'Number of Pieces' (box 31) can not be used</p>					
ITINERARY 99X	D					
	<p>C570: IF the attribute 'Specific circumstance indicator' = 'A' THEN the attribute must occur at least once (min. 1 value) ELSE this attribute must occur at least twice (min. 2 values)</p> <p>R879: Exit: The country of final destination must be entered in any case. If the special circumstance indicator is not equal to 'A', then at least the country of original departure must be entered additionally. the country of original departure must be entered additionally. Entry: The country of original departure must be entered in any case. If the special circumstance indicator is not equal to 'A', then at least the country of final destination must be entered additionally.</p>					
Country of routing code		R	a2	[GoodsShipment] Con- signment	routingCountry	countryCode
Code list 0058						
Identification in a chronological order of the countries through which goods are routed between the country of original departure and final destination. This comprises the countries of original departure and of final destination of the goods.						
This information is to be provided to the extent known. Express consignments — postal consignments: only the country of final destination of the goods shall be provided.						
Capital letters must be used.						
(REPRESENTATIVE) TRADER 1X	O					
The data group 'TRADER Representative' can be used by the 'PERSON Lodging the Exit summary declaration' to authorise a Representative lodging or amending an Exit summary declaration on his behalf at the Office of Exit concerned.						
Name		O	an..35	[Declaration] Agent	(Party) name1	lineType
Name continuation		O	an..35	[Declaration] Agent	(Party) name2	lineType
Street and number		O	an..35	[Declaration] Agent	(Party.Address) line	lineType
Postal code		O	an..9	[Declaration] Agent	(Party.Address) postCode	postalCode
City		O	an..35	[Declaration] Agent	(Party.Address) city	lineType
Country		O	a2	[Declaration] Agent	(Party.Address) country	countryCode
Code list 0058						
Capital letters must be used.						
TIN		R	an..17	[Declaration] Agent	(Party) identity	identifier
R837: The EORI Trader Identification number (TIN) shall be declared.						
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[Declaration] Agent	(Party) identityEx- tension	identifierEx- tension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
(LODGING SUMMARY DECLARATION) PERSON 1X	R					
The person who brings the goods, or who assumes responsibility for the carriage of the goods into the customs territory of the Community or the person who acts in that person's name or any person who is able to present the goods in question or to have them presented to the competent customs authority or a representative of one of those persons.						
Name		O	an..35	[Declaration.Border- Transport Means] Mas- ter	(Party) name1	lineType
Street and number		O	an..35	[Declaration.Border- Transport Means] Mas- ter	(Party.Address) line	lineType
Postal code		O	an..9	[Declaration.Border- Transport Means] Mas- ter	(Party.Address) postCode	postalCode
City		O	an..35	[Declaration.Border- Transport Means] Mas- ter	(Party.Address) city	lineType
Country		O	a2	[Declaration.Border- Transport Means] Mas- ter	(Party.Address) country	countryCode
Code list 0058						
Capital letters must be used.						
TIN		R	an..17	[Declaration.Border- Transport Means] Mas- ter	(Party) identity	identifier

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
<p>R837: The EORI Trader Identification number (TIN) shall be declared. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.</p>						
TIN extension		D	an5	[Declaration.Border-Transport Means] Master	(Party) identityExtension	identifierExtension
<p>IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.</p>						
SEALS ID 9999X		O				
<p>The identification numbers of the seals affixed to the transport equipment must be entered if seals are used.</p>						
Seals identity		R	an..20	[GoodsShipment.Consignment] TransportEquipment	seal	sealIdentifier
CONTACT INFORMATION 1X		R				
Contact person name		R	an..35	[Declaration] RepresentativePerson	(Party.Contact) name	lineType
Contact person telephone		R	an..35	[Declaration] RepresentativePerson	(Party. Communication) telephone	lineType
Contact person e-mail		O	an..100	[Declaration] RepresentativePerson	(Party. Communication) email	emailType

Level 1	RDO	Format	Path	(General type) tag	type
HEADER [SUMMARY DECLARATION] 1X	R				
Reference number MRN	R	an18	[Response] Declaration	MRN	mrn
Exit Rejection Motivation	O	an.350	[Response] Error	additionalDescription	text
Exit Rejection Motivation Code	D	n1	[Response] Error	validation	code

The possible values are:

3 = The item may not continue

IF Rejection concerns the whole lot, THEN this data element is 'R'. ELSE it is not used.

GOODS ITEM 999X **D**

IF only part of goods related to the MRN are released, THEN item numbers are entered.

Item Number	R	n..5	[Response.GoodsShipment.Consignment] ConsignmentItem	sequence	numeric
Exit Rejection Motivation	O	an.350	[Response.GoodsShipment.Consignment.ConsignmentItem] AdditionalInformation	statementDescription	text
Exit Rejection Motivation Code	R	n1	[Response.GoodsShipment.Consignment.ConsignmentItem] AdditionalInformation	controlResult	controlResultCode

The possible values are:

3 = The item may not continue

(EXIT) CUSTOMS OFFICE 1X **R**

Reference number	R	an8	[Response] Contact CustomsOffice	(CustomsOffice.Location) code	identifier
------------------	---	-----	----------------------------------	-------------------------------	------------

Capital letters must be used.

CONTROL RESULT 1X **R**

Control date and time	R	dateTime	[Response] Status	effective	dateTime
-----------------------	---	----------	-------------------	-----------	----------

(LODGING SUMMARY DECLARATION) PERSON 1X **R**

Name	O	an..35	[Response.Declaration.BorderTransportMeans] Master	(Party) name1	lineType
Street and number	O	an..35	[Response.Declaration.BorderTransportMeans] Master	(Party.Address) line	lineType
Postal code	O	an..9	[Response.Declaration.BorderTransportMeans] Master	(Party.Address) post-Code	postalCode
City	O	an..35	[Response.Declaration.BorderTransportMeans] Master	(Party.Address) city	lineType
Country	O	a2	[Response.Declaration.BorderTransportMeans] Master	(Party.Address) country	countryCode

Code list 0058

Capital letters must be used.

TIN	R	an..17	[Response.Declaration.BorderTransportMeans] Master	(Party) identity	identifier
-----	---	--------	--	------------------	------------

R837: The EORI Trader Identification number (TIN) shall be declared.

The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.

TIN extension	D	an5	[Response.Declaration.BorderTransportMeans] Master	(Party) identityExtension	identifierExtension
---------------	---	-----	--	---------------------------	---------------------

IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.

(REPRESENTATIVE) TRADER 1X **D**

Name	O	an..35	[Response.Declaration] Agent	(Party) name1	lineType
Name continuation	O	an..35	[Response.Declaration] Agent	(Party) name2	lineType
Street and number	O	an..35	[Response.Declaration] Agent	(Party.Address) line	lineType
Postal code	O	an..9	[Response.Declaration] Agent	(Party.Address) post-Code	postalCode
City	O	an..35	[Response.Declaration] Agent	(Party.Address) city	lineType
Country	O	a2	[Response.Declaration] Agent	(Party.Address) country	countryCode

Code list 0058

Capital letters must be used.

TIN	R	an..17	[Response.Declaration] Agent	(Party) identity	identifier
-----	---	--------	------------------------------	------------------	------------

The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.

TIN extension	D	an5	[Response.Declaration] Agent	(Party) identityExtension	identifierExtension
---------------	---	-----	------------------------------	---------------------------	---------------------

IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.

Level 1	RDO	Format	Path	(General type) tag	type
HEADER [SUMMARY DECLARATION] 1X	R				
Reference number MRN	R	an18	[Response] Declaration	MRN	mrn
Authorised Storing Location of Goods	D	an..17	[Response.Declaration] Warehouse	identification	identifier
C156: IF 'Storing flag' = 'YES' THEN 'Authorised Storing Location of Goods' = 'R' ELSE 'Authorised Storing Location of Goods' can not be used.					
Authorised location TIN extension	D	an5	[Response. Declaration] Warehouse	identification Extension	identifierExtension
C156: IF 'Storing flag' = 'YES' THEN 'Authorised Storing Location Of Goods' = 'R' ELSE 'Authorised Storing Location Of Goods' can not be used.					
Date and time of release	R	dateTime	[Response] Status	effective	dateTime
Storing flag	R	an..5	[Response.Declaration] Warehouse	storing	indicatorCode
R230: This attribute is used as a flag, its value can be either "0" or "false" ("no") or "1" or "true" ("yes").					
GOODS ITEM 999X	D				
IF only part of goods related to the MRN are released, THEN item numbers are entered.					
Item Number	R	n..5	[Response.GoodsShipment. Consignment] ConsignmentItem	sequence	numeric
(EXIT) CUSTOMS OFFICE 1X	R				
Reference number	R	an8	[Response] ContactCustomsOffice	(CustomsOffice. Location) code	identifier
Capital letters must be used.					
(LODGING SUMMARY DECLARATION) PERSON 1X	R				
Name	O	an..35	[Response.Declaration. BorderTransportMeans] Master	(Party) name1	lineType
Street and number	O	an..35	[Response.Declaration. BorderTransportMeans] Master	(Party.Address) line	lineType
Postal code	O	an..9	[Response.Declaration. BorderTransportMeans] Master	(Party.Address) postCode	postalCode
City	O	an..35	[Response.Declaration. BorderTransportMeans] Master	(Party.Address) city	lineType
Country	O	a2	[Response.Declaration. BorderTransportMeans] Master	(Party.Address) country	countryCode
Code list 0058 Capital letters must be used.					
TIN	R	an..17	[Response.Declaration. BorderTransportMeans] Master	(Party) identity	identifier
R837: The EORI Trader Identification number (TIN) shall be declared. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.					
TIN extension	D	an5	[Response.Declaration. BorderTransportMeans] Master	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.					
(REPRESENTATIVE) TRADER 1X	D				
Name	O	an..35	[Response.Declaration] Agent	(Party) name1	lineType
Street and number	O	an..35	[Response.Declaration] Agent	(Party.Address) line	lineType
Postal code	O	an..9	[Response.Declaration] Agent	(Party.Address) postCode	postalCode
City	O	an..35	[Response.Declaration] Agent	(Party.Address) city	lineType
Country	O	a2	[Response.Declaration] Agent	(Party.Address) country	countryCode
Code list 0058 Capital letters must be used.					
TIN	R	an..17	[Response.Declaration] Agent	(Party) identity	identifier
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.					
TIN extension	D	an5	[Response.Declaration] Agent	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.					

Level 1	RDO	Format	Path	(General type) tag	type
HEADER [MANIFEST] 1X	R				
Customs reference number	R	an17	[Response] Declaration	customsReference	identifier
Manifest reference number (LRN)	R	an..22	[Response] Declaration	reference	lineType
Manifest registration date	R	date	[Response] Declaration	acceptance	date
(ACTUAL EXIT) CUSTOMS OFFICE 1X	R				
Reference number	R	an8	[Response] ContactCustomsOffice	(CustomsOffice. Location) code	identifier
Capital letters must be used.					
(EXIT CARRIER) TRADER 1X	R				
Name	O	an..35	[Response.Declaration] Carrier	(Party) name1	lineType
Name continuation	O	an..35	[Response.Declaration] Carrier	(Party) name2	lineType
Street and number	O	an..35	[Response.Declaration] Carrier	(Party.Address) line	lineType
Postal code	O	an..9	[Response.Declaration] Carrier	(Party.Address) postCode	postalCode
City	O	an..35	[Response.Declaration] Carrier	(Party.Address) city	lineType
Country	O	a2	[Response.Declaration] Carrier	(Party.Address) country	countryCode
Code list 0058					
Capital letters must be used.					
TIN	R	an..17	[Response.Declaration] Carrier	(Party) identity	identifier
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.					
TIN extension	D	an5	[Response.Declaration] Carrier	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.					
(REPRESENTATIVE) TRADER 1X	D				
IF the carrier uses a representative, then this data = R. ELSE it is not used.					
Name	O	an..35	[Response.Declaration] Agent	(Party) name1	lineType
Name continuation	O	an..35	[Response.Declaration] Agent	(Party) name2	lineType
Street and number	O	an..35	[Response.Declaration] Agent	(Party.Address) line	lineType
Postal code	O	an..9	[Response.Declaration] Agent	(Party.Address) postCode	postalCode
City	O	an..35	[Response.Declaration] Agent	(Party.Address) city	lineType
Country	O	a2	[Response.Declaration] Agent	(Party.Address) country	countryCode
Code list 0058					
Capital letters must be used.					
TIN	R	an..17	[Response.Declaration] Agent	(Party) identity	identifier
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.					
TIN extension	D	an5	[Response.Declaration] Agent	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.					

Level 1	Level 2	RDO	Format	Path	(General type) tag	type
HEADER [SUMMARY DECLARATION] 1X		R				
Reference number MRN		R	an18	[Response] Declaration	MRN	mrn
Notification date and time		R	dateTime	[Response] Status	effective	dateTime
(EXIT CARRIER) TRADER 1X		R				
Name		O	an..35	[Response.Declaration] Carrier	(Party) name1	lineType
Name continuation		O	an..35	[Response.Declaration] Carrier	(Party) name2	lineType
Street and number		O	an..35	[Response.Declaration] Carrier	(Party.Address) line	lineType
Postal code		O	an..9	[Response.Declaration] Carrier	(Party.Address) post-Code	postalCode
City		O	an..35	[Response.Declaration] Carrier	(Party.Address) city	lineType
Country		O	a2	[Response.Declaration] Carrier	(Party.Address) country	countryCode
Code list 0058 Capital letters must be used.						
TIN		R	an..17	[Response.Declaration] Carrier	(Party) identity	identifier
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[Response.Declaration] Carrier	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
(REPRESENTATIVE) TRADER 1X		D				
IF the carrier uses a representative, then this data = R. ELSE it is not used.						
Name		O	an..35	[Response.Declaration] Agent	(Party) name1	lineType
Name continuation		O	an..35	[Response.Declaration] Agent	(Party) name2	lineType
Street and number		O	an..35	[Response.Declaration] Agent	(Party.Address) line	lineType
Country		O	a2	[Response.Declaration] Agent	(Party.Address) country	countryCode
Code list 0058 Capital letters must be used.						
Postal code		O	an..9	[Response.Declaration] Agent	(Party.Address) post-Code	postalCode
City		O	an..35	[Response.Declaration] Agent	(Party.Address) city	lineType
TIN		R	an..17	[Response.Declaration] Agent	(Party) identity	identifier
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.						
TIN extension		D	an5	[Response.Declaration] Agent	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.						
GOODS ITEM 999X		O				
C571: IF the attribute 'Item Number concerned' for at least one of the occurrences of the data group CUSTOMS INTERVENTION' is present THEN the data group is = 'O' ELSE the data group can not be used						
Item Number concerned		O	n..5	[Response.GoodsShipment.Consignment] ConsignmentItem	sequence	numeric
CUSTOMS INTERVENTION 999X		R				
Item Number concerned		D	n..5	[Response.Control] Pointer	sequence	numeric
IF the notification concerns data on the goods item level, THEN the item number as presented in the accepted (Entry) summary declaration with the same MRN is entered. ELSE data element is not used.						
Customs Intervention code		R	an..4	[Response.Control] AdditionalInformation	statement	specialMentions Code
Code list 0421						
Customs Intervention text		O	an..350	[Response.Control] AdditionalInformation	statementDescription	text
(CONTROL) CUSTOMS OFFICE 1X		O				
Reference number		R	an8	[Response.Control] ContactCustomsOffice	(CustomsOffice. Location) code	identifier
Capital letters must be used.						

Level 1	RDO	For- mat	Path	(General type) tag	type
HEADER [SUMMARY DECLARATION] 1X	R				
LRN (Local reference number)	R	an..22	[Response] Declaration	reference	lineType
Customs reference number	R	an17	[Response] Declaration	customsReference	identifier
Notification acceptance date	R	date	[Response] Declaration	acceptance	date
(ACTUAL EXIT) CUSTOMS OFFICE 1X	R				
Reference number	R	an8	[Response] ContactCustomsOffice	(CustomsOffice. Location) code	identifier
Capital letters must be used.					
(REPRESENTATIVE) TRADER 1X	D				
IF representative is used, THEN this data group = R. ELSE this data group is not used.					
Name	O	an..35	[Response.Declaration] Agent	(Party) name1	lineType
Name continuation	O	an..35	[Response.Declaration] Agent	(Party) name2	lineType
Street and number	O	an..35	[Response.Declaration] Agent	(Party.Address) line	lineType
Postal code	O	an..9	[Response.Declaration] Agent	(Party.Address) postalCode	postalCode
City	O	an..35	[Response.Declaration] Agent	(Party.Address) city	lineType
Country	O	a2	[Response.Declaration] Agent	(Party.Address) country	countryCode
Code list 0058					
Capital letters must be used.					
TIN	R	an..17	[Response.Declaration] Agent	(Party) identity	identifier
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.					
TIN extension	D	an5	[Response.Declaration] Agent	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.					
(EXIT CARRIER) TRADER 1X	R				
Name	O	an..35	[Response.Declaration] Carrier	(Party) name1	lineType
Street and number	O	an..35	[Response.Declaration] Carrier	(Party.Address) line	lineType
Postal code	O	an..9	[Response.Declaration] Carrier	(Party.Address) postalCode	postalCode
City	O	an..35	[Response.Declaration] Carrier	(Party.Address) city	lineType
Country	O	a2	[Response.Declaration] Carrier	(Party.Address) country	countryCode
Code list 0058					
Capital letters must be used.					
TIN	R	an..17	[Response.Declaration] Carrier	(Party) identity	identifier
R837: The EORI Trader Identification number (TIN) shall be declared.					
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. FI1234567-1.					
TIN extension	D	an5	[Response.Declaration] Carrier	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.					

Level 1	RDO	Format	Path	(General type) tag	type
HEADER [SUMMARY DECLARATION] 1X	R				
Reference number MRN	R	an18	[Response] Declaration	MRN	mrn
Date and time of amendment	R	dateTime	[Response] Declaration	(Document) issue	dateTime
Amendment acceptance date	R	date	[Response] Declaration	acceptance	date
(ACTUAL EXIT) CUSTOMS OFFICE 1X	R				
Reference number	R	an8	[Response] ContactCustom- sOffice	(CustomsOffice. Location) code	identifier
Capital letters must be used.					
(REPRESENTATIVE) TRADER 1X	D				
IF the person lodging summary declaration has used a representative, then this data = R. ELSE it is not used.					
Name	O	an..35	[Response.Declaration] Agent	(Party) name1	lineType
Name continuation	O	an..35	[Response.Declaration] Agent	(Party) name2	lineType
Street and number	O	an..35	[Response.Declaration] Agent	(Party.Address) line	lineType
Postal code	O	an..9	[Response.Declaration] Agent	(Party.Address) postCode	postalCode
City	O	an..35	[Response.Declaration] Agent	(Party.Address) city	lineType
Country	O	a2	[Response.Declaration] Agent	(Party.Address) country	countryCode
Code list 0058					
Capital letters must be used.					
TIN	R	an..17	[Response.Declaration] Agent	(Party) identity	identifier
R837: The EORI Trader Identification number (TIN) shall be declared.					
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.					
TIN extension	D	an5	[Response.Declaration] Agent	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.					
(LODGING SUMMARY DECLARATION) PERSON 1X	R				
Name	O	an..35	[Response.Declaration] Mas- ter	(Party) name1	lineType
Name continuation	O	an..35	[Response.Declaration] Mas- ter	(Party) name2	lineType
Street and number	O	an..35	[Response.Declaration] Mas- ter	(Party.Address) line	lineType
Postal code	O	an..9	[Response.Declaration] Mas- ter	(Party.Address) postCode	postalCode
City	O	an..35	[Response.Declaration] Mas- ter	(Party.Address) city	lineType
Country	O	a2	[Response.Declaration] Mas- ter	(Party.Address) country	countryCode
Code list 0058					
Capital letters must be used.					
TIN	R	an..17	[Response.Declaration] Mas- ter	(Party) identity	identifier
R837: The EORI Trader Identification number (TIN) shall be declared.					
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.					
TIN extension	D	an5	[Response.Declaration] Mas- ter	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.					

Level 1	RDO	Format	Path	(General type) tag	type
HEADER [SUMMARY DECLARATION] 1X	R				
LRN (Local reference number)	R	an..22	[Response.Declaration] Document	reference	lineType
Reference number MRN	R	an18	[Response] Declaration	MRN	mrn
Declaration registration date and time	R	dateTime	[Response] Declaration	(Document) issue	dateTime
(LODGING SUMMARY DECLARATION) PERSON 1X	R				
Name	O	an..35	[Response.Declaration] Master	(Party) name1	lineType
Name continuation	O	an..35	[Response.Declaration] Master	(Party) name2	lineType
Street and number	O	a2	[Response.Declaration] Master	(Party.Address) line	lineType
Postal code	O	an..9	[Response.Declaration] Master	(Party.Address) post-Code	postalCode
City	O	an..35	[Response.Declaration] Master	(Party.Address) city	lineType
Country	O	a2	[Response.Declaration] Master	(Party.Address) country	countryCode
Code list 0058 Capital letters must be used.					
TIN	R	an..17	[Response.Declaration] Master	(Party) identity	identifier
R837: The EORI Trader Identification number (TIN) shall be declared. The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.					
TIN extension	D	an5	[Response.Declaration] Master	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.					
(REPRESENTATIVE) TRADER 1X	D				
IF the person lodging summary declaration has used a representative, then this data = R. ELSE it is not used.					
Name	O	an..35	[Response.Declaration] Agent	(Party) name1	lineType
Name continuation	O	an..35	[Response.Declaration] Agent	(Party) name2	lineType
Street and number	O	an..35	[Response.Declaration] Agent	(Party.Address) line	lineType
Postal code	O	an..9	[Response.Declaration] Agent	(Party.Address) post-Code	postalCode
City	O	an..35	[Response.Declaration] Agent	(Party.Address) city	lineType
Country	O	a2	[Response.Declaration] Agent	(Party.Address) country	countryCode
Code list 0058 Capital letters must be used.					
TIN	R	an..17	[Response.Declaration] Agent	(Party) identity	identifier
The Finnish EORI identification consists of a two digit country code followed by the Business ID. E.g. F11234567-1.					
TIN extension	D	an5	[Response.Declaration] Agent	(Party) identityExtension	identifierExtension
IF the trader has an identity extension given by the Finnish Customs, then this data = R. ELSE it is not used.					